

भारत कोकिंग कोल लिमिटेड

एक मिनी रत्न कम्पनी

(महाराष्ट्र कम्पनी कोल इंडिया का एक उपक्रम)

पंजीकृत कार्यालय : कोयला भवन, कोयला नगर,

धनबाद-826005

सीआइएन : U10101JH1972GO1000918

परियोजना पदाधिकारी का कार्यालय
महुदा ग्रुप

पोस्ट / धाना: महुदा, जिला: धनबाद (झारखण्ड)-828305

फ़ोन नं. 0326 2273483; फ़ैक्स: 0326 2273445, ई-मेल: gmwj.bcccl@coalindia.in



Bharat Coking Coal Limited

A Mini Ratna Company

(A Subsidiary of Coal India Limited: A Maharatna Company)

Regd. Off.: Koyla Bhawan, Koyla Nagar

Dhanbad - 826005

CIN : U10101JH1972GO1000918

**OFFICE OF THE PROJECT OFFICER
MAHUDA GROUP**

PO & PS: Mahuda, DISTT: Dhanbad (Jharkhand)-828305

PHONE NO: 0326 2273483, FAX NO: 0326 2273445, e-mail : gmwj.bcccl@coalindia.in

"For uploading online on 'parivesh portal' of MoEF&CC and send by e-mail"

Ref:- BCCL/WJA/ENV/2023/ 137

Date:- 27/11/2023

To,
The Director,
Ministry of Environment & Forest and Climate Change
Regional Office (ECZ), Bunglow No. A-2,
Shyamali Colony, Ranchi – 834002.

Sub: - Submission of six-monthly reports on compliance of Environment Clearance for the period from **April'2023 to Sept'2023** with respect to **Cluster-XII** of Kapuria UG project, M/s Bharat Coking Coal Limited.

Ref: EC Order No. – J-11015/184/2012-IA.II (M) **Dated:** - 10.12.2014.

Respected Sir,

Please find enclosed herewith the six-monthly reports on compliance of Environment Clearances for the period from **April'2023 to Sept'2023** in respect of **Cluster XII** of Kapuria UG of M/s Bharat Coking Coal Limited. We hope you will find in order. It is also to bring to your kind notice that the project has been delayed due to the delay in physical possession of land. The work has not started yet.

Thanking you,
Encl: - As Above

Yours faithfully,

Project Officer
Kapuria Project (Cluster-XII, BCCL)

**ENVIRONMENTAL CLEARANCE COMPLIANCE OF CLUSTER-XII
GRANTED VIDE LETTER NO. J-11015/184/2012-IA.II (M) DATED
10.12.2014**

(April'23 – September'23)

Sl. No	A. Specific Conditions by MOEF:	Compliance
i.	The maximum production from the mine at any given time shall not exceed the limit as prescribed in the EC	Project has not started yet. Project is under tendering process.
ii	A separate team for subsidence monitoring and surface mitigation measures be constituted and continuous monitoring and mitigation measures be carried out.	Shall be complied. Project is under construction phase.
iii.	The validity of the EC is for the life of the Mine or as specified in the EIA Notification, 2006, whichever is earlier.	Agreed.
iv.	The coal transportation from the mine to the siding shall be by conveyor belt and coal transportation from to the washery shall be by rail.	Shall be complied.
v.	Piezometers be installed upto the depth of mining to facilitate monitoring of ground water.	The work of monitoring of ground water is being carried out by CMPDI.
Vi.	Water sprinkler be used for coal dust suppression along the haul roads.	Shall be complied.
vii.	Thick green belt shall be developed around proposed washery within the Cluster-XII lease area and plantation shall be undertaken along NR-32.	Shall be complied.
Viii	Subsidence study shall be taken up with reputed scientific agency as per stipulation of DGMS	Shall be complied.
ix.	Various CSR works that will be carried out shall include education, healthcare water supply etc.	Shall be complied.
x.	The project should have ecologist/social scientists to monitor the project.	BCCL is following the roadmap prepared by FRI, Dehradun to restore ecology in the region and conducting the work of ecological restoration in the mined out areas.
xi.	Coal produced from the mine will be directly loaded into a CHP at the incline top. From the CHP at incline top, coal will be transported to the proposed Kapuria Coal Washery linked to the mine by covered conveyor system of length of 250m. Washed coal from the washer will be transported by conveyor to the railway siding and loaded	Shall be complied.

	into the wagons by CHP.	
xii.	The production shall be within the same Mining Lease area	Shall be complied.
xiii.	Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads, and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clay soillsuitable material.	Shall be complied.
xiv.	If subsidence is found exceeding the permitted limits, then the land owners shall be adequately compensated with mutual agreement of the landowners.	Shall be complied.
xv.	Mining shall be carried out as per statuette at a safe distance from river/nalla following within adjacent to the lease boundary at the time of depillaring, protective bunds and garland drains shall be provided so that no water from the surface enters the subsidence area and the shaft.	Mining shall be done as per DGMS statute.
xvi.	Sufficient coal pillars shall be left unextracted around the air shaft (within the subsidence influence area) to protect from any damage from subsidence, if any.	Shall be complied.
xvii.	Solid barriers shall be left below the roads falling within the blocks to avoid any damage to the roads.	Shall be complied.
xviii.	Diversion of Land shall be done with approval of the Competent Authorities.	Shall be complied.
xix.	Coal Extraction shall be optimised in areas where agricultural production is continuing. Some pillars shall be left below the agricultural land. No depillaring & coal extraction should be carried out below habitation, H.T. Lines & beneath road,	It will be done as per the statute and DGMS Guidelines.

	water bodies, railway track.	
xx.	The mined out land should be used for agriculture purpose.	Shall be complied
xxi.	Safety measures and health issues need to be addressed for workers and surrounding villagers.	Shall be complied.
xxii.	Proponent shall implement all the lated safety measures with safety equipment.	It will be done as per the statute and DGMS guidelines.
xxiii.	At the time of establishing the CRP, it is proposed to establish mist spray arrangements and also enclosing the ground level bunkers up to the level of gantry	Shall be complied.
Xxiv.	An afforestation plan to be prepared for implementation after stabilization of subsidence	Shall be complied.
Xxv.	Water spraying arrangements at loading points and mist spray arrangements are to be provided.	Shall be complied.
xxvi.	No additional land, manpower and equipment and water shall be used for the expansion project.	Shall be complied.
xxvii.	Mine closures activities include sealing of incline mouth dismantling of haulage system, clearing and afforestation of coal stock area, plantation on barren land and old abandoned mine.	Mine closure plan will be formulated as per the guidelines of ministry of coal GoI.
xxviii.	3-tier plantation should be developed 2 km stretch of road from the mine using native species	Shall be complied.
xxix.	Garland drains (size, gradient and length) around the safety areas such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine sites. Sump capacity shall also provide adequate retention period to allow proper settling of silt material.	It will be done as per EMP.

Xxx.	Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points, etc. Major approach roads shall be black topped and properly maintained.	Shall be complied.
.Xxxi.	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township etc., by planting native species in consultation with the local DFO/Agriculture Department,	Shall be done. EMP and mine closure plan will be followed.
xxxii.	Regular monitoring of groundwater level and quality shall be carried out by establishing a network of existing wells and construction of new peizometers, The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality in May. Data thus collected shall be submitted to the Ministry of Environment, Forests & Climate Change and to the Central Pollution Control Board quarterly within one month of monitoring.	It will be complied. At present CMPDI is working to establish a network of piezometer well.
xxxiii.	Acid Water Treatment Plant, volume of water to be treated and disposal of brine should be provided.	Shall be provided if acid water treatment is required.
xxxiv.	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Shall be provided.
xxxv.	Monitoring of drinking water should be carried out regularly.	Environmental parameters are being monitored by CMPDI, as per the MoEF&CC standards.
Xxxvi.	Sewage treatment plant shall be installed in the township. ETP shall also be provided for treating workshop	Shall be complied.
xxxvii.	For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for anyone particular season which is consistent in the time series), and the report	Presently a time series map of vegetation cover in the Jharia coal field is being carried out through CMPDI Ranchi using satellite imagery for every 3 years and is being uploaded on the official website of company. Further CMPDI has been requested to prepare time series of land use maps based on satellite imagery of the core zone and buffer zone in the scale 1:5000.

	submitted to MOEF&CC and its Regional office at Bangalore.	
xxxviii	If the water quality parameters such as F, pH, heavy metals, etc. exceed the prescribed limits, suitable measures by the proponent be taken to ensure that the local communities are provided alternate source of water for their livelihood	Shall be complied.
xxxix	Medical camps should be organized in the area for regular check-up of workers/villagers/population. Detailed prevalent disease pattern in the area should be documented and details of medical facilities provided for the same be made available to the MoEF&CC	It is being done.
xl	Mine discharge water outside the ML shall be monitored, particularly for TDS and treated to conform to prescribed levels before discharge into the natural environment.	Environmental parameters are being monitored by CMPDI, as per the MoEF&CC standard.
xli	The Company shall put up artificial groundwater recharge measures for augmentation of groundwater resource, in case water table shows a declining trend. The project authorities shall meet water requirement of nearby villagers) in case the village wells go dry due to dewatering of mine.	It will be provided and regular monitoring shall be done
xlii	Besides carrying out regular periodic health check-up of their workers, 10% of the workers identified from Workforce engaged in active mining operations shall be subjected to health check-up for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmadabad within a period of one year and the results reported to this Ministry and to DGMS.	It will be complied, however BCCL has engaged NIOH for other cluster of BCCL to health checkup for occupational disease and hearing impairment.
xliii	The mining in the existing mines should be phased out after expiry of the current mining lease and after reclamation of mined over area. The operating mines may be analysed and monitored for compliance of conditions, bearing with movement of wildlife and until such time they are closed/phased out.	Agree, Shall be complied
xliv	Project specific CSR for an amount of Rs5/Tonne of coal production, as adjusted as per the annual inflation, should be provided for the CSR activities	It will be done as per the CSR policy of organization.

	undertaken and the progress made thereon shall be uploaded annually on the company website. Monitoring of the impacts of activities under CSR shall be carried out periodically.	
xliv.	A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forests & Climate Change 5 years in advance of final mine closure for approval.	Shall be complied
xlvi.	Corporate Environment Responsibility: a) The Company shall have a well laid down Environment Policy approved by the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished. d) To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.	Bharat Coking Coal Ltd is a subsidiary of Coal India Ltd which is having a well laid down Environmental Policy It is being complied It already exists within the company. It will be done, if any.
SL No	B. General Conditions Conditions by MOEF:	Compliance
i.	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment, Forests & Climate Change.	Shall be complied
ii.	No change in the calendar plan of production for quantum of mineral coal shall be made.	Shall be complied when coal production will start.
iii.	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM ₁₀ , PM _{2.5} , SO ₂ and NO _x monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically	Being complied. Monitoring is being done by CMPDI. Monitoring report enclosed.


	sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months,	
iv.	Data on ambient air quality (PM ₁₀ , PM _{2.5} , SO ₂ and NO _x) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its concerned Regional Office and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized under the EPA rules, 1986 shall be furnished as part of compliance report.	Being complied
v.	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Shall be complied
vi.	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	Shall be complied
vii.	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	Shall be complied
viii.	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analyzed through a laboratory recognized under EPA Rules, 1986.	Environmental parameters are being monitored as per NAAQS standards. Monitoring stations have been finalized with Jharkhand State Pollution Control Board, Ranchi.
ix.	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Shall be complied

x.	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Shall be complied
xi.	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	A full-fledged environment department headed by HoD (Environment) along with a suitable qualified multidisciplinary team with of executive has been established in the headquarters. They are trained in ecological restoration, sustainable development, rainwater harvesting methods etc.
xii.	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.	Shall be complied
xiii.	http://envfor.nic.in . The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the Ministry of Environment, Forests & Climate Change at http://envfor.nic.in .	It is complied
xiv.	A copy of the environmental clearance letter shall be marked to concern Panchayat/Zila Parishad, Municipal Corporation or Urban local body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on company's website.	It is complied
xv.	A copy of the environmental clearance letter shall be shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Sector and Collector's Office/Tehsildar's Office for 30 days	It is complied

xvi.	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollutant such as PM ₁₀ , PM _{2.5} , SO ₂ and NO _x (ambient) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.	It is being complied. The monitoring data of environment parameters to be display at project premises shall be complied once the project starts.
xvii.	The project proponent shall submit six monthly compliance reports on status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry, respective Zonal Office s of CPCB and the SPCB.	It is being complied
xviii.	The Regional Office of this Ministry located in the Region shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the officers) of the Regional Office by furnishing the requisite data information/monitoring reports,	It is being complied
xix.	The Environmental statement for each financial year ending 31 March in Form -V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEFCC by e-mail.	It is being complied

	C. Other Conditions by MoEF&CC	
4	The proponent shall abide by all the commitments and recommendations made in the ETA/EMP report so along during their presentation to the EAC.	Agreed
5	The commitment made by the Proponent to the issue raised during Public Hearing shall be implemented by the Proponent	Shall be implemented
6	The proponent is required to obtain all necessary clearances/approvals that may be required before the start of the project. The Ministry or any other competent authority may stipulate any further condition for environmental protection	Agreed
7	The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Agreed
8	The Proponent shall setup an Environment Audit cell with responsibility and accountability to ensure implementation of all the EC Conditions.	It will be done.
9	Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed
10	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India and High Courts and any other Court of Law relating to the subject matter. The proponent shall ensure to undertake and provide for the costs incurred for taking	Shall be complied.

	up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	
11	Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed


27/11/23

Project officer
Kapuria Mine

Project Officer
Mohuda Group Office
B.C.C.L

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.

**ENVIRONMENTAL MONITORING REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE MONTH FAPRIL, 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CONTENTS

SL. NO.	CHAPTER	PARTICULARS	PAGE NO.
1.	CHAPTER - I	EXECUTIVE SUMMARY	3-5
2.	CHAPTER-II	INTRODUCTION	6
3.	CHAPTER-III	RESULTS	7-18
4.	CHAPTER-IV	STANDARDS AND PLANS	19-20

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the fauna and flora. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Ambient air sampling locations

The ambient air quality monitoring stations were selected to represent core, buffer zone area. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

2.2 Water sampling stations

The Water sampling stations were selected for mine sump water.

2.3 Noise level monitoring locations

Noise levels vary depending on the various activities in mining areas. The monitoring of noise level in different locations will be helpful to take appropriate mitigating measures. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

3.0 Methodology of sampling and analysis

3.1 Ambient air quality

Parameters chosen for assessment of ambient air quality were Particulate Matter (PM₁₀), Fine Particulate Matter (PM_{2.5}), Sulphur Di-oxide (SO₂) and Nitrogen Oxides (NO_x). Respirable Dust Samplers (RDS) and Fine

Dust Sampler (PM_{2.5} sampler) were used for sampling of PM₁₀, SO₂, & NO_x and Fine Dust Sampler (PM_{2.5} sampler) were used for sampling of PM_{2.5} at 24 hours interval once in a fortnight and the same for the gaseous pollutants. The samples were analysed in Environmental Laboratory of CMPDI, RI-II, Dhanbad.

3.2 Water quality

Water samples were collected as per standard practice. The Mine effluent samples were collected and analyzed for four parameters on fortnightly basis. Thereafter the samples were preserved and analyzed at the Environmental Laboratory of CMPDI, RI- II, Dhanbad.

3.3 Noise level monitoring

Noise level measurements in form of 'Leq' were taken using Integrated Data Logging Sound Level Meter. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB(A).

4.0 Results and interpretations

4.1 Air quality

It has been seen from the analysis results that the 24 hours average concentration parameters like PM₁₀, PM_{2.5}, SO₂ and NO_x are mostly within the permissible limits in all sampling locations as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines and National Ambient Air Quality Standard -2009. Sometimes the concentration of PM₁₀& PM_{2.5} exceeds the limits due to heavy public traffic, poor road condition, coke oven plants, burning of coal by surrounding habitants, brick making, municipal waste dumps and industries like Steel Plant, thermal Plants including their fly ash etc.

The following preventive and suppressive mitigative measures can be undertaken to contain the pollution level within prescribed level:-

- Wet drilling and controlled blasting should be practice.
- Explosive used should be optimised to restrict the dust generation.
- Transportation roads should be permanently asphalted free of ruts, potholes etc.
- Water should be sprayed on coal transportation road, service road more frequently and at regular interval.
- Dust from roads should be removed physically or mechanically.
- Greenbelts around industrial sites, service building area besides Avenue plantation along roads should be created.
- Coal dust should be suppressed by using fixed sprinklers.
- Regular maintenance of plant and machinery should be undertaken.

4.2 Water quality

The test results indicate that the major parameters compared with MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000

4.3 Noise Level

During the noise level survey it has been observed that the noise level in the sampling locations is within the permissible limits prescribed as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines for Industrial Area and Noise pollution (Regulation and Control) Rules, 2000.

INTRODUCTION

1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guide-lines stipulated by Ministry of Environment, Forest and Climate Change (MoEF&CC), Govt. of India.

The very purpose of environmental monitoring is to assess the quality of various attributes which affects the environment. As per quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

1.1 The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.

1.2 The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no E.C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.

Ministry of Environment, Forest and Climate Change while granting environmental clearance has given one of the General conditions that “ Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for PM₁₀, PM_{2.5}, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets, other conditions regarding water / effluent and noise level monitoring in consultation with the State Pollution Control Board.”

In compliance of these conditions the Environmental Monitoring has been carried out & report prepared for submission to MoEF&CC& JSPCB and other statutory authorities.

AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.1.1 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhibasti(A18): Industrial Area

The location of the sampling station is 23° 45'26.60" N & 86°18'39.90" E. The samplers were placed at a height of approx. 1.5m above ground level at Rudhibasti.

II. BUFFER ZONE Monitoring Location

i) Block IV (A6) : Industrial area

The location of the sampling station is 23° 47' 54.00" N & 86°16' 20.00" E. The samplers were placed at a height of approx. 1.5m above ground level at Safety Office.

ii) Moonidih UGP (A17) : Industrial area

The location of the sampling station is 23°44' 30.00" N & 86° 20'56.00" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is 23°43' 51.82" N & 86°16'21.87" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

AMBIENT AIR QUALITY DATA



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2.cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		April 2023		Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/01	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)							Date of Issue	17.06.2023
Project		RudhiBasti			Sample Ref. No.	REM/BCCL/2023/01	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		11.04.23	25.04.23	Period of Analysis	17.04.2023 to15.05.2023	01.05.2023 to 15.05.2023	Zone of Station	Core Zone	AREA	Industrial Area
Sl. No.	Parameter	Method of Analysis		Observed Values (in µg/m³)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009	
				1stFN 11.04.23	2ndFN 25.04.23					
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		92	85	10 µg/m³ - 1000 µg/m³	10 µg/m³	300	100	
2	PM _{2.5}	IS -5182(Part 24):2019		38	45	10 µg/m³ - 400 µg/m³	10 µg/m³	Not Specified	60	
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	<10	10 µg/m³ - 1050 µg/m³	10 µg/m³	120	80	
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		18	19	06 µg/m³ - 420 µg/m³	06 µg/m³	120	80	

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]

ANALYSED BY

[Signature]

(Gaurav Kant)
REVIEWED BY

[Signature]

(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report cannot be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD, -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		April 2023		Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/01	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)							Date of Issue	17.06.2023
Project		Block IV			Sample Ref. No.	REM/BCCL/2023/01	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		07.04.23	23.04.23	Period of Analysis	17.04.2023 to15.05.2023	01.05.2023 to 15.05.2023	Zone of Station	Buffer Zone	AREA	Industrial Area
Sl. No.	Parameter	Method of Analysis	Observed Values (in $\mu\text{g}/\text{m}^3$)			Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009	
			1stFN 07.04.23	2ndFN 23.04.23						
1	PM ₁₀	IS -5182(Part 23):2006, R-2017	91	98	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100		
2	PM _{2.5}	IS -5182(Part 24):2019	52	54	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60		
3	SO ₂	IS-5182(Part-2): 2001 , R-2017	<10	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80		
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017	30	28	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80		

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]

ANALYSED BY

[Signature]

REVIEWED BY

[Signature]

Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		April 2023		Cluster	Cluster XII				Report No.	RI-II/AIR/2023-24/01				
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)								Date of Issue	17.06.2023			
Project		Moonidih UGP			Sample Ref. No.		REM/BCCL/2023/01		Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)			
Date of Sampling		10.04.23		27.04.23		Period of Analysis	17.04.2023 to15.05.2023		01.05.2023 to 15.05.2023		Zone of Station	Buffer Zone	AREA	Industrial Area
Sl. No.	Parameter	Method of Analysis		Observed Values (in µg/m³)			Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009				
				1st FN 10.04.23		2nd FN 27.04.23								
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		96		98		10 µg/m³ - 1000 µg/m³	10 µg/m³	300		100		
2	PM _{2.5}	IS -5182(Part 24):2019		52		58		10 µg/m³ - 400 µg/m³	10 µg/m³	Not Specified		60		
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10		<10		10 µg/m³ - 1050 µg/m³	10 µg/m³	120		80		
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		23		22		06 µg/m³ - 420 µg/m³	06 µg/m³	120		80		

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

ANALYSED BY

(Gaurav Kant)
REVIEWED BY

(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		April 2023		Cluster	Cluster XII				Report No.	RI-II/AIR/2023-24/01			
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)								Date of Issue	17.06.2023		
Project		Murlidih 20/21 Pit			Sample Ref. No.		REM/BCCL/2023/01		Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)		
Date of Sampling		10.04.23		24.04.23	Period of Analysis	17.04.2023 to15.05.2023		01.05.2023 to 15.05.2023		Zone of Station	Buffer Zone	AREA	Industrial Area
Sl. No.	Parameter	Method of Analysis			Observed Values (in µg/m³)			Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009		
					1st FN 10.04.23		2nd FN 24.04.23						
1	PM ₁₀	IS -5182(Part 23):2006, R-2017			92		85		10 µg/m³ - 1000 µg/m³	10 µg/m³	300	100	
2	PM _{2.5}	IS -5182(Part 24):2019			54		43		10 µg/m³ - 400 µg/m³	10 µg/m³	Not Specified	60	
3	SO ₂	IS-5182(Part-2): 2001 , R-2017			12		<10		10 µg/m³ - 1050 µg/m³	10 µg/m³	120	80	
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017			26		25		06 µg/m³ - 420 µg/m³	06 µg/m³	120	80	

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY


[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.


---- End of Report ----

Page -1 of 1


AMBIENT AIR QUALITY AT RUDHI BASTI




AMBIENT AIR QUALITY AT BLOCK IV



AMBIENT AIR QUALITY AT MOONIDIH UGP



AMBIENT AIR QUALITY AT MURLIDIH 20/21 PIT



NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) **Rudhibasti (N18)**
- ii) **Block IV(N6)**
- iii) **Moonidih UGP(N17)**
- iv) **Murlidih 20/21 (N19)**

4.2 Methodology of sampling and analysis

Noise level measurements in form of ' L_{EQ} ' were taken using Integrated Data Logging Sound Level Meter during day time & night time. Noise levels were measured for the complete day & night time, the Intergration time taken was one hour or 3600 seconds. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results& Interpretations

Ambient noise levels were recorded during day time & night time and the observed values were compared with standards prescribed by MoEF&CC. The results of Noise levels recorded during day & night time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.



CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
 KOYLA BHAWAN COMPLEX
 DHANBAD. -826005
 Phone:0326-223-850

email: rdri2cmpdi@coalindia.in

Month & Year	April 2023	Cluster	Cluster XII				Report No.	RI-II/WATER/2023-24/01	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	17.06.2023	
Project			Sample Ref. No.	REM/BCCL/2023/01		Sampling Method		CMPDI/RI-II/LPM 13	
SamplingStations	i	RudhiBasti		Date of Sampling	11.04.23	25.04.23	Zone Category of Station:	Core Zone	
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	45.6	46.8	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	49.1	49.3					
3		08:00 - 09:00	50.2	51.6					
4		09:00 - 10:00	46.4	47.1					
5		10:00 - 11:00	51.6	52					
6		11:00 - 12:00	55.3	54.5					
7		12:00 - 13:00	53.2	53.6					
8		13:00 - 14:00	54.5	55.1					
9		14:00 - 15:00	56.6	55.8					
10		15:00 - 16:00	58.9	59.2					
11		16:00 - 17:00	54.2	54					
12		17:00 - 18:00	51.7	52					
13		18:00 - 19:00	45.6	46.8					
14		19:00 - 20:00	46.2	46.4					
15		20:00 - 21:00	43.7	44.5					
16		21:00 - 22:00	43.6	44.6					
		Leq Day	52.7	52.9					
1	Noise Level dB(A)Leq -Night	22:00-23:00	42.8	43.7	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	42.9	43.6					
3		00:00- 01:00	42.3	42.4					
4		01:00-02:00	42.3	41.9					
5		02:00-03:00	41.9	41.7					
6		03:00-04:00	42.1	43.4					
7		04:00-05:00	42.2	43.3					
8		05:00-06:00	42.3	43.3					
		Leq Night	42.4	43.0					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants
 ANALYSED BY

(Gaurav Kant)
 REVIEWED BY

Raj Mishra)
 Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---



cmpdi
A Mini Ratan Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850

email: rdri2cmpdi@coalindia.in

Month & Year	April 2023	Cluster	Cluster XII				Report No.	RI-II/NOISE/2023-24/01	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	17.06.2023	
Project			Sample Ref. No.	REM/BCCL/2023/01		Sampling Method		CMPDI/RI-II/LPM 13	
Sampling Stations	i	Block IV		Date of Sampling		07.04.23	23.04.23	Zone Category of Station:	Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	54.5	53.2	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	58.7	57.7					
3		08:00 - 09:00	59.6	58.6					
4		09:00 - 10:00	63	62.2					
5		10:00 - 11:00	62.6	61.6					
6		11:00 - 12:00	63.9	63.3					
7		12:00 - 13:00	63.5	62.2					
8		13:00 - 14:00	63.8	64.5					
9		14:00 - 15:00	64.2	63.2					
10		15:00 - 16:00	67.2	65.3					
11		16:00 - 17:00	67.9	67.7					
12		17:00 - 18:00	68.8	68.6					
13		18:00 - 19:00	67.5	65.3					
14		19:00 - 20:00	67.1	66.4					
15		20:00 - 21:00	60.5	59.5					
16		21:00 - 22:00	53.5	52					
		Leq Day	64.6	63.8					
1	Noise Level dB(A)Leq -Night	22:00-23:00	51.3	49.9	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	50.5	48.3					
3		00:00- 01:00	48.7	47.7					
4		01:00-02:00	43.6	43.9					
5		02:00-03:00	43.2	43.4					
6		03:00-04:00	46.3	44.7					
7		04:00-05:00	44.4	43.8					
8		05:00-06:00	44.7	45.7					
		Leq Night	47.6	46.5					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

ANALYSED BY

Gaurav Kant
(Gaurav Kant)

REVIEWED BY

Amit Raj Mishra
(Amit Raj Mishra)

Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
 KOYLA BHAWAN COMPLEX
 DHANBAD. -826005
 Phone:0326-223-850

email: rdri2cmpdi@coalindia.in

Month & Year	April 2023	Cluster	Cluster XII				Report No.	RI-II/NOISE/2023-24/01	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	17.06.2023	
Project			Sample Ref. No.	REM/BCCL/2023/01		Sampling Method		CMPDI/RI-II/LPM 13	
SamplingStations	i	Moonidih UGP		Date of Sampling	10.04.23	27.04.23	Zone Category of Station:	Buffer Zone	
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	51.3	52	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	46.8	47.6					
3		08:00 - 09:00	54.5	56.1					
4		09:00 - 10:00	52.6	50.1					
5		10:00 - 11:00	55.7	54.6					
6		11:00 - 12:00	59.1	59.9					
7		12:00 - 13:00	57.1	56.8					
8		13:00 - 14:00	58.9	57.9					
9		14:00 - 15:00	55	54.6					
10		15:00 - 16:00	53.2	52.6					
11		16:00 - 17:00	52.8	53					
12		17:00 - 18:00	52.4	53					
13		18:00 - 19:00	51.6	52					
14		19:00 - 20:00	52.2	51.9					
15		20:00 - 21:00	50.7	50.5					
16		21:00 - 22:00	50.2	50.4					
		Leq Day	54.5	54.5					
1	Noise Level dB(A)Leq -Night	22:00-23:00	46.3	46.3	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	45.7	45.9					
3		00:00- 01:00	44.9	45.9					
4		01:00-02:00	44	44.7					
5		02:00-03:00	43.8	43.9					
6		03:00-04:00	43.8	44					
7		04:00-05:00	45.3	45.4					
8		05:00-06:00	45.7	45.9					
		Leq Night	45.0	45.3					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

(Gaurav Kant)

(Amit Raj Mishra)

ANALYSED BY

REVIEWED BY

Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1



cmpdi
A Mini Ratan Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email:rdi2cmpdi@coalindia.in

Month & Year	April 2023	Cluster	Cluster XII				Report No.	RI-II/NOISE/2023-24/01		
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), KoylaBhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	17.06.2023		
Project			Sample Ref. No.	REM/BCCL/2023/01		Sampling Method		CMPDI/RI-II/LPM 13		
Sampling Stations	i	Murlidih(20/21)		Date of Sampling		10.04.23	24.04.23	Zone Category of Station:		Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards		
			First Fortnight	Second Fortnight				Zones	Limits in dB	
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	49.4	49.3	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50	
2		07:00 - 08:00	49.5	49.7						
3		08:00 - 09:00	51.6	52.6						
4		09:00 - 10:00	50.8	51.8						
5		10:00 - 11:00	53.7	53.7						
6		11:00 - 12:00	54.1	53.8						
7		12:00 - 13:00	55.7	56.7						
8		13:00 - 14:00	56.1	56.2						
9		14:00 - 15:00	56.5	56.7						
10		15:00 - 16:00	57.8	58.8						
11		16:00 - 17:00	57.6	57						
12		17:00 - 18:00	55.1	55.1						
13		18:00 - 19:00	51.8	52.6						
14		19:00 - 20:00	51.5	51.8						
15		20:00 - 21:00	50.4	50.4						
16		21:00 - 22:00	50.2	50.1						
		Leq Day	54.2	54.5						
1	Noise Level dB(A)Leq -Night	22:00-23:00	39.1	39.3	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50	
2		23:00- 00:00	38.7	39.2						
3		00:00- 01:00	38.4	38.9						
4		01:00-02:00	38.3	38.8						
5		02:00-03:00	38.2	38.4						
6		03:00-04:00	38.7	38.2						
7		04:00-05:00	38.9	38.7						
8		05:00-06:00	39.1	38.8						
		Leq Night	38.7	38.8						

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

ANALYSED BY

Gaurav Kant
(Gaurav Kant)

REVIEWED BY

(Amit Raj Mishra)
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1

Ambient Air Quality Standards for Jharia Coal Field
As per the Environment (Protection) Amendment Rules, 2000 notified vide notification G.S.R.
742(E), dated 25.9.2000.

Category	Pollutant	Time weighted average	Concentration in Ambient Air	Method of Measurement
1	2	3	4	5
III Coal mines located in the coal fields of • Jharia • Raniganj • Bokaro	Suspended Particulate Matter (SPM)	Annual Average * 24 hours **	500 $\mu\text{g}/\text{m}^3$ 700 $\mu\text{g}/\text{m}^3$	- High Volume Sampling (Average flow rate not less than 1.1
	Respirable Particulate Matter (size less than 10 μm) (RPM)	Annual Average * 24 hours **	250 $\mu\text{g}/\text{m}^3$ 300 $\mu\text{g}/\text{m}^3$	Respirable Particulate Matter sampling and analysis
	Sulphur Dioxide (SO_2)	Annual Average * 24 hours **	80 $\mu\text{g}/\text{m}^3$ 120 $\mu\text{g}/\text{m}^3$	1.Improvedwest and Gaeke method 2.Ultraviolet fluorescene
	Oxide of Nitrogen as NO_2	Annual Average * 24 hours **	80 $\mu\text{g}/\text{m}^3$ 120 $\mu\text{g}/\text{m}^3$	1. Jacob &Hochheiser Modified (Na-Arsenic) Method 2. Gas phase Chemilumine-scence

Note:

* Annual Arithmetic mean for the measurements taken in a year, following the guidelines for frequency of sampling laid down in clause2.

** 24hourly/8hourlyvalueshallbemet92%ofthetimeinayear.However,8% of the time it may exceed but not on two consecutivedays.

NATIONAL AMBIENT AIR QUALITY STANDARDS

New Delhi the 18th November 2009

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No. 14 of 1981), and in supersession of the notification No(s).S.O.384(E), dated 11th April 1994 and S.O.935(E), dated 14th NOVEMBER 1998, the Central Pollution Control Board hereby notify the National Ambient Air Quality Standards with immediate effect.


Pollutant	Time Weighted Average	Concentration in Ambient Air		Methods of Measurement
		Industrial, Residential, Rural and other Areas	Ecologically Sensitive Area (Notified by Central Government)	
Sulphur Dioxide (SO ₂), µg/m ³	Annual * 24 Hours **	50 80	20 80	-Improved West and Gaeke Method -Ultraviolet Fluorescence
Nitrogen dioxide (NO ₂), µg/m ³	Annual * 24 Hours **	40 80	30 80	-Jacob & Hochheiser modified (NaOH-NaAsO ₂) Method -Gas Phase Chemiluminescence
Particulate Matter (Size less than 10µm) or PM ₁₀ , µg/m ³	Annual * 24 Hours **	60 100	60 100	-Gravimetric -TEOM -Beta attenuation
Particulate Matter (Size less than 2.5µm) or PM _{2.5} , µg/m ³	Annual * 24 Hours **	40 60	40 60	-Gravimetric -TEOM -Beta attenuation
Ozone (O ₃), µg/m ³	8 Hours * 1 Hour **	100 180	100 180	-UV Photometric -Chemiluminescence -Chemical Method
Lead (Pb), µg/m ³	Annual * 24 Hours **	0.50 1.0	0.50 1.0	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper -ED-XRF using Teflon filter
Carbon Monoxide (CO), mg/m ³	8 Hours ** 1 Hour **	02 04	02 04	-Non dispersive Infrared (NDIR) Spectroscopy
Ammonia (NH ₃), µg/m ³	Annual * 24 Hours **	100 400	100 400	-Chemiluminescence -Indophenol blue method
Benzene (C ₆ H ₆), µg/m ³	Annual *	05	05	-Gas Chromatography (GC) based continuous analyzer -Adsorption and desorption followed by GC analysis
Benzo(a)Pyrene (BaP) Particulate phase only, ng/m ³	Annual *	01	01	-Solvent extraction followed by HPLC/GC analysis
Arsenic (As), ng/m ³	Annual *	06	06	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni), ng/m ³	Annual *	20	20	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper

* Annual Arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.


** 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

NOTE: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, the area shall be treated as non-attainment area.

Location of Air & Noise Monitoring Stations in BCCL



Water Sampling Locations in BCCL



INDEX						
Cluster	Cluster Name (CSCS Code)	Name of the Cluster	Cluster Phone Number	Sampling Location	Cluster Status	Sampling Status
I	4000, 2000	Chandigarh	0001	Chandigarh	0001	Chandigarh
II	4000, 2000	Chandigarh	0002	Chandigarh	0002	Chandigarh
III	4000, 2000	Chandigarh	0003	Chandigarh	0003	Chandigarh
IV	4000, 2000	Chandigarh	0004	Chandigarh	0004	Chandigarh
V	4000, 2000	Chandigarh	0005	Chandigarh	0005	Chandigarh
VI	4000, 2000	Chandigarh	0006	Chandigarh	0006	Chandigarh
VII	4000, 2000	Chandigarh	0007	Chandigarh	0007	Chandigarh
VIII	4000, 2000	Chandigarh	0008	Chandigarh	0008	Chandigarh
IX	4000, 2000	Chandigarh	0009	Chandigarh	0009	Chandigarh
X	4000, 2000	Chandigarh	0010	Chandigarh	0010	Chandigarh
XI	4000, 2000	Chandigarh	0011	Chandigarh	0011	Chandigarh
XII	4000, 2000	Chandigarh	0012	Chandigarh	0012	Chandigarh
XIII	4000, 2000	Chandigarh	0013	Chandigarh	0013	Chandigarh
XIV	4000, 2000	Chandigarh	0014	Chandigarh	0014	Chandigarh
XV	4000, 2000	Chandigarh	0015	Chandigarh	0015	Chandigarh
XVI	4000, 2000	Chandigarh	0016	Chandigarh	0016	Chandigarh
XVII	4000, 2000	Chandigarh	0017	Chandigarh	0017	Chandigarh

Legend:

- Sampling Locations of Surface Water (Upstream/ Downstream)
- Sampling Locations of Mine Water
- Sampling Locations of Ground/ Drinking Water

HoD (Envt.)
Bharat Coking Coal Limited
(Signature)

Regional Officer, Okanogan
Washland State Pollution Control Board
(Signature)

© 2004 Blackwell Publishing Ltd

NO	WATER DISCHARGE LOCATION
1	1000
2	1000
3	1000
4	1000
5	1000
6	1000
7	1000
8	1000
9	1000
10	1000
11	1000
12	1000
13	1000
14	1000
15	1000
16	1000
17	1000
18	1000
19	1000
20	1000
21	1000
22	1000
23	1000
24	1000
25	1000
26	1000
27	1000
28	1000
29	1000
30	1000
31	1000
32	1000
33	1000
34	1000
35	1000
36	1000
37	1000
38	1000
39	1000
40	1000
41	1000
42	1000
43	1000
44	1000
45	1000
46	1000
47	1000
48	1000
49	1000
50	1000
51	1000
52	1000
53	1000
54	1000
55	1000
56	1000
57	1000
58	1000
59	1000
60	1000
61	1000
62	1000
63	1000
64	1000
65	1000
66	1000
67	1000
68	1000
69	1000
70	1000
71	1000
72	1000
73	1000
74	1000
75	1000
76	1000
77	1000
78	1000
79	1000
80	1000
81	1000
82	1000
83	1000
84	1000
85	1000
86	1000
87	1000
88	1000
89	1000
90	1000
91	1000
92	1000
93	1000
94	1000
95	1000
96	1000
97	1000
98	1000
99	1000
100	1000

Page	REDEFINING STATIONS
------	---------------------

CSMPD	Year: 10/10/2008
-------	------------------

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.

**ENVIRONMENTAL MONITORING REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE MONTH MAY, 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CONTENTS

SL. NO.	CHAPTER	PARTICULARS	PAGE NO.
1.	CHAPTER - I	EXECUTIVE SUMMARY	3-5
2.	CHAPTER-II	INTRODUCTION	6
3.	CHAPTER-III	RESULTS	7-18
4.	CHAPTER-IV	STANDARDS AND PLANS	19-20

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the fauna and flora. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Ambient air sampling locations

The ambient air quality monitoring stations were selected to represent core, buffer zone area. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

2.2 Water sampling stations

The Water sampling stations were selected for mine sump water.

2.3 Noise level monitoring locations

Noise levels vary depending on the various activities in mining areas. The monitoring of noise level in different locations will be helpful to take appropriate mitigating measures. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

3.0 Methodology of sampling and analysis

3.1 Ambient air quality

Parameters chosen for assessment of ambient air quality were Particulate Matter (PM₁₀), Fine Particulate Matter (PM_{2.5}), Sulphur Di-oxide (SO₂)

and Nitrogen Oxides (NO_x). Respirable Dust Samplers (RDS) and Fine Dust Sampler ($\text{PM}_{2.5}$ sampler) were used for sampling of PM_{10} , SO_2 , & NO_x and Fine Dust Sampler ($\text{PM}_{2.5}$ sampler) were used for sampling of $\text{PM}_{2.5}$ at 24 hours interval once in a fortnight and the same for the gaseous pollutants. The samples were analysed in Environmental Laboratory of CMPDI, RI-II, Dhanbad.

3.2 Water quality

Water samples were collected as per standard practice. The Mine effluent samples were collected and analyzed for four parameters on fortnightly basis. Thereafter the samples were preserved and analyzed at the Environmental Laboratory of CMPDI, RI- II, Dhanbad.

3.3 Noise level monitoring

Noise level measurements in form of ' L_{eq} ' were taken using Integrated Data Logging Sound Level Meter. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB(A).

4.0 Results and interpretations

4.1 Air quality

It has been seen from the analysis results that the 24 hours average concentration parameters like PM_{10} , $\text{PM}_{2.5}$, SO_2 and NO_x are mostly within the permissible limits in all sampling locations as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines and National Ambient Air Quality Standard -2009. Sometimes the concentration of PM_{10} & $\text{PM}_{2.5}$ exceeds the limits due to heavy public traffic, poor road condition, coke oven plants, burning of coal by surrounding habitants, brick making, municipal waste dumps and industries like Steel Plant, thermal Plants including their fly ash etc.

The following preventive and suppressive mitigative measures can be undertaken to contain the pollution level within prescribed level:-

- Wet drilling and controlled blasting should be practice.
- Explosive used should be optimised to restrict the dust generation.
- Transportation roads should be permanently asphalted free of ruts, potholes etc.
- Water should be sprayed on coal transportation road, service road more frequently and at regular interval.
- Dust from roads should be removed physically or mechanically.
- Greenbelts around industrial sites, service building area besides Avenue plantation along roads should be created.
- Coal dust should be suppressed by using fixed sprinklers.
- Regular maintenance of plant and machinery should be undertaken.

4.2 Water quality

The test results indicate that the major parameters compared with MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000

4.3 Noise Level

During the noise level survey it has been observed that the noise level in the sampling locations is within the permissible limits prescribed as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines for Industrial Area and Noise pollution (Regulation and Control) Rules, 2000.

INTRODUCTION

1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guide-lines stipulated by Ministry of Environment, Forest and Climate Change (MoEF&CC), Govt. of India.

The very purpose of environmental monitoring is to assess the quality of various attributes which affects the environment. As per quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

1.1 The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.

1.2 The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no E.C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.

Ministry of Environment, Forest and Climate Change while granting environmental clearance has given one of the General conditions that “ Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for PM₁₀, PM_{2.5}, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets, other conditions regarding water / effluent and noise level monitoring in consultation with the State Pollution Control Board.”

In compliance of these conditions the Environmental Monitoring has been carried out & report prepared for submission to MoEF&CC & JSPCB and other statutory authorities.

AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.1.1 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhi basti (A18): Industrial Area

The location of the sampling station is 23° 45' 26.60" N & 86° 18' 39.90" E. The samplers were placed at a height of approx. 1.5m above ground level at Rudhi basti.

II. BUFFER ZONE Monitoring Location

i) Block IV (A6) : Industrial area

The location of the sampling station is 23° 47' 54.00" N & 86° 16' 20.00" E. The samplers were placed at a height of approx. 1.5m above ground level at Safety Office.

ii) Moonidih UGP (A17) : Industrial area

The location of the sampling station is 23° 44' 30.00" N & 86° 20' 56.00" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is 23° 43' 51.82" N & 86° 16' 21.87" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

AMBIENT AIR QUALITY DATA



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		02/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/02
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	20.07.2023
Project		Rudhi Basti	Sample Ref. No.	REM/BCCL/2023/02		Sampling Method	CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		03.05.23	18.05.23	Period of Analysis	01.05.2023	10.07.2023	Zone of Station:	Core Zone
Sl. No.	Parameter	Method of Analysis	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
			1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017	89	91	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019	37	43	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017	11	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017	22	32	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]

ANALYSED BY

[Signature]

(Gaurav Kant)
REVIEWED BY

[Signature]

(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report


CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in


Test Report for Ambient Air Samples


Month & Year		02/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/02	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	20.07.2023
Project		Block IV		Sample Ref. No.	REM/BCCL/2023/02	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		10.05.23		26.05.23	Period of Analysis	01.05.2023	10.07.2023	Zone of Station:	Buffer Zone
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		88	96	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		50	52	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	12	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		21	20	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,


ANALYSED BY


(Gaurav Kant)
REVIEWED BY


(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		02/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/02	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	20.07.2023	
Project		Moonidih UGP	Sample Ref. No.	REM/BCCL/2023/02	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)		
Date of Sampling		15.05.23	29.05.23	Period of Analysis	01.05.2023	10.07.2023	Zone of Station:	Buffer Zone	
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		124	89	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		68	52	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		31	21	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

ANALYSED BY

(Gaurav Kant)
REVIEWED BY

(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in


Test Report for Ambient Air Samples


Month & Year		02/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/02	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	20.07.2023	
Project		Murlidih 20/21 Pit	Sample Ref. No.	REM/BCCL/2023/02	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)		
Date of Sampling		04.05.23	18.05.23	Period of Analysis	01.05.2023	10.07.2023	Zone of Station:	Buffer Zone	
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		89	82	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		48	42	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		35	34	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,


ANALYSED BY


(Gaurav Kant)
REVIEWED BY



(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.


---- End of Report ----

Page -1 of 1


AMBIENT AIR QUALITY AT RUDHI BASTI




AMBIENT AIR QUALITY AT BLOCK IV



AMBIENT AIR QUALITY AT MOONIDIH UGP



AMBIENT AIR QUALITY AT MURLIDIH 20/21 PIT



NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) **Rudhi basti (N18)**
- ii) **Block IV(N6)**
- iii) **Moonidih UGP(N17)**
- iv) **Murlidih 20/21 (N19)**

4.2 Methodology of sampling and analysis

Noise level measurements in form of ' L_{EQ} ' were taken using Integrated Data Logging Sound Level Meter during day time & night time. Noise levels were measured for the complete day & night time, the Intergration time taken was one hour or 3600 seconds. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time & night time and the observed values were compared with standards prescribed by MoEF&CC. The results of Noise levels recorded during day & night time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.



cmpdi
A Mini Ratan Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDI, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	02/2023	Cluster	Cluster XII				Report No.	RI-II/WATER/2023-24/02		
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	20.07.2023		
Project			Sample Ref. No.		REM/BCCL/2023/02		Sampling Method		CMPDI/RI-II/LPM 13	
Sampling Stations	i	Rudhi Basti		Date of Sampling		03.05.23	18.05.23	Zone Category of Station:		Core Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards		
			First Fortnight	Second Fortnight				Zones	Limits in dB	
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	44.1	45.3	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50	
2		07:00 - 08:00	47.4	47.6						
3		08:00 - 09:00	48.5	49.8						
4		09:00 - 10:00	44.9	45.5						
5		10:00 - 11:00	49.8	50.2						
6		11:00 - 12:00	53.5	52.7						
7		12:00 - 13:00	51.4	51.8						
8		13:00 - 14:00	52.7	53.3						
9		14:00 - 15:00	54.7	54						
10		15:00 - 16:00	56.9	57.2						
11		16:00 - 17:00	52.4	52.2						
12		17:00 - 18:00	49.9	50.2						
13		18:00 - 19:00	44.1	45.3						
14		19:00 - 20:00	44.7	44.9						
15		20:00 - 21:00	42.2	43						
16		21:00 - 22:00	42.1	43.1						
		Leq Day	50.9	51.0						
1	Noise Level dB(A)Leq -Night	22:00-23:00	41.7	42.5	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50	
2		23:00- 00:00	41.8	42.4						
3		00:00- 01:00	41.2	41.3						
4		01:00-02:00	41.2	40.8						
5		02:00-03:00	40.8	40.6						
6		03:00-04:00	41	42.2						
7		04:00-05:00	41.1	42.1						
8		05:00-06:00	41.2	42.1						
		Leq Night	41.3	41.8						

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants
ANALYSED BY

(Gaurav Kant)
REVIEWED BY

Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.

--- End of Report ---

Page-1 of 1



cmpdi
A Miniratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850

email: rdri2cmpdi@coalindia.in

Month & Year	02/2023	Cluster	Cluster XII				Report No.	RI-II/NOISE/2023-24/02		
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	20.07.2023		
Project			Sample Ref. No.		REM/BCCL/2023/02		Sampling Method		CMPDI/RI-II/LPM 13	
Sampling Stations	i	Block IV		Date of Sampling		10.05.23	26.05.23	Zone Category of Station:		Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards		
			First Fortnight	Second Fortnight				Zones	Limits in dB	
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	52.7	51.4	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50	
2		07:00 - 08:00	56.7	55.7						
3		08:00 - 09:00	57.6	56.6						
4		09:00 - 10:00	60.9	60.1						
5		10:00 - 11:00	60.5	59.5						
6		11:00 - 12:00	61.8	61.2						
7		12:00 - 13:00	61.4	60.1						
8		13:00 - 14:00	61.7	62.4						
9		14:00 - 15:00	62.1	61.1						
10		15:00 - 16:00	64.9	63.1						
11		16:00 - 17:00	65.6	65.4						
12		17:00 - 18:00	66.5	66.3						
13		18:00 - 19:00	65.2	63.1						
14		19:00 - 20:00	64.8	64.1						
15		20:00 - 21:00	58.5	57.5						
16		21:00 - 22:00	51.7	50.2						
		Leq Day	62.4	61.6						
1	Noise Level dB(A)Leq -Night	22:00-23:00	49.9	48.5	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50	
2		23:00- 00:00	49.1	47						
3		00:00- 01:00	47.4	46.4						
4		01:00-02:00	42.4	42.7						
5		02:00-03:00	42.1	42.2						
6		03:00-04:00	45.1	43.5						
7		04:00-05:00	43.2	42.6						
8		05:00-06:00	43.5	44.5						
		Leq Night	46.3	45.3						

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

ANALYSED BY

Gaurav Kant
(Gaurav Kant)

REVIEWED BY

Amit Raj Mishra
(Amit Raj Mishra)

Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850

email: rdri2cmpdi@coalindia.in

Month & Year	02/2023	Cluster	Cluster XII				Report No.	RI-II/NOISE/2023-24/02	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	20.07.2023	
Project			Sample Ref. No.	REM/BCCL/2023/02		Sampling Method		CMPDI/RI-II/LPM 13	
Sampling Stations	i	Moonidih UGP		Date of Sampling	15.05.23	29.05.23	Zone Category of Station:	Buffer Zone	
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	49.6	50.2	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	45.3	46					
3		08:00 - 09:00	52.7	54.2					
4		09:00 - 10:00	50.8	48.4					
5		10:00 - 11:00	53.9	52.8					
6		11:00 - 12:00	57.1	57.9					
7		12:00 - 13:00	55.2	54.9					
8		13:00 - 14:00	56.9	55.9					
9		14:00 - 15:00	53.2	52.8					
10		15:00 - 16:00	51.4	50.8					
11		16:00 - 17:00	51	51.2					
12		17:00 - 18:00	50.6	51.2					
13		18:00 - 19:00	49.8	50.2					
14		19:00 - 20:00	50.4	50.1					
15		20:00 - 21:00	49	48.8					
16		21:00 - 22:00	48.5	48.7					
		Leq Day	52.7	52.6					
1	Noise Level dB(A)Leq -Night	22:00-23:00	45.1	45.1	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	44.5	44.7					
3		00:00- 01:00	43.7	44.7					
4		01:00-02:00	42.8	43.5					
5		02:00-03:00	42.6	42.7					
6		03:00-04:00	42.6	42.8					
7		04:00-05:00	44.1	44.2					
8		05:00-06:00	44.5	44.7					
		Leq Night	43.8	44.1					

**All noise measurements are integrated for a 01 hour period. All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

ANALYSED BY

Gaurav Kant
(Gaurav Kant)
REVIEWED BY

Amit Raj Mishra
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1



CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
 KOYLA BHAWAN COMPLEX
 DHANBAD. -826005
 Phone:0326-223-850
 email: rdi@cmpdi.coalindia.in

Month & Year	02/2023	Cluster	Cluster XII				Report No.	RI-II/NOISE/2023-24/02	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	20.07.2023	
Project			Sample Ref. No.	REM/BCCL/2023/02		Sampling Method	CMPDI/RI-II/LPM 13		
Sampling Stations	i	Murlidih(20/21)		Date of Sampling	04.05.23	18.05.23	Zone Category of Station:		Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	47.7	47.6	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	47.8	48					
3		08:00 - 09:00	49.8	50.8					
4		09:00 - 10:00	49.1	50					
5		10:00 - 11:00	51.9	51.9					
6		11:00 - 12:00	52.3	52					
7		12:00 - 13:00	53.9	54.8					
8		13:00 - 14:00	54.2	54.3					
9		14:00 - 15:00	54.6	54.8					
10		15:00 - 16:00	55.8	56.8					
11		16:00 - 17:00	55.6	55.1					
12		17:00 - 18:00	53.3	53.3					
13		18:00 - 19:00	50	50.8					
14		19:00 - 20:00	49.8	50					
15		20:00 - 21:00	48.7	48.7					
16		21:00 - 22:00	48.5	48.4					
		Leq Day	52.3	52.6					
1	Noise Level dB(A)Leq -Night	22:00-23:00	38.1	38.3	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	37.7	38.2					
3		00:00- 01:00	37.4	37.9					
4		01:00-02:00	37.3	37.8					
5		02:00-03:00	37.2	37.4					
6		03:00-04:00	37.7	37.2					
7		04:00-05:00	37.9	37.7					
8		05:00-06:00	38.1	37.8					
		Leq Night	37.7	37.8					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants
ANALYSED BY

(Gaurav Kant)
REVIEWED BY

(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1

Ambient Air Quality Standards for Jharia Coal Field
As per the Environment (Protection) Amendment Rules, 2000 notified vide notification G.S.R.
742(E), dated 25.9.2000.

Category	Pollutant	Time weighted average	Concentration in Ambient Air	Method of Measurement
1	2	3	4	5
III Coal mines located in the coal fields of • Jharia • Raniganj • Bokaro	Suspended Particulate Matter (SPM)	Annual Average * 24 hours **	500 $\mu\text{g}/\text{m}^3$ 700 $\mu\text{g}/\text{m}^3$	- High Volume Sampling (Average flow rate not less than 1.1
	Respirable Particulate Matter (size less than 10 μm) (RPM)	Annual Average * 24 hours **	250 $\mu\text{g}/\text{m}^3$ 300 $\mu\text{g}/\text{m}^3$	Respirable Particulate Matter sampling and analysis
	Sulphur Dioxide (SO_2)	Annual Average * 24 hours **	80 $\mu\text{g}/\text{m}^3$ 120 $\mu\text{g}/\text{m}^3$	1.Improvedwest and Gaeke method 2.Ultraviolet fluorescene
	Oxide of Nitrogen as NO_2	Annual Average * 24 hours **	80 $\mu\text{g}/\text{m}^3$ 120 $\mu\text{g}/\text{m}^3$	1. Jacob & Hochheiser Modified (Na-Arsenic) Method 2. Gas phase Chemilumine-scence

Note:

* Annual Arithmetic mean for the measurements taken in a year, following the guidelines for frequency of sampling laid down in clause 2.

** 24hourly/8hourly values shall be met 92% of the time in a year. However, 8% of the time it may exceed but not on two consecutive days.

NATIONAL AMBIENT AIR QUALITY STANDARDS

New Delhi the 18th November 2009

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No. 14 of 1981), and in supersession of the notification No(s).S.O.384(E), dated 11th April 1994 and S.O.935(E), dated 14th NOVEMBER 1998, the Central Pollution Control Board hereby notify the National Ambient Air Quality Standards with immediate effect.

Pollutant	Time Weighted Average	Concentration in Ambient Air		Methods of Measurement
		Industrial, Residential, Rural and other Areas	Ecologically Sensitive Area (Notified by Central Government)	
Sulphur Dioxide (SO ₂), µg/m ³	Annual * 24 Hours **	50 80	20 80	-Improved West and Gaeke Method -Ultraviolet Fluorescence
Nitrogen dioxide (NO ₂), µg/m ³	Annual * 24 Hours **	40 80	30 80	-Jacob & Hochheiser modified (NaOH-NaAsO ₂) Method -Gas Phase Chemiluminescence
Particulate Matter (Size less than 10µm) or PM ₁₀ , µg/m ³	Annual * 24 Hours **	60 100	60 100	-Gravimetric -TEOM -Beta attenuation
Particulate Matter (Size less than 2.5µm) or PM _{2.5} , µg/m ³	Annual * 24 Hours **	40 60	40 60	-Gravimetric -TEOM -Beta attenuation
Ozone (O ₃), µg/m ³	8 Hours * 1 Hour **	100 180	100 180	-UV Photometric -Chemiluminescence -Chemical Method
Lead (Pb), µg/m ³	Annual * 24 Hours **	0.50 1.0	0.50 1.0	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper -ED-XRF using Teflon filter
Carbon Monoxide (CO), mg/m ³	8 Hours ** 1 Hour **	02 04	02 04	-Non dispersive Infrared (NDIR) Spectroscopy
Ammonia (NH ₃), µg/m ³	Annual * 24 Hours **	100 400	100 400	-Chemiluminescence -Indophenol blue method
Benzene (C ₆ H ₆), µg/m ³	Annual *	05	05	-Gas Chromatography (GC) based continuous analyzer -Adsorption and desorption followed by GC analysis
Benzo(a)Pyrene (BaP) Particulate phase only, ng/m ³	Annual *	01	01	-Solvent extraction followed by HPLC/GC analysis
Arsenic (As), ng/m ³	Annual *	06	06	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni), ng/m ³	Annual *	20	20	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper

* Annual Arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

NOTE: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigations.

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.

**ENVIRONMENTAL MONITORING REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE MONTH JUNE, 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CONTENTS

SL. NO.	CHAPTER	PARTICULARS	PAGE NO.
1.	CHAPTER - I	EXECUTIVE SUMMARY	3-5
2.	CHAPTER-II	INTRODUCTION	6
3.	CHAPTER-III	RESULTS	7-18
4.	CHAPTER-IV	STANDARDS AND PLANS	19-20

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the fauna and flora. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Ambient air sampling locations

The ambient air quality monitoring stations were selected to represent core, buffer zone area. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

2.2 Water sampling stations

The Water sampling stations were selected for mine sump water.

2.3 Noise level monitoring locations

Noise levels vary depending on the various activities in mining areas. The monitoring of noise level in different locations will be helpful to take appropriate mitigating measures. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

3.0 Methodology of sampling and analysis

3.1 Ambient air quality

Parameters chosen for assessment of ambient air quality were Particulate Matter (PM₁₀), Fine Particulate Matter (PM_{2.5}), Sulphur Di-oxide (SO₂)

and Nitrogen Oxides (NO_x). Respirable Dust Samplers (RDS) and Fine Dust Sampler (PM_{2.5} sampler) were used for sampling of PM₁₀, SO₂, & NO_x and Fine Dust Sampler (PM_{2.5} sampler) were used for sampling of PM_{2.5} at 24 hours interval once in a fortnight and the same for the gaseous pollutants. The samples were analysed in Environmental Laboratory of CMPDI, RI-II, Dhanbad.

3.2 Water quality

Water samples were collected as per standard practice. The Mine effluent samples were collected and analyzed for four parameters on fortnightly basis. Thereafter the samples were preserved and analyzed at the Environmental Laboratory of CMPDI, RI- II, Dhanbad.

3.3 Noise level monitoring

Noise level measurements in form of 'Leq' were taken using Integrated Data Logging Sound Level Meter. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB(A).

4.0 Results and interpretations

4.1 Air quality

It has been seen from the analysis results that the 24 hours average concentration parameters like PM₁₀, PM_{2.5}, SO₂ and NO_x are mostly within the permissible limits in all sampling locations as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines and National Ambient Air Quality Standard -2009. Sometimes the concentration of PM₁₀ & PM_{2.5} exceeds the limits due to heavy public traffic, poor road condition, coke oven plants, burning of coal by surrounding habitants, brick making, municipal waste dumps and industries like Steel Plant, thermal Plants including their fly ash etc.

The following preventive and suppressive mitigative measures can be undertaken to contain the pollution level within prescribed level:-

- Wet drilling and controlled blasting should be practice.
- Explosive used should be optimised to restrict the dust generation.
- Transportation roads should be permanently asphalted free of ruts, potholes etc.
- Water should be sprayed on coal transportation road, service road more frequently and at regular interval.
- Dust from roads should be removed physically or mechanically.
- Greenbelts around industrial sites, service building area besides Avenue plantation along roads should be created.
- Coal dust should be suppressed by using fixed sprinklers.
- Regular maintenance of plant and machinery should be undertaken.

4.2 Water quality

The test results indicate that the major parameters compared with MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000

4.3 Noise Level

During the noise level survey it has been observed that the noise level in the sampling locations is within the permissible limits prescribed as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines for Industrial Area and Noise pollution (Regulation and Control) Rules, 2000.

INTRODUCTION

1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guide-lines stipulated by Ministry of Environment, Forest and Climate Change (MoEF&CC), Govt. of India.

The very purpose of environmental monitoring is to assess the quality of various attributes which affects the environment. As per quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

1.1 The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.

1.2 The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no E.C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.

Ministry of Environment, Forest and Climate Change while granting environmental clearance has given one of the General conditions that “ Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for PM₁₀, PM_{2.5}, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets, other conditions regarding water / effluent and noise level monitoring in consultation with the State Pollution Control Board.”

In compliance of these conditions the Environmental Monitoring has been carried out & report prepared for submission to MoEF&CC & JSPCB and other statutory authorities.

AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.1.1 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhi basti (A18): Industrial Area

The location of the sampling station is 23° 45' 26.60" N & 86° 18' 39.90" E. The samplers were placed at a height of approx. 1.5m above ground level at Rudhi basti.

II. BUFFER ZONE Monitoring Location

i) Block IV (A6) : Industrial area

The location of the sampling station is 23° 47' 54.00" N & 86° 16' 20.00" E. The samplers were placed at a height of approx. 1.5m above ground level at Safety Office.

ii) Moonidih UGP (A17) : Industrial area

The location of the sampling station is 23° 44' 30.00" N & 86° 20' 56.00" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is 23° 43' 51.82" N & 86° 16' 21.87" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

AMBIENT AIR QUALITY DATA



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		06/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/06
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	04.09.23
Project		Rudhi Basti	Sample Ref. No.	REM/BCCL/2023/03		Sampling Method	CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		13.06.2023	28.06.2023	Period of Analysis	1.7.23	22.08.23	Zone of Station:	Core Zone
Sl. No.	Parameter	Method of Analysis	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
			1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017	90	92	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	90	92
2	PM _{2.5}	IS -5182(Part 24):2019	37	45	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	37	45
3	SO ₂	IS-5182(Part-2): 2001 , R-2017	<10	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	<10	<10
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017	21	22	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	21	22

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]

ANALYSED BY

[Signature]

(Gaurav Kant)
REVIEWED BY

[Signature]

(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		06/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/06
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	04.09.23
Project		Block IV	Sample Ref. No.	REM/BCCL/2023/03	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		08.06.23	16.06.23	Period of Analysis	01.07.23	22.08.23	Zone of Station:	Buffer Zone
Sl. No.	Parameter	Method Analysis of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
			1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017	89	96	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019	41	47	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017	<10	13	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017	26	22	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY

[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		06/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/06	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	04.09.23	
Project		Moonidih UGP		Sample Ref. No.	REM/BCCL/2023/03	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		09.06.2023		16.06.2023	Period of Analysis	01.07.23	22.08.23	Zone of Station:	Buffer Zone
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		97	120	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		54	63	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		27	22	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY

[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		06/2023	Cluster	Cluster XII			Report No.	RI-II/AIR/2023-24/06	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	04.09.23	
Project		Murlidih 20/21 Pit	Sample Ref. No.	REM/BCCL/2023/03	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)		
Date of Sampling		12.06.2023	27.06.2023	Period of Analysis	01.07.23	22.08.23	Zone of Station:	Buffer Zone	
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		87	81	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		46	40	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		23	30	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY


[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.


---- End of Report ----

Page -1 of 1


AMBIENT AIR QUALITY AT RUDHI BASTI




AMBIENT AIR QUALITY AT BLOCK IV



AMBIENT AIR QUALITY AT MOONIDIH UGP



AMBIENT AIR QUALITY AT MURLIDIH 20/21 PIT



NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) **Rudhi basti (N18)**
- ii) **Block IV(N6)**
- iii) **Moonidih UGP(N17)**
- iv) **Murlidih 20/21 (N19)**

4.2 Methodology of sampling and analysis

Noise level measurements in form of ' L_{EQ} ' were taken using Integrated Data Logging Sound Level Meter during day time & night time. Noise levels were measured for the complete day & night time, the Intergration time taken was one hour or 3600 seconds. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time & night time and the observed values were compared with standards prescribed by MoEF&CC. The results of Noise levels recorded during day & night time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	06/2023	Cluster	Cluster XII					Report No.	RI-II/WATER/2023-24/06
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)							Date of Issue	04.09.23
Project			Sample Ref. No.	REM/BCCL/2023/03		Sampling Method		CMPDI/RI-II/LPM 13	
Sampling Stations	i	Rudhi Basti		Date of Sampling		13.06.23	28.06.23	Zone Category of Station:	Core Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A)) First Fortnight	Observed Values (in Leq dB(A)) Second Fortnight	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
								Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	47.2	48.4	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	50.7	50.9					
3		08:00 - 09:00	51.9	53.3					
4		09:00 - 10:00	48	48.7					
5		10:00 - 11:00	53.3	53.8					
6		11:00 - 12:00	57.2	56.4					
7		12:00 - 13:00	55	55.4					
8		13:00 - 14:00	56.4	57					
9		14:00 - 15:00	58.6	57.7					
10		15:00 - 16:00	60.9	61.2					
11		16:00 - 17:00	56.1	55.8					
12		17:00 - 18:00	53.4	53.8					
13		18:00 - 19:00	47.2	48.4					
14		19:00 - 20:00	47.8	48					
15		20:00 - 21:00	45.2	46					
16		21:00 - 22:00	45.1	46.1					
		Leq Day	54.6	54.7					
1	Noise Level dB(A)Leq -Night	22:00-23:00	43.1	44	CPCE, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	43.2	43.9					
3		00:00- 01:00	42.6	42.7					
4		01:00-02:00	42.6	42.2					
5		02:00-03:00	42.2	42					
6		03:00-04:00	42.4	43.7					
7		04:00-05:00	42.5	43.6					
8		05:00-06:00	42.6	43.6					
		Leq Night	42.7	43.3					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants
ANALYSED BY


(Gaurav Kant)
REVIEWED BY


Raj Mishra)
Authorised Signature

(Amit

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page-1 of 1

  cmpdi A Mini Ratna Company		CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED Environment Laboratory, Regional Institute-II Ambient Noise Level Test Report				CMPDI, RI-II KOYLA BHAWAN COMPLEX DHANBAD. -826005 Phone:0326-223-850 email: rdri2cmpdi@coalindia.in			
Month & Year	06/2023	Cluster	Cluster XII			Report No.	RI-II/NOISE/2023-24/06		
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	04.09.23		
Project		Sample Ref. No.	REM/BCCL/2023/03		Sampling Method	CMPDI/RI-II/LPM 13			
Sampling Stations	i	Block IV	Date of Sampling	08.06.23	16.06.23	Zone Category of Station:		Buffer Zone	
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A)) First Fortnight	Observed Values (in Leq dB(A)) Second Fortnight	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards Zones Limits in dB	
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	56.4	55	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	60.7	59.6					
3		08:00 - 09:00	61.6	60.6					
4		09:00 - 10:00	65.2	64.3					
5		10:00 - 11:00	64.7	63.7					
6		11:00 - 12:00	66.1	65.5					
7		12:00 - 13:00	65.7	64.3					
8		13:00 - 14:00	66	66.7					
9		14:00 - 15:00	66.4	65.4					
10		15:00 - 16:00	69.4	67.6					
11		16:00 - 17:00	70.2	70					
12		17:00 - 18:00	71.1	70.9					
13		18:00 - 19:00	69.8	67.6					
14		19:00 - 20:00	69.3	68.6					
15		20:00 - 21:00	62.5	61.5					
16		21:00 - 22:00	55.3	53.8					
1	Noise Level dB(A)Leq - Night	Leq Day	66.9	66.1	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		22:00-23:00	51.6	50.2					
3		23:00-00:00	50.8	48.6					
4		00:00-01:00	49	48					
5		01:00-02:00	43.9	44.2					
6		02:00-03:00	43.5	43.7					
7		03:00-04:00	46.6	45					
8		04:00-05:00	44.7	44.1					
		05:00-06:00	45	46					
		Leq Night	47.9	46.8					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants ANALYSED BY	 (Gaurav Kant) REVIEWED BY	 (Amit Raj Mishra) Authorised Signature
---	---	---

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Min Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD - 826005
Phone: 0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	06/2023	Cluster	Cluster XII	Report No.			RI-II/NOISE/2023-24/06		
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)			Date of Issue			04.09.23		
Project			Sample Ref. No.	REM/BCCL/2023/03		Sampling Method		CMPDI/RI-II/LPM 13	
Sampling Stations	i	Moonidih UGP		Date of Sampling	09.06.23	16.06.23	Zone Category of Station:		Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	53	53.8	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	48.4	49.3					
3		08:00 - 09:00	56.4	58					
4		09:00 - 10:00	54.4	51.8					
5		10:00 - 11:00	57.6	56.5					
6		11:00 - 12:00	61.1	61.9					
7		12:00 - 13:00	59.1	58.8					
8		13:00 - 14:00	60.9	59.8					
9		14:00 - 15:00	56.9	56.5					
10		15:00 - 16:00	55	54.4					
11		16:00 - 17:00	54.6	54.8					
12		17:00 - 18:00	54.2	54.8					
13		18:00 - 19:00	53.3	53.8					
14		19:00 - 20:00	54	53.6					
15		20:00 - 21:00	52.4	52.2					
16		21:00 - 22:00	51.9	52.1					
1	Noise Level dB(A)Leq - Night	Leq Day	56.4	56.4	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		22:00-23:00	46.6	46.6					
3		23:00-00:00	46	46.2					
4		00:00-01:00	45.2	46.2					
5		01:00-02:00	44.3	45					
6		02:00-03:00	44.1	44.2					
7		03:00-04:00	44.1	44.3					
8		04:00-05:00	45.6	45.7					
		05:00-06:00	46	46.2					
		Leq Night	45.3	45.6					
**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit									
Sampling Assistants			 (Gaurav Kant)		 (Amit Raj Mishra)				
ANALYSED BY			REVIEWED BY		Authorised Signature				
Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.									
----- End of Report -----									
Page -1 of 1									

**All noise measurements are integrated for a 01 hour period. All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

Gaurav Kant
(Gaurav Kant)

Amit Raj Mishra
(Amit Raj Mishra)
Authorised Signature

ANALYSED BY

REVIEWED BY

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1

  cmpdi <i>A Mini Ratna Company</i>										CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED Environment Laboratory, Regional Institute-II Ambient Noise Level Test Report				CMPDIL, RI-II KOYLA BHAWAN COMPLEX DHANBAD - 826005 Phone: 0326-223-850 email: rdri2cmpdi@coalindia.in	
Month & Year	06/2023	Cluster	Cluster XII	Report No.	RI-II/NOISE/2023-24/06										
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)				Date of Issue	04.09.23									
Project		Sample Ref. No.	REM/BCCL/2023/03	Sampling Method	CMPDI/RI-II/LPM 13										
Sampling Stations	i	Murlidih(20/21)		Date of Sampling	12.06.23	27.06.23	Zone Category of Station:	Buffer Zone							
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A)) First Fortnight	Observed Values (in Leq dB(A)) Second Fortnight	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards							
								Zones	Limits in dB						
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	51	50.9	CPCB, Protocol for Ambient Level Noise Monitoring -2015	35 dB- 135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50						
2		07:00 - 08:00	51.1	51.3											
3		08:00 - 09:00	53.3	54.4											
4		09:00 - 10:00	52.5	53.5											
5		10:00 - 11:00	55.5	55.5											
6		11:00 - 12:00	56	55.6											
7		12:00 - 13:00	57.6	58.7											
8		13:00 - 14:00	58	58.1											
9		14:00 - 15:00	58.5	58.7											
10		15:00 - 16:00	59.7	60.8											
11		16:00 - 17:00	59.5	59											
12		17:00 - 18:00	57	57											
13		18:00 - 19:00	53.5	54.4											
14		19:00 - 20:00	53.2	53.5											
15		20:00 - 21:00	52.1	52.1											
16		21:00 - 22:00	51.9	51.8											
		Leq Day	56.0	56.4											
1	Noise Level dB(A)Leq - Night	22:00-23:00	39.4	39.6	CPCB, Protocol for Ambient Level Noise Monitoring -2015	35 dB- 135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50						
2		23:00-00:00	39	39.5											
3		00:00-01:00	38.7	39.2											
4		01:00-02:00	38.6	39.1											
5		02:00-03:00	38.5	38.7											
6		03:00-04:00	39	38.5											
7		04:00-05:00	39.2	39											
8		05:00-06:00	39.4	39.1											
		Leq Night	39.0	39.1											

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants ANALYSED BY <i>(Signature)</i>	(Gaurav Kant) REVIEWED BY	(Amit Raj Mishra) Authorised Signature
---	-------------------------------------	--

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1

Ambient Air Quality Standards for Jharia Coal Field
As per the Environment (Protection) Amendment Rules, 2000 notified vide notification G.S.R.
742(E), dated 25.9.2000.

Category	Pollutant	Time weighted average	Concentration in Ambient Air	Method of Measurement
1	2	3	4	5
III Coal mines located in the coal fields of • Jharia • Raniganj • Bokaro	Suspended Particulate Matter (SPM)	Annual Average * 24 hours **	500 $\mu\text{g}/\text{m}^3$ 700 $\mu\text{g}/\text{m}^3$	- High Volume Sampling (Average flow rate not less than 1.1
	Respirable Particulate Matter (size less than 10 μm) (RPM)	Annual Average * 24 hours **	250 $\mu\text{g}/\text{m}^3$ 300 $\mu\text{g}/\text{m}^3$	Respirable Particulate Matter sampling and analysis
	Sulphur Dioxide (SO_2)	Annual Average * 24 hours **	80 $\mu\text{g}/\text{m}^3$ 120 $\mu\text{g}/\text{m}^3$	1.Improvedwest and Gaeke method 2.Ultraviolet fluorescene
	Oxide of Nitrogen as NO_2	Annual Average * 24 hours **	80 $\mu\text{g}/\text{m}^3$ 120 $\mu\text{g}/\text{m}^3$	1. Jacob & Hochheiser Modified (Na-Arsenic) Method 2. Gas phase Chemilumine-scence

Note:

* Annual Arithmetic mean for the measurements taken in a year, following the guidelines for frequency of sampling laid down in clause 2.

** 24hourly/8hourly values shall be met 92% of the time in a year. However, 8% of the time it may exceed but not on two consecutive days.

NATIONAL AMBIENT AIR QUALITY STANDARDS

New Delhi the 18th November 2009

In exercise of the powers conferred by Sub-section (2) (h) of section 16 of the Air (Prevention and Control of Pollution) Act, 1981 (Act No. 14 of 1981), and in supersession of the notification No(s).S.O.384(E), dated 11th April 1994 and S.O.935(E), dated 14th NOVEMBER 1998, the Central Pollution Control Board hereby notify the National Ambient Air Quality Standards with immediate effect.

Pollutant	Time Weighted Average	Concentration in Ambient Air		Methods of Measurement
		Industrial, Residential, Rural and other Areas	Ecologically Sensitive Area (Notified by Central Government)	
Sulphur Dioxide (SO ₂), µg/m ³	Annual * 24 Hours **	50 80	20 80	-Improved West and Gaeke Method -Ultraviolet Fluorescence
Nitrogen dioxide (NO ₂), µg/m ³	Annual * 24 Hours **	40 80	30 80	-Jacob & Hochheiser modified (NaOH-NaAsO ₂) Method -Gas Phase Chemiluminescence
Particulate Matter (Size less than 10µm) or PM ₁₀ , µg/m ³	Annual * 24 Hours **	60 100	60 100	-Gravimetric -TEOM -Beta attenuation
Particulate Matter (Size less than 2.5µm) or PM _{2.5} , µg/m ³	Annual * 24 Hours **	40 60	40 60	-Gravimetric -TEOM -Beta attenuation
Ozone (O ₃), µg/m ³	8 Hours * 1 Hour **	100 180	100 180	-UV Photometric -Chemiluminescence -Chemical Method
Lead (Pb), µg/m ³	Annual * 24 Hours **	0.50 1.0	0.50 1.0	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper -ED-XRF using Teflon filter
Carbon Monoxide (CO), mg/m ³	8 Hours ** 1 Hour **	02 04	02 04	-Non dispersive Infrared (NDIR) Spectroscopy
Ammonia (NH ₃), µg/m ³	Annual * 24 Hours **	100 400	100 400	-Chemiluminescence -Indophenol blue method
Benzene (C ₆ H ₆), µg/m ³	Annual *	05	05	-Gas Chromatography (GC) based continuous analyzer -Adsorption and desorption followed by GC analysis
Benzo(a)Pyrene (BaP) Particulate phase only, ng/m ³	Annual *	01	01	-Solvent extraction followed by HPLC/GC analysis
Arsenic (As), ng/m ³	Annual *	06	06	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper
Nickel (Ni), ng/m ³	Annual *	20	20	-AAS/ICP Method after sampling on EPM 2000 or equivalent filter paper

* Annual Arithmetic mean of minimum 104 measurements in a year at a particular site taken twice a week 24 hourly at uniform intervals.

** 24 hourly or 8 hourly or 1 hourly monitored values, as applicable, shall be complied with 98% of the time in a year. 2% of the time, they may exceed the limits but not on two consecutive days of monitoring.

NOTE: Whenever and wherever monitoring results on two consecutive days of monitoring exceed the limits specified above for the respective category, it shall be considered adequate reason to institute regular or continuous monitoring and further investigations.

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / GOVERNMENT.

**AMBIENT AIR QUALITY REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE Q.E. JUNE 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CLUSTER - XII

(FOR THE Q.E. JUNE 2023)

CONTENTS

SL. NO.	CHAPTER	PARTICULARS
1.		EXECUTIVE SUMMARY
2.	CHAPTER - I	INTRODUCTION
3.	CHAPTER-II	AIR SAMPLING & ANALYSIS
4.	Plate: Plate NO. - I	SURFACE PLAN SHOWING WATER MONITORING LOCATIONS

STRICTLY RESTRICTED

FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / GOVERNMENT.

**AMBIENT AIR QUALITY REPORT
OF
BHARAT COKING COAL LIMITED
CLUSTER – XII**

(FOR THE Q.E. JUNE 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014



CMPDI

ISO 9001 Company
**Regional Institute-II
Dhanbad, Jharkhand**

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the environment around us. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. One of these major attributes is water.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Ambient air sampling locations

The ambient air quality monitoring stations were selected to represent core, buffer zone area. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

3.0 Methodology of sampling and analysis

3.1 Heavy Metal in Ambient Air

Parameters chosen for assessment of Heavy metal in Ambient Air Quality were cadmium (Cd), Mercury (Hg), Arsenic (As), Chromium (Cr), Nickel (Ni), and Lead (Pb). Respirable Dust Samplers (RDS) were used for sampling these heavy metals on EPM filter paper. These heavy metals are analyzed regularly on half yearly basis. The samples were analyzed in Environment Laboratory of CMPDI, RI-II, Dhanbad.

4.0 Results and interpretations

4.1 Heavy Metal in Ambient Air

The results of Heavy metal in Ambient Air Quality are presented in tabular form for each monitoring station. The concentration of heavy metals in ambient air is well within the permissible limit.

CHAPTER - I

INTRODUCTION

- 1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guidelines stipulated by Ministry of Environment, Forests and Climate Change (MoEF&CC), Govt. of India.

Bharat Coking Coal Limited (BCCL), a subsidiary company of Coal India Limited (CIL) is operating UG Mines and Opencast Mines in Jharia Coalfield (JCF). The Jharia Coalfield (JCF) having an area of 450 Sq.KM.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.

The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014

CHAPTER – II

AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.2 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhi basti (A18): Industrial Area

The location of the sampling station is $23^{\circ} 45' 26.60''$ N & $86^{\circ} 18' 39.90''$ E.

I. BUFFER ZONE Monitoring Location

i) Block IV (A6) : Industrial area

The location of the sampling station is $23^{\circ} 47' 54.00''$ N & $86^{\circ} 16' 20.00''$ E.

ii) Moonidih UGP (A17) : Industrial area

The location of the sampling station is $23^{\circ} 44' 30.00''$ N & $86^{\circ} 20' 56.00''$ E.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is $23^{\circ} 43' 51.82''$ N & $86^{\circ} 16' 21.87''$ E.

2.3 Results and interpretations

The results of Heavy metal in Ambient Air Quality are presented in tabular form for each monitoring station. The concentration of heavy metals in ambient air is well within the permissible limit.

AMBIENT AIR QUALITY DATA

Name of the Company: **Bharat Coking Coal Limited** Year : **2023-24**

Name of the Cluster : **Cluster -XII** PERIOD: **Q. E. JUNE 2023.**

Heavy Metal Analysis report of Ambient Air Quality

SAMPLE	Date	Hg ($\mu\text{g}/\text{m}^3$)	Cr($\mu\text{g}/\text{m}^3$)	As (ng/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	Cd ($\mu\text{g}/\text{m}^3$)
Block IV (A6)	16.06.2023	<0.001	<0.01	<1	0.021	16	<0.001
Moonidih UGP (A17)	16.06.2023	<0.001	0.02	<1	0.017	<2	<0.001
Rudhi basti (A18)	28.06.2023	<0.001	0.01	<1	0.03	13	<0.001
Murlidih 20/21 Pit(A19)	27.06.2023	0.001	<0.01	<1	0.017	16	<0.001

अनुमान रंजन राय
Analysed By
JSA/SA/SSA

Checked By
Lab In Charge
RI-2, CMPDI, Dhanbad

अनुमान रंजन राय
Approved By
HOD(In-charge) Environment
RI-2, CMPDI, Dhanbad

Location of Air & Noise Monitoring Stations in BCCL

Map showing the location of Air & Noise Monitoring Stations in BCCL (Bharat Coking Coal Limited) across the Jharia Coalfield. The map is divided into 18 clusters (I to XVIII) and includes various locations such as Damodar, Jharia, and various collieries. The map also shows the Jharia Coalfield boundary and the location of the Jharia Coalfield Office.

Legend:

- Blue dot: Air/Noise Monitoring Station


Table 1: Monitoring Stations

STATION CODE	NAME OF STATION (SAMPLING)
A24	BHARAT COAL WASHERY
A25	CHANDRA WASHERY
A26	CHANDRA WASHERY
A27	CHANDRA WASHERY

Table 2: Monitoring Stations

STATION CODE	NAME OF STATION (SAMPLING)
A28	CHANDRA WASHERY
A29	CHANDRA WASHERY
A30	CHANDRA WASHERY

Water Sampling Locations in BCCL



INDEX						
Section	Column Number (L1, L2)	Row or Column Number	Page or Column Number	Section	Row or Column Number	Page or Column Number
I	2002, 2002	Column 1	2002	Column 1	2002	2002
II	2002, 2002	Column 1	2002	Column 1	2002	2002
III	2002, 2002	Column 1	2002	Column 1	2002	2002
IV	2002, 2002	Column 1	2002	Column 1	2002	2002
V	2002, 2002	Column 1	2002	Column 1	2002	2002
VI	2002, 2002	Column 1	2002	Column 1	2002	2002
VII	2002, 2002	Column 1	2002	Column 1	2002	2002
VIII	2002, 2002	Column 1	2002	Column 1	2002	2002
IX	2002, 2002	Column 1	2002	Column 1	2002	2002
X	2002, 2002	Column 1	2002	Column 1	2002	2002
XI	2002, 2002	Column 1	2002	Column 1	2002	2002
XX	2002, 2002	Column 1	2002	Column 1	2002	2002
XXI	2002, 2002	Column 1	2002	Column 1	2002	2002
XXII	2002, 2002	Column 1	2002	Column 1	2002	2002
XXIII	2002, 2002	Column 1	2002	Column 1	2002	2002
XXIV	2002, 2002	Column 1	2002	Column 1	2002	2002
XXV	2002, 2002	Column 1	2002	Column 1	2002	2002
XXVI	2002, 2002	Column 1	2002	Column 1	2002	2002
XXVII	2002, 2002	Column 1	2002	Column 1	2002	2002
XXVIII	2002, 2002	Column 1	2002	Column 1	2002	2002
XXIX	2002, 2002	Column 1	2002	Column 1	2002	2002
XXX	2002, 2002	Column 1	2002	Column 1	2002	2002

Legend:

- Sampling Locations of Surface Water (Upstream/ Downstream)
- Sampling Locations of Mine Water
- Sampling Locations of Ground/ Drinking Water

Subsidiary	SHARAT COKING COAL LIMITED
-------------------	-----------------------------------

WATER SUPPLY LOCATIONS

MONITORING STATIONS

1. *Journal of the American Medical Association*, 283:1323-1324, 2000

[illegible]

CSMPD
100-0000-0000

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.

**ENVIRONMENTAL MONITORING REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE MONTH SEPTEMBER, 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CONTENTS

SL. NO.	CHAPTER	PARTICULARS	PAGE NO.
1.	CHAPTER - I	EXECUTIVE SUMMARY	3-5
2.	CHAPTER-II	INTRODUCTION	6
3.	CHAPTER-III	RESULTS	7-18
4.	CHAPTER-IV	STANDARDS AND PLANS	19-20

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the fauna and flora. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Ambient air sampling locations

The ambient air quality monitoring stations were selected to represent core, buffer zone area. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

2.2 Water sampling stations

The Water sampling stations were selected for mine sump water.

2.3 Noise level monitoring locations

Noise levels vary depending on the various activities in mining areas. The monitoring of noise level in different locations will be helpful to take appropriate mitigating measures. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

3.0 Methodology of sampling and analysis

3.1 Ambient air quality

Parameters chosen for assessment of ambient air quality were Particulate Matter (PM₁₀), Fine Particulate Matter (PM_{2.5}), Sulphur Di-oxide (SO₂)

and Nitrogen Oxides (NO_x). Respirable Dust Samplers (RDS) and Fine Dust Sampler (PM_{2.5} sampler) were used for sampling of PM₁₀, SO₂, & NO_x and Fine Dust Sampler (PM_{2.5} sampler) were used for sampling of PM_{2.5} at 24 hours interval once in a fortnight and the same for the gaseous pollutants. The samples were analysed in Environmental Laboratory of CMPDI, RI-II, Dhanbad.

3.2 Water quality

Water samples were collected as per standard practice. The Mine effluent samples were collected and analyzed for four parameters on fortnightly basis. Thereafter the samples were preserved and analyzed at the Environmental Laboratory of CMPDI, RI- II, Dhanbad.

3.3 Noise level monitoring

Noise level measurements in form of 'Leq' were taken using Integrated Data Logging Sound Level Meter. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB(A).

4.0 Results and interpretations

4.1 Air quality

It has been seen from the analysis results that the 24 hours average concentration parameters like PM₁₀, PM_{2.5}, SO₂ and NO_x are mostly within the permissible limits in all sampling locations as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines and National Ambient Air Quality Standard -2009. Sometimes the concentration of PM₁₀ & PM_{2.5} exceeds the limits due to heavy public traffic, poor road condition, coke oven plants, burning of coal by surrounding habitants, brick making, municipal waste dumps and industries like Steel Plant, thermal Plants including their fly ash etc.

The following preventive and suppressive mitigative measures can be undertaken to contain the pollution level within prescribed level:-

- Wet drilling and controlled blasting should be practice.
- Explosive used should be optimised to restrict the dust generation.
- Transportation roads should be permanently asphalted free of ruts, potholes etc.
- Water should be sprayed on coal transportation road, service road more frequently and at regular interval.
- Dust from roads should be removed physically or mechanically.
- Greenbelts around industrial sites, service building area besides Avenue plantation along roads should be created.
- Coal dust should be suppressed by using fixed sprinklers.
- Regular maintenance of plant and machinery should be undertaken.

4.2 Water quality

The test results indicate that the major parameters compared with MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000

4.3 Noise Level

During the noise level survey it has been observed that the noise level in the sampling locations is within the permissible limits prescribed as per MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines for Industrial Area and Noise pollution (Regulation and Control) Rules, 2000.

INTRODUCTION

1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guide-lines stipulated by Ministry of Environment, Forest and Climate Change (MoEF&CC), Govt. of India.

The very purpose of environmental monitoring is to assess the quality of various attributes which affects the environment. As per quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

1.1 The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.

1.2 The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no E.C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.

Ministry of Environment, Forest and Climate Change while granting environmental clearance has given one of the General conditions that “ Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for PM₁₀, PM_{2.5}, SO₂, NO_x monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets, other conditions regarding water / effluent and noise level monitoring in consultation with the State Pollution Control Board.”

In compliance of these conditions the Environmental Monitoring has been carried out & report prepared for submission to MoEF&CC & JSPCB and other statutory authorities.

AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.1.1 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhi basti (A18): Industrial Area

The location of the sampling station is 23° 45' 26.60" N & 86° 18' 39.90" E. The samplers were placed at a height of approx. 1.5m above ground level at Rudhi basti.

II. BUFFER ZONE Monitoring Location

i) Block IV (A6) : Industrial area

The location of the sampling station is 23° 47' 54.00" N & 86° 16' 20.00" E. The samplers were placed at a height of approx. 1.5m above ground level at Safety Office.

ii) Moonidih UGP (A17) : Industrial area

The location of the sampling station is 23° 44' 30.00" N & 86° 20' 56.00" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is 23° 43' 51.82" N & 86° 16' 21.87" E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

AMBIENT AIR QUALITY DATA

  		CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED Environment Laboratory, Regional Institute-II Ambient Air Quality Test Report				CMPDIL, RI-II KOYLA BHAWAN COMPLEX DHANBAD. -826005 Phone:0326-223-850 email: rdri2cmpdi@coalindia.in			
Test Report for Ambient Air Samples									
Month & Year	09/2023	Cluster	Cluster XII				ULR No.	TC1012223000000171F	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	18.11.2023	
Project	Rudhi Basti	Sample Ref. No.	REM/BCCL/2023/		Sampling Method		CMPDI/RI-II/LPM 13, (IS 5182)		
Date of Sampling	12.09.23	25.09.23	Period of Analysis	12.09.23	30.10.23	Zone of Station:	Core Zone		
Sl. No.	Parameter	Method Analysis of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September, 2000 (GSR 742 E)	NAAQS, 2009	
			1st FN	2nd FN					
1	PM ₁₀	IS -5182(Part 23):2006, R-2017	66	72	90	92	90	92	
2	PM _{2.5}	IS -5182(Part 24):2019	28	34	37	45	37	45	
3	SO ₂	IS-5182(Part-2): 2001, R-2017	<10	<10	<10	<10	<10	<10	
4	NO ₂	IS-5182 (Part-6): 2006, R-2017	18	19	21	22	21	22	
* LDL indicates Lower Detection Limit,									
**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,									
 ANALYSED BY		 (Gaurav Kant) REVIEWED BY				 (Amit Raj Mishra) Authorised Signature			
Note: The results above relate to the samples tested as received. This report cannot be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.									
---- End of Report ---- Page -1 of 1									



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDI, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		09/2023	Cluster	Cluster XII			ULR No.	TC1012223000000171F
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	18.11.2023
Project		Block IV	Sample Ref. No.	REM/BCCL/2023/	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		13.09.23	16.09.23	Period of Analysis	13.09.23	30.10.23	Zone of Station:	Buffer Zone
Sl. No.	Parameter	Method Analysis of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
			1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017	73	69	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019	36	29	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017	10	13	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017	24	22	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY

[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		09/2023	Cluster	Cluster XII			ULR No.	TC1012223000000171F	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	18.11.2023	
Project		Moonidih UGP		Sample Ref. No.	REM/BCCL/2023/	Sampling Method	CMPDI/RI-II/LPM 13 , (IS 5182)		
Date of Sampling		04.09.23		18.09.23	Period of Analysis	04.09.23	30.10.23	Zone of Station:	Buffer Zone
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		77	79	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		42	46	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	<10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		26	24	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY

[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.

---- End of Report ----
Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Air Quality Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Test Report for Ambient Air Samples

Month & Year		09/2023	Cluster	Cluster XII			ULR No.	TC1012223000000171F	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)					Date of Issue	18.11.2023	
Project		Murlidih 20/21 Pit		Sample Ref. No.	REM/BCCL/2023/09	Sampling Method		CMPDI/RI-II/LPM 13 , (IS 5182)	
Date of Sampling		15.09.23		27.09.23	Period of Analysis	15.09.23	30.10.23	Zone of Station:	Buffer Zone
Sl. No.	Parameter	Method Analysis	of	Observed Values (in $\mu\text{g}/\text{m}^3$)		Range Of Testing	LDL	MoEF Standards Notification dated 25th September,2000 (GSR 742 E)	NAAQS, 2009
				1st FN	2nd FN				
1	PM ₁₀	IS -5182(Part 23):2006, R-2017		71	76	10 $\mu\text{g}/\text{m}^3$ - 1000 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	300	100
2	PM _{2.5}	IS -5182(Part 24):2019		39	42	10 $\mu\text{g}/\text{m}^3$ - 400 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	Not Specified	60
3	SO ₂	IS-5182(Part-2): 2001 , R-2017		<10	10	10 $\mu\text{g}/\text{m}^3$ - 1050 $\mu\text{g}/\text{m}^3$	10 $\mu\text{g}/\text{m}^3$	120	80
4	NO ₂	IS-5182 (Part-6): 2006 , R-2017		20	21	06 $\mu\text{g}/\text{m}^3$ - 420 $\mu\text{g}/\text{m}^3$	06 $\mu\text{g}/\text{m}^3$	120	80

* LDL indicates Lower Detection Limit,

**All units are in $\mu\text{g}/\text{m}^3$, 24 hourly Average,

[Signature]
ANALYSED BY

[Signature]
(Gaurav Kant)
REVIEWED BY


[Signature]
(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.


---- End of Report ----

Page -1 of 1


AMBIENT AIR QUALITY AT RUDHI BASTI




AMBIENT AIR QUALITY AT BLOCK IV



AMBIENT AIR QUALITY AT MOONIDIH UGP



AMBIENT AIR QUALITY AT MURLIDIH 20/21 PIT



NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) **Rudhi basti (N18)**
- ii) **Block IV(N6)**
- iii) **Moonidih UGP(N17)**
- iv) **Murlidih 20/21 (N19)**

4.2 Methodology of sampling and analysis

Noise level measurements in form of ' L_{EQ} ' were taken using Integrated Data Logging Sound Level Meter during day time & night time. Noise levels were measured for the complete day & night time, the Intergration time taken was one hour or 3600 seconds. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time & night time and the observed values were compared with standards prescribed by MoEF&CC. The results of Noise levels recorded during day & night time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDI, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone:0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	09/2023	Cluster	Cluster XII				ULR No.	TC1012223000000205F	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	18.11.2023	
Project			Sample Ref. No.	REM/BCCL/2023/09		Sampling Method		CMPDI/RI-II/LPM 22	
Sampling Stations	i	Rudhi Basti		Date of Sampling		12.09.23	25.09.23	Zone Category of Station:	Core Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A) Leq - Day	06:00 - 07:00	44.6	45.8	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	48	48.2					
3		08:00 - 09:00	49.1	50.5					
4		09:00 - 10:00	45.4	46.1					
5		10:00 - 11:00	50.5	50.9					
6		11:00 - 12:00	54.1	53.3					
7		12:00 - 13:00	52.1	52.5					
8		13:00 - 14:00	53.3	53.9					
9		14:00 - 15:00	55.4	54.6					
10		15:00 - 16:00	57.6	57.9					
11		16:00 - 17:00	53	52.8					
12		17:00 - 18:00	50.6	50.9					
13		18:00 - 19:00	44.6	45.8					
14		19:00 - 20:00	45.2	45.4					
15		20:00 - 21:00	42.8	43.5					
16		21:00 - 22:00	42.7	43.6					
		Leq Day	51.6	51.7					
1	Noise Level dB(A) Leq - Night	22:00-23:00	42.6	43.5	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00- 00:00	42.7	43.4					
3		00:00- 01:00	42.1	42.2					
4		01:00-02:00	42.1	41.7					
5		02:00-03:00	41.7	41.5					
6		03:00-04:00	41.9	43.2					
7		04:00-05:00	42	43.1					
8		05:00-06:00	42.1	43.1					
		Leq Night	42.2	42.8					

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants
ANALYSED BY

Gaurav Kant
(Gaurav Kant)
REVIEWED BY

Raj Mishra
(Amit)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1

  cmpdi <i>A Miniratna Company</i>										CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED Environment Laboratory, Regional Institute-II Ambient Noise Level Test Report				CMPDIL, RI-II KOYLA BHAWAN COMPLEX DHANBAD. -826005 Phone:0326-223-850 email: rdri2cmpdi@coalindia.in	
Month & Year	09/2023	Cluster	Cluster XII						ULR No.	TC1012223000000205F					
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)								Date of Issue	18.11.2023					
Project			Sample Ref. No.	REM/BCCL/2023/09		Sampling Method		CMPDI/RI-II/LPM 22							
Sampling Stations	i	Block IV	Date of Sampling		13.09.23	16.09.23	Zone Category of Station:		Buffer Zone						
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A)) First Fortnight	Observed Values (in Leq dB(A)) Second Fortnight	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards							
								Zones	Limits in dB						
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	53.3	52.1	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50						
2		07:00 - 08:00	57.4	56.4											
3		08:00 - 09:00	58.3	57.3											
4		09:00 - 10:00	61.7	60.9											
5		10:00 - 11:00	61.3	60.3											
6		11:00 - 12:00	62.5	62											
7		12:00 - 13:00	62.2	60.9											
8		13:00 - 14:00	62.5	63.1											
9		14:00 - 15:00	62.8	61.9											
10		15:00 - 16:00	65.7	63.9											
11		16:00 - 17:00	66.4	66.2											
12		17:00 - 18:00	67.3	67.1											
13		18:00 - 19:00	66	63.9											
14		19:00 - 20:00	65.6	64.9											
15		20:00 - 21:00	59.2	58.2											
16		21:00 - 22:00	52.4	50.9											
		Leq Day	63.2	62.4											
1	Noise Level dB(A)Leq -Night	22:00-23:00	51	49.6	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50						
2		23:00-00:00	50.2	48											
3		00:00-01:00	48.4	47.4											
4		01:00-02:00	43.4	43.7											
5		02:00-03:00	43	43.2											
6		03:00-04:00	46	44.4											
7		04:00-05:00	44.1	43.6											
8		05:00-06:00	44.4	45.4											
		Leq Night	47.4	46.3											

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants ANALYSED BY  (Gaurav Kant)	REVIEWED BY  (Amit Raj Mishra)	
Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II. ---- End of Report ---- Page -1 of 1		



cmpdi
A Min Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD - 826005
Phone: 0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	09/2023	Cluster	Cluster XII				ULR No.	TC1012223000000205F	
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	18.11.2023	
Project			Sample Ref. No.	REM/BCCL/2023/09		Sampling Method		CMPDI/RI-II/LPM 22	
Sampling Stations	i	Moonidih UGP		Date of Sampling	04.09.2023	18.09.2023	Zone Category of Station:		Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	50.2	50.9	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	45.8	46.6					
3		08:00 - 09:00	53.3	54.9					
4		09:00 - 10:00	51.5	49					
5		10:00 - 11:00	54.5	53.4					
6		11:00 - 12:00	57.8	58.6					
7		12:00 - 13:00	55.9	55.6					
8		13:00 - 14:00	55.9	56.6					
9		14:00 - 15:00	55.9	53.4					
10		15:00 - 16:00	55.9	51.5					
11		16:00 - 17:00	55.9	51.9					
12		17:00 - 18:00	55.9	51.9					
13		18:00 - 19:00	55.9	50.9					
14		19:00 - 20:00	55.9	50.8					
15		20:00 - 21:00	55.9	49.4					
16		21:00 - 22:00	55.9	49.3					
		Leq Day	53.3	53.3					
1	Noise Level dB(A)Leq - Night	22:00-23:00	46	46	CPCB, Protocol for Ambient Level Noise Monitoring - 2015	35 dB-135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00-00:00	45.4	45.6					
3		00:00-01:00	44.6	45.6					
4		01:00-02:00	43.8	44.4					
5		02:00-03:00	43.6	43.7					
6		03:00-04:00	43.6	43.8					
7		04:00-05:00	45	45.1					
8		05:00-06:00	45.4	45.6					
		Leq Night	45.5	45.8					
**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit									
Sampling Assistants		 (Gaurav Kant)				 (Amit Raj Mishra)			
ANALYSED BY		REVIEWED BY				Authorised Signature			
Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.									
---- End of Report ----									
Page -1 of 1									

**All noise measurements are integrated for a 01 hour period, All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants

Gaurav Kant

(Gaurav Kant)

REVIEWED BY

Amit Raj Mishra

(Amit Raj Mishra)

Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
Ambient Noise Level Test Report

CMPDI, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD - 826005
Phone: 0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	09/2023	Cluster	Cluster XII					ULR No.	TC1012223000000205F
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)							Date of Issue	18.11.23
Project			Sample Ref. No.	REM/BCCL/2023/09			Sampling Method		CMPDI/RI-II/LPM 22
Sampling Stations	i	Murlidih(20/21)		Date of Sampling		15.09.2023	27.09.2023	Zone Category of Station:	Buffer Zone
Sl. No.	Parameter	Hour / Time of day	Observed Values (in Leq dB(A))	Observed Values (in Leq dB(A))	Method of Analysis	Range Of Testing	LDL	NOISE POLLUTION (REGULATION AND CONTROL) RULES, 2000 Standards	
			First Fortnight	Second Fortnight				Zones	Limits in dB
1	Noise Level dB(A)Leq - Day	06:00 - 07:00	48.3	48.2	CPCB, Protocol for Ambient Level Noise Monitoring -2015	35 dB- 135 dB	35 dB(A)	Industrial Commercial Residential Silence	75 65 55 50
2		07:00 - 08:00	48.4	48.6					
3		08:00 - 09:00	50.5	51.5					
4		09:00 - 10:00	49.7	50.7					
5		10:00 - 11:00	52.6	52.6					
6		11:00 - 12:00	52.9	52.7					
7		12:00 - 13:00	54.5	55.5					
8		13:00 - 14:00	54.9	55					
9		14:00 - 15:00	55.3	55.5					
10		15:00 - 16:00	56.5	57.5					
11		16:00 - 17:00	56.3	55.8					
12		17:00 - 18:00	53.9	53.9					
13		18:00 - 19:00	50.7	51.5					
14		19:00 - 20:00	50.4	50.7					
15		20:00 - 21:00	49.3	49.3					
16		21:00 - 22:00	49.1	49					
		Leq Day	53.0	53.3					
1	Noise Level dB(A)Leq -Night	22:00-23:00	38.9	39.1	CPCB, Protocol for Ambient Level Noise Monitoring -2015	35 dB- 135 dB	35 dB(A)	Industrial Commercial Residential Silence	70 55 45 50
2		23:00-00:00	38.5	39					
3		00:00-01:00	38.2	38.7					
4		01:00-02:00	38.1	38.6					
5		02:00-03:00	38	38.2					
6		03:00-04:00	38.5	38					
7		04:00-05:00	38.7	38.5					
8		05:00-06:00	38.9	38.6					
		Leq Night	38.5	38.6					

**All noise measurements are integrated for a 01 hour period. All units in dB(A) *LDL indicates Lower Detection Limit

Sampling Assistants
ANALYSED BY


(Gaurav Kant)
REVIEWED BY


(Amit Raj Mishra)
Authorised Signature

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

--- End of Report ---

Page -1 of 1

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / GOVERNMENT.

**AMBIENT AIR QUALITY REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE Q.E. JUNE 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CLUSTER - XII

(FOR THE Q.E. JUNE 2023)

CONTENTS

SL. NO.	CHAPTER	PARTICULARS
1.		EXECUTIVE SUMMARY
2.	CHAPTER - I	INTRODUCTION
3.	CHAPTER-II	AIR SAMPLING & ANALYSIS
4.	Plate: Plate NO. - I	SURFACE PLAN SHOWING WATER MONITORING LOCATIONS

STRICTLY RESTRICTED

FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / GOVERNMENT.

**AMBIENT AIR QUALITY REPORT
OF
BHARAT COKING COAL LIMITED
CLUSTER – XII**

(FOR THE Q.E. JUNE 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the environment around us. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. One of these major attributes is water.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Ambient air sampling locations

The ambient air quality monitoring stations were selected to represent core, buffer zone area. The rationale has been based on the guidelines stipulated by MoEF&CC, consent letter of SPCB, as well as other statutory requirements.

3.0 Methodology of sampling and analysis

3.1 Heavy Metal in Ambient Air

Parameters chosen for assessment of Heavy metal in Ambient Air Quality were cadmium (Cd), Mercury (Hg), Arsenic (As), Chromium (Cr), Nickel (Ni), and Lead (Pb). Respirable Dust Samplers (RDS) were used for sampling these heavy metals on EPM filter paper. These heavy metals are analyzed regularly on half yearly basis. The samples were analyzed in Environment Laboratory of CMPDI, RI-II, Dhanbad.

4.0 Results and interpretations

4.1 Heavy Metal in Ambient Air

The results of Heavy metal in Ambient Air Quality are presented in tabular form for each monitoring station. The concentration of heavy metals in ambient air is well within the permissible limit.

CHAPTER - I

INTRODUCTION

- 1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guidelines stipulated by Ministry of Environment, Forests and Climate Change (MoEF&CC), Govt. of India.

Bharat Coking Coal Limited (BCCL), a subsidiary company of Coal India Limited (CIL) is operating UG Mines and Opencast Mines in Jharia Coalfield (JCF). The Jharia Coalfield (JCF) having an area of 450 Sq.KM.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.

The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014

CHAPTER – II

AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.2 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhi basti (A18): Industrial Area

The location of the sampling station is $23^{\circ} 45' 26.60''$ N & $86^{\circ} 18' 39.90''$ E.

I. BUFFER ZONE Monitoring Location

i) Block IV (A6) : Industrial area

The location of the sampling station is $23^{\circ} 47' 54.00''$ N & $86^{\circ} 16' 20.00''$ E.

ii) Moonidih UGP (A17) : Industrial area

The location of the sampling station is $23^{\circ} 44' 30.00''$ N & $86^{\circ} 20' 56.00''$ E.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is $23^{\circ} 43' 51.82''$ N & $86^{\circ} 16' 21.87''$ E.

2.3 Results and interpretations

The results of Heavy metal in Ambient Air Quality are presented in tabular form for each monitoring station. The concentration of heavy metals in ambient air is well within the permissible limit.

AMBIENT AIR QUALITY DATA

Name of the Company: **Bharat Coking Coal Limited** Year : **2023-24**

Name of the Cluster : **Cluster -XII** PERIOD: **Q. E. JUNE 2023.**

Heavy Metal Analysis report of Ambient Air Quality


SAMPLE	Date	Hg ($\mu\text{g}/\text{m}^3$)	Cr($\mu\text{g}/\text{m}^3$)	As (ng/m^3)	Pb ($\mu\text{g}/\text{m}^3$)	Ni (ng/m^3)	Cd ($\mu\text{g}/\text{m}^3$)
Block IV (A6)	16.06.2023	<0.001	<0.01	<1	0.021	16	<0.001
Moonidih UGP (A17)	16.06.2023	<0.001	0.02	<1	0.017	<2	<0.001
Rudhi basti (A18)	28.06.2023	<0.001	0.01	<1	0.03	13	<0.001
Murlidih 20/21 Pit(A19)	27.06.2023	0.001	<0.01	<1	0.017	16	<0.001

अनुमान रंजन राय
Analysed By
JSA/SA/SSA



Checked By
Lab In Charge
RI-2, CMPDI, Dhanbad


Approved By
HOD(In-charge) Environment
RI-2, CMPDI, Dhanbad

Location of Air & Noise Monitoring Stations in BCCL



Water Sampling Locations in BCCL



INDEX						
Section	Column Number (L1, L2)	Row or Column Number	Page or Column Number	Section	Row or Column Number	Page or Column Number
I	2002, 2002	Column 1	2002	Column 1	2002	2002
II	2002, 2002	Column 2	2002	Column 2	2002	2002
III	2002, 2002	Column 3	2002	Column 3	2002	2002
IV	2002, 2002	Column 4	2002	Column 4	2002	2002
V	2002, 2002	Column 5	2002	Column 5	2002	2002
VI	2002, 2002	Column 6	2002	Column 6	2002	2002
VII	2002, 2002	Column 7	2002	Column 7	2002	2002
VIII	2002, 2002	Column 8	2002	Column 8	2002	2002
IX	2002, 2002	Column 9	2002	Column 9	2002	2002
X	2002, 2002	Column 10	2002	Column 10	2002	2002
XI	2002, 2002	Column 11	2002	Column 11	2002	2002
XX	2002, 2002	Column 12	2002	Column 12	2002	2002
XXI	2002, 2002	Column 13	2002	Column 13	2002	2002
XXII	2002, 2002	Column 14	2002	Column 14	2002	2002
XXIII	2002, 2002	Column 15	2002	Column 15	2002	2002
XXIV	2002, 2002	Column 16	2002	Column 16	2002	2002
XXV	2002, 2002	Column 17	2002	Column 17	2002	2002

Legend:

- Sampling Locations of Surface Water (Upstream/ Downstream)
- Sampling Locations of Mine Water
- Sampling Locations of Ground/ Drinking Water

SHARJAT COOKING COAL LIMITED

WATER SUPPLY LOCATIONS

MONITORING STATIONS

1000

CMPD	date
------	------

STRICTLY RESTRICTED
FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / GOVERNMENT.

**WATER QUALITY REPORT
OF
BHARAT COKING COAL LIMITED,
CLUSTER – XII**

(FOR THE Q.E. JUNE 2023)

E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



CMPDI

ISO 9001 Company
Regional Institute-II
Dhanbad, Jharkhand

CLUSTER - XII

(FOR THE Q.E. JUNE 2022)

CONTENTS

SL. NO.	CHAPTER	PARTICULARS
1.		EXECUTIVE SUMMARY
2.	CHAPTER - I	INTRODUCTION
3.	CHAPTER-II	WATER SAMPLING & ANALYSIS
4.	Plate: Plate NO. - I	SURFACE PLAN SHOWING WATER MONITORING LOCATIONS

EXECUTIVE SUMMARY

1.0 Introduction

The purpose of environmental monitoring is to assess the quality of various attributes that affects the environment around us. In accordance with the quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. One of these major attributes is water.

Bharat Coking Coal Limited (BCCL), a Subsidiary company of Coal India Limited is operating Underground and Opencast Mines in Jharia Coalfield (JCF) is a part of Gondwana Coalfields located in Dhanbad district of Jharkhand, the JCF is bounded by 23°37' N to 23°52' N latitudes and 86°09' E to 86°30' E longitude occupying an area of 450 Sq.km. BCCL has awarded Environmental monitoring work of Jharia Coalfield (JCF) to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per the conditions laid down by the MoEF&CC while granting environmental clearance of project, consent letter issued by the respective SPCB, and other statutory requirements.

2.0 Sampling location and rationale

2.1 Water sampling stations

The Water sampling stations were selected for Ground water supply, well/ Hand pump water & also surface water samples.

3.0 Methodology of sampling and analysis

3.1 Water quality

Water samples were collected as per standard practice. Effluent samples were analyzed for 25 parameters on quarterly basis & for 27 parameters on half yearly basis. The Ground and Surface water samples were collected and analyzed for 25 and 17 parameters respectively, on quarterly basis. Thereafter the samples were preserved and analyzed at the Environmental Laboratory at CMPDI RI-II, Dhanbad.

4.0 Results and interpretations

4.1 Water quality

The test results indicate that the major parameters compared with MoEF&CC Gazette Notification No. GSR 742(E) dt 25.09.2000 Standards for Coal Mines, IS.10500/2012 (Ground water) and IS: 2296 (Surface water), are with in permissible limits.

CHAPTER - I

INTRODUCTION

- 1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guidelines stipulated by Ministry of Environment, Forests and Climate Change (MoEF&CC), Govt. of India.

Bharat Coking Coal Limited (BCCL), a subsidiary company of Coal India Limited (CIL) is operating UG Mines and Opencast Mines in Jharia Coalfield (JCF). The Jharia Coalfield (JCF) having an area of 450 Sq.KM.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

- 1.1 The Cluster XII is in the Central part of the Jharia coalfield. It includes Kapuria UG Mine. The cluster – XII is situated about 30 - 35 kms from Dhanbad Railway Station. The mines of this cluster - XII are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Katri River.
- 1.2 The cluster XII is designed to produce 2.4 Mtpa (normative) and 3.12 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project has Environmental Clearance from Ministry of Environment, Forests and Climate Change (MoEF&CC) for a rated capacity of 2.4 MTPA (normative) and 3.12 MTPA peak capacity of coal production vide letter no **E.C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.**

.....

CHAPTER – II

WATER QUALITY MONITORING

2.1 Location of sampling sites (Refer **Plate No. - I**)

- i) Surface water quality at **U/S of Katri River (SW27)**
- ii) Surface water quality at **D/S of Katri River (SW28)**
- iii) Ground Water quality at **Kapuria (GW12)**

2.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. Effluent samples were analyzed for 25 parameters on quarterly basis & for 27 parameters on half yearly basis. The Ground and Surface water samples were collected and analyzed for 25 and 17 parameters respectively, on quarterly basis. Thereafter the samples were preserved and analyzed at the Environmental Laboratory at CMPDI RI-II, Dhanbad.

2.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results show that most of the parameters are within the permissible limits.



CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
GROUND WATER ANALYSIS TEST REPORT

CMPDI, RI-II
 KOYLA BHAWAN COMPLEX
 DHANBAD. -826005
 Phone: 0326-223-850
 email: rdri2cmpdi@coalindia.in

Month & Year	QUARTER ENDING June 2023		Cluster	CLUSTERXII			Report No.	RI-2/GW/23-24/QE/01
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	23.08.23
Project	Kapuria			Sample Ref. No.	REM/BCCL/23-24/GW/		Sampling Method	CMPDI/RI-II/LPM 13,(IS 3025:Part -1)
Sampling Stations	GW12		Date of Sampling		08.05.2023			
				Period of Analysis		08.05.23	to	14.08.23
Sl. No.	Parameter	Method of Analysis	Observed Values			IS 10500: 2012		
			GW12	Range Of Testing	LDL	Acceptable Limit (Max)*	Permissible Limit in the Absence of Alternate Source (Max)	
1	Colour, Hazen unit	APHA, 23 rd Edition, 2120-c-Spectrophotometric Single Wavelength Method, 2017	3	1-500.0	1	5	15	
2	Calcium, mg/l	IS 3025, (Part 40): 1991 R-2019,AAS-Flame Method & EDTA Method	58	2.0-800.0	2	75	200	
3	Chlorides, mg/l	IS-3025(Part 32)-1988, R-2019 , Argentometric Method	115	2.0-1500.0	5	250	1000	
4	Fluoride, mg/l	APHA, 23 rd Edition, SPADNS Method	0.88	0.2-2.00	0.2	1	1.5	
5	Iron, mg/l	IS 3025 (Part 53) : 2003, R: 2019 , AAS-Flame Method	<0.2	0.2-10	0.2	1	No relaxation	
6	Magnesium	APHA 23 rd Edition, 3500-Mg B: Calculation Method	78	6.0-700	6	30	100	
7	Nitrate , mg/l	APHA, 23 rd Edition, UV-Spectrophotometric Method	8.14	0.5-45.0	0.5	45	No relaxation	
8	Odour	APHA, 23 rd Edition, , 2150-C	Agreeable	Qualitative	Qualitative	Agreeable	Agreeable	
9	pH value	IS 3025, Part 11 : 1983 R 2017 Electrometric(pH Meter) Method	7.37	1-14	0.1	6.5-8.5	No relaxation	
10	Sulphate, mg/l	APHA -23 rd Edition, 4500 S , Turbidity Method	272	10.0-400.0	10	200	400	
11	Taste	APHA,23 rd Edition, 2160-C	Acceptable	Qualitative	Qualitative	Acceptable	Agreeable	
12	Total Alkalinity (CaCO ₃), mg/l, Max	IS 3025, Part 23: 1986 R 2019 Titration Method	288	4.0-2000.0	4	200	600	
13	Total Dissolved Solids, mg/l	IS 3025, Part 16: 1984 R 2017 Gravimetric method	779	25.0-5000.0	25	500	2000	
14	Total Hardness, mg/l	IS 3025, (Part 21): 2019 EDTA Method	466	4.0-2000.0	4	200	600	
15	Turbidity, NTU	IS 3025, (Part 10):1984, R-2017 Nephelometric/Turbiditimetric Method	1.7	1-800	0.1	1	5	
16	Zinc, mg/l	IS 3025(Part 49) : 1994,R-2019, AAS-Flame Method	0.25	0.1 - 2.0	0.1	5	15	

***All units in mg/L unless specified otherwise,

**Grab sampling carried out for water samples. *LDL indicates Lower Detection Limit & BDL indicates Below Detection Limit,

[Signature]

(Kumar Vaibhav)
 REVIEWED BY

[Signature]
 (Amit Raj Mishra)

ANALYSED BY

AUTHORISED SIGNATORY

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

Page -1 of 2

---- End of Report ----



cmpdi
A Mini Ratna Company

CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
GROUND WATER ANALYSIS TEST REPORT

CMPDI, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone: 0326-223-850
email: rdri2cmpdi@coalindia.in

Month & Year	QUARTER ENDING June 2023		Cluster	CLUSTER XII			Report No.	RI-2/GW/23-24/QE/01
Customer	Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)						Date of Issue	23.08.23
Project	Kapuria			Sample Ref. No.	REM/BCCL/22-24/GW/	Sampling Method	CMPDI/RI-II/LPM 13,(IS 3025:Part -1)	
Sampling Stations	GW12		Date of Sampling	08.05.2023	Sample Collected in 5 Ltr Jerricane , Color as observed is transparent			
				Period of Analysis	08.05.23	to	14.08.23	
Sl. No.	Parameter	Method of Analysis	Observed Values			IS 10500: 2012		
			GW12	Range Of Testing	LDL	Acceptable Limit (Max)*	Permissible Limit in the Absence of Alternate Source (Max)	
1	Boron (as B), mg/l, Max	APHA, 23rd Edition ,Carmine	<0.2	0.2-10	0.2	0.5	1	
2	Copper (as Cu), mg/l, Max	IS 3025 Part 42 : 1992 R : 2019, AAS-Flame APHA, 23rd Edition, AAS-GTA	<0.01	0.01-10	0.01	0.05	1.5	
3	Free Residual Chlorine, mg/l, Min	APHA, 23rd Edition, , 4500-Cl-B. (Iodometric Method-I)	<0.04	0.04-5	0.04	0.2	1	
4	Lead (as Pb), mg/l, Max	IS:3025(Part 47):1994 (Reaffirmed 2019) APHA, 23rd Edition, AAS-GTA	<0.005	0.005-10	0.005	0.01	No relaxation	
5	Phenolic compounds (as C6H5OH), mg/l, Max	APHA, 22nd Edition,4-Amino Autipyrine	<0.001	0.001-10	0.001	0.002	0.002	
6	Selenium, mg/l, Max	APHA 23rd Edition IS-3025,part 56:2003, R-2019/, AAS-VGA	<0.007	0.007-10	0.007	0.01	No relaxation	
7	Total Arsenic (as As), mg/l, Max	IS-3025,part 37:1988, R-2019/ APHA 23rd Edition AAS-VGA	<0.006	0.006-10	0.006	0.01	0.05	
8	Total Chromium (as Cr), mg/l, Max	IS-3025 Part 52:2003, R:2019,AAS-Flame APHA, 23rd Edition, AAS-GTA	<0.01	0.01-10	0.01	0.05	No relaxation	
9	Nickel as Ni, mg/l Max	IS 3025 Part 54 : 2003,R : 2019, AAS-Flame APHA, 23rd Edition, AAS-GTA	<0.005	0.005-10	0.005	0.02	No relaxation	
10	Manganese as Mn, mg/l, Max	IS 3025(Part 59) : 2006,R:2019, AAS-Flame Method	0.27	0.02-10	0.02	0.1	0.3	

***All units in mg/L unless specified otherwise,

**Grab sampling carried out for water samples. *LDL indicates Lower Detection Limit & BDL indicates Below Detection Limit,

[Signature]

(Kumar Vaibhav)
REVIEWED BY

[Signature]

(Amit Raj Mishra)

ANALYSED BY

AUTHORISED SIGNATORY

Note: The results above relate to the samples tested as received. This report cannot be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.

Page -2 of 2

---- End of Report ----



CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED
Environment Laboratory, Regional Institute-II
SURFACE WATER ANALYSIS TEST REPORT

CMPDIL, RI-II
 KOYLA BHAWAN COMPLEX
 DHANBAD, -826005
 Phone: 0326-223-850
 email: rdri2.cmpdi@coalindia.in

Month & Year		QUARTE ENDI NG June 2023		Cluster		XII		Report No.		RI-2/SW/23- 24/QE/01		
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)							Date of Issue		23.08.23	
Project		Sample Ref. No.				REM/BCCL/23-24/SW /		Sampling Method		(IS 3025 , Part-1) CMPDI/RI- II/LPM 13		
Sampling Stations		(i)		Upstream in Katri River(SW27)		Date of Sampling		19.06.23		Period of Analysis		
		(ii)		Downstream in Katri River(SW28)		Date of Sampling		19.06.23		19.06.23 to 14.08.23		
Sl. No.	Parameter	Method of Analysis		Observed Values		IS : 2296 INLAND SURFACE WATER [1982] Class 'C	Range of Testing	LDL				
				(i)	(ii)							
1	BOD (3 days 27°C), mg/l	IS 3025 (Part 44) : 1993, R- 2019 , 3 day incubation at 27°C		<2.0	<2.0	3	2.00-10.00	2				
2	Colour,Hazen Units	APHA 23rd Edition , 2120- B-:2017		4	3	10	1-100.0	1				
3	Chlorides, mg/l	IS-3025(Part 32):1988, R-2019 Argentometric Method		78	55	600	5.0-1500.0	5				
4	Copper, mg/l	IS 3025 (Part 42) : 1992 R : 2019, AAS-Flame Method		<0.2	<0.2	1.5	0.2-10.0	0.2				
5	Dissolved Oxygen, mg/L	IS 3025 (Part 38) : 1989, R:2003 Winkler Azide Method		5.3	5.6	4	0.1-10.0	0.1				
6	Fluoride, mg/l	APHA, 23rd Edition, SPADNS Method		0.57	0.59	1.5	0.2-2.00	0.2				
7	Hexavalent Chromium, mg/l	APHA 23rd Edition, 1,5- Diphenylcarbohydrazide Method IS 3025 (Part 52) : 2003,R-2019		<0.01	<0.01	0.05	0.01-1.4	0.01				
8	Iron, mg/l	IS 3025 (Part 53):2003,R:2019, AAS-Flame Method		<0.2	<0.2	50	0.2-10	0.2				
9	Nitrate , mg/l	APHA, 23rd Edition, UV- Spectrophotometric Method		3.57	4.06	50	0.5-45.0	0.5				
10	pH value	IS 3025, (Part 11) : 1983 R- 2017 Electrometric (Ph Meter) method		7.09	7.76	6.5-8.5	2.0-12.0	2				
11	Sulphate, mg/l	APHA -23rd Edition,4500- S, Turbidity Method		73	35	400	10.0-400.0	10				
12	Total Dissolved Solids, mg/l	IS 3025, (Part 16): 1984 R- 2017 Gravimetric method		298	321	1500	25.0-5000.0	25				
13	Zinc, mg/l	IS 3025(Part 49) : 1994, R : 2019, AAS-Flame Method		<0.1	<0.1	15	0.1 - 3.0	0.1				

***Grab sampling carried out for water samples. *LDL indicates Lower Detection Limit & BDL indicates Below Detection Limit

***All units in mg/L unless specified otherwise Sample Collected in 5 Ltr Jerrycane, Color as observed is transparent

(Kumar Vaibhav)

(Kumar Vaibhav)

(Amit Raj Mishra)

(Amit Raj Mishra)

Analysed by

REVIEWED BY

AUTHORISED SIGNATORY

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env), CMPDI, RI-II.

---- End of Report ----

Page -1 of 2



CENTRAL MINE PLANNING AND DESIGN INSTITUTE LIMITED

Environment Laboratory, Regional Institute-II

SURFACE WATER ANALYSIS REPORT

CMPDIL, RI-II
KOYLA BHAWAN COMPLEX
DHANBAD. -826005
Phone: 0326-223-850
email: rdri2.cmpdi@coalindia.in

Month & Year		QUARTE Ending June 2023		Cluster		XII			Report No.		RI-2/SW/23- 24/QE/01	
Customer		Environment Department, Bharat Coking Coal Limited (BCCL), Koyla Bhawan, Dhanbad (E-mail: gmenv.bccl@coalindia.in)							Date of Issue		23.08.23	
Project		Sample Ref. No.				REM/BCCL/23-24/SW /		Sampling Method		(IS 3025 , Part-1) CMPDI/RI-II/LPM 13		
Sampling Stations		(i)	Upstream in Katri River(SW27)			Date of Sampling		19.06.23		Period of Analysis		
		(ii)	Downstream in Katri River(SW28)			Date of Sampling		19.06.23		19.06.23 to 14.08.23		
Sl. No.	Paramet er	Method of Analysis			Observed Values		IS : 2296 INLAND SURFACE WATER [1982] Class 'C		Range of Testing	LDL		
					(i)	(ii)						
1	Arsenic (as As), mg/l, Max	IS-3025,Part 37:1988, R- 2019/ APHA 23rd Edition AAS-VGA			<0.006	<0.006	0.2		0.006-10	0.006		
2	Lead (as Pb), mg/l, Max	APHA, 23rd Edition, AAS- GTA			<0.005	<0.005	0.1		0.005-10	0.005		
3	Phenolic compounds (as C6H5OH), mg/l, Max	APHA, 22nd Edition 4- Amino Antipyrine			<0.002	<0.002	0.005		0.002-10	0.002		
4	Selenium, mg/l, Max	IS-3025 ,Part 56:2003, R- 2019/ APHA 23rd Edition, AAS-VGA			<0.007	<0.007	0.05		0.007-10	0.007		

***Grab sampling carried out for water samples. *LDL indicates Lower Detection Limit & BDL indicates Below Detection Limit*

****All units in mg/L unless specified otherwise Sample Collected in 5 Ltr Jerrican, Color as observed is transparent*

(Kumar Vaibhav)

(Amit Raj Mishra)

**Analysed
by**

REVIEWED BY


AUTHORISED SIGNATORY

Note: The results above relate to the samples tested as received. This report can not be reproduced in part or full without the written permission of the HOD(Env) , CMPDI, RI-II.

---- End of Report ----

Page -2of 2

Water Sampling Locations in BCCL



INDEX						
Section	Column Number (L1, L2)	Row or Column Number	Page or Column Number	Section	Page or Column Number	Section
I	2002, 2002	Column 1	2002	Column 1	2002	Column 1
II	2002, 2002	Column 1	2002	Column 1	2002	Column 1
III	2002, 2002	Column 1	2002	Column 1	2002	Column 1
IV	2002, 2002	Column 1	2002	Column 1	2002	Column 1
V	2002, 2002	Column 1	2002	Column 1	2002	Column 1
VI	2002, 2002	Column 1	2002	Column 1	2002	Column 1
VII	2002, 2002	Column 1	2002	Column 1	2002	Column 1
VIII	2002, 2002	Column 1	2002	Column 1	2002	Column 1
IX	2002, 2002	Column 1	2002	Column 1	2002	Column 1
X	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XI	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XX	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXI	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXII	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXIII	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXIV	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXV	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXVI	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXVII	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXVIII	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXIX	2002, 2002	Column 1	2002	Column 1	2002	Column 1
XXX	2002, 2002	Column 1	2002	Column 1	2002	Column 1

Supplier	SHARAT COING COAL LIMITED
Site	WATER SUPPLY LOCATIONS
Issue	MONITORING STATUS
	