



**BHARAT COKING COAL LTD.**

A Mini Ratna Company

(A Subsidiary of Coal India Ltd.)

REGD. Office: Koyla Bhawan, Koyla Nagar, Dhanbad-826005

CIN No. U10101JH1972GO1000918

OFFICE OF THE GENERAL MANAGER

**BARORA AREA**

Ref No. GM/AR-1/SURVEY/ /2016

Dated: -09.05.2016

To  
The Director  
Ministry of Environment, Forest & CC  
Regional Office (ECZ), Bungalow No.-2  
Shyamali Colony  
Ranchi- 834002

364

11

Sub: Six monthly reports on implementation of Environmental measures for the Period from October'2015 to March' 16 in respect of Cluster -I group of mines.

Ref: -EC Order No. J-11015/93/2009-IA.II (M)

Dear Sir,

Kindly find enclosed herewith the six monthly reports on implementation of Environmental measures for the period from October'2015 to March' 16 in respect of Cluster -I group of mines.

Hope you will find the same in order.

Yours faithfully,

General Manager  
Barora Area

Encl: as above

C.C to

1. The Director, 1A monitoring cell ,  
Paryavaran Bhawan CGO Complex, New Delhi-110003
2. G.M (Env.) BCCL Koyla Bhawan, Dhanbad.
3. Nodal Incharge (Env.) Barora Area.

**Compliance of Conditions of Environmental Clearance Granted by  
MoEF for Cluster-1 (October 15 to March 16)**

EC Order No. J-11015/93/2009-IA.II (M)

Sl. no.	A. Specific Conditions by MOEF:	Compliance
i	Production shall not exceed beyond that for which environmental clearance has been granted for the 3 mines of cluster-1.	The production for the cluster is within the limit for which environment clearance has been granted.
ii	The measures identified in the environmental management plan for Cluster-I group of mines and the conditions given in this environmental clearance letter shall be dovetailed to the implementation of the Jharia Action Plan.	Master Plan is dovetailed with environmental clearance conditions.
iii	(a) The proponent shall prepare time-series maps of the Jharia Coalfields through NRSA to monitor and prevent fire problems in the Jharia Coalfields by Isothermal mapping/imaging. (b) And monitoring temperatures of coal seams (whether they are close to spontaneous ignition temperatures) and based on which, areas with potential fire problems shall be identified. Measures to prevent ingress of air (ventilation) in such areas, to prevent re-start fresh/spread fires in other areas including in mines of cluster-I shall be undertaken.	A Global EOI was floated to control fire in Jharia Coalfield. None of the bidder qualified. CIMFR, Dhanbad has been requested to take up the study. NRSA has also been contacted to prepare time-series map for monitoring of fire. NRSA will soon start the work.  Fire affected area has been reduced from 9.00 KM <sup>2</sup> to 2.18 KM <sup>2</sup> . For further dealing of fire and subsidence action has been taken and working as per the strategic plan of digging out of fiery coal followed by reclamation. Action is being taken as specified in EC and as per Jharia Master Plan. Further fire patches are under operation to dig out the fiery coal and combustible materials to save the coal from burning and to stop further spread of the fire. Once the fiery coal is dug-out/excavated there will be no more chance of re-starting of fresh/spreading of fire into other areas.
iv	No mining shall be undertaken where underground fires continue. Measures shall be taken prevent/check such fires including in old OB dump areas where fire could start due to presence of coal/ shale with sufficient carbon content.	There is no fire where underground mine is being worked. There is no fire in OB dump.
v	There shall be no external OB dumps. OB from the 2 patches shall be backfilled. At the end of the mining there shall be no void and the entire mined out area shall be re-vegetated. Areas where opencast mining was carried out and completed shall be reclaimed immediately thereafter.	Backfilling is being done at old quarry of Albion OCP. Up to Sept. 15, 6.00 hectare of land is backfilled/reclaimed up to surface level. Action is being taken as specified in EMP. At the end of the mining, there shall not be voids and area will be re-vegetated and reclaimed with the proper eco-restoration techniques suggested by the experts available in BCCI, and in external agencies i.e. FRI Dehradun, CEMDE Delhi.

vi	A detailed calendar plan of production with plan for OB dumping and backfilling (for OC mines) and reclamation and final mine closure plan for each mine of cluster-1 shall be drawn up and implemented	Calendar plan has been prepared. Mine closure plan as per the guidelines of Ministry of Coal have been prepared by Central Mine Planning and Design Institute (CMPDI) and it is being implemented.
vii	Mining shall be carried out as per statuette from the streams/nalas flowing within the lease and maintaining a safe distance from the Nalas flowing along the lease boundary. A safety barrier of a minimum 60m width shall be maintained along the nalas/water bodies. The small water bodies in Damoda (Albion Section) OC shall be protected to the extent feasible and the embankment proposed along water body shall be strengthened with stone pitching.	It is being followed. Embankments have been constructed as specified in EC
viii	Thick green belt shall be developed along undisturbed areas, mine boundary and in mine reclamation. A total area of 237.79 ha shall be reclaimed and afforested.	Green belt of 6.00 Ha exists in Damoda lease hold area and Eco restoration of 6.68 Ha has been already developed and being maintained properly.  Annexure 1 :Eco-Restoration Plan
ix	Specific imitative measures identified for the Jharia Coalfields in the Environmental Action Plan prepared for Dhanbad as a critically polluted area and relevant for Cluster-1 shall be implemented.	Dhanbad Action Plan has been prepared in consultation with Jharkhand Pollution Control Board for entire BCCL. It is being implemented comprehensively for all the mines of BCCL. Some of the salient actions of this cluster are as under:  <ol style="list-style-type: none"> <li>1. Construction of pucca road.</li> <li>2. Construction of water reservoir for mine water utilization</li> <li>3. Plantation</li> <li>4. Covering of loaded transport vehicle</li> <li>5. Installation of mobile water sprinklers</li> </ol>
x	A detailed CSR Action Plan shall be prepared for Cluster-I group of mines. Specific activities shall be identified for CSR for the budget of Rs 13.75 crores provided for CSR for 2010-11 and Rs 5/T of coal as recurring expenditure. The 190.51 ha of area within Cluster-I ML existing as waste land and not being acquired shall be put to productive use under CSR and developed with fruit bearing and other useful species for the local communities. In addition to afforesting 237.79 ha of are at the post-mining stage, the 204.67 ha of fallow/abandoned land and 40.64 ha waste land/barren land within Cluster-I ML shall berehabilitated/reclaimed as forest/agricultural land under CSR Plan in consultation with local communities. Third party evaluation shall be got carried out regularly for the proper implementation of activities undertaken in the project area under CSR. Issues raised in the Public Hearing shall also be integrated with activities being taken up under	BCCL is implementing CSR activities A detailed project specific CSR Action Plan shall be formulated and for this purpose, BCCL has approached TATA INSTITUTE OF SOCIAL SCIENCES, MUMBAI which is also the focal agency of the National CSR Hub.  A CSR department has been established at the headquarter level and area level for proper executing the CSR activities.  All welfare/ CSR activities are also uploaded in Company web site.

	<p>CSR. The details of CSR undertaken along with budgetary provisions for the village-wise various activities and expenditure thereon shall be uploaded on the company website every year.</p>	<p>TISS, Mumbai has conducted the baseline survey and accordingly an action plan is being formulated.</p>
XI	<p>Mine discharge water shall be treated to meet standards prescribed standards before discharge into natural water courses / agriculture.</p> <p>The quality of the water discharged shall be monitored at the outlet points and proper records maintained thereof and uploaded regularly on the company website.</p>	<p>Mine water is being stored at sump of Albion OCP and after treatment through Pressure Filter is being used for domestic purpose.</p> <p>A work order has been issued to CMPDIL, Ranchi. Regular monitoring of Water Quality Parameters is being carried out by CMPDIL.</p>
XII	<p>No groundwater shall be used for the mining activities. Additional water required, if any, shall be met from mine water or by recycling/reuse of the water from the existing activities and from rainwater harvesting measures. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry due to dewatering of mine.</p>	<p>Surface mine water is being used for industrial purpose and domestic purposes. Mine water after treatment through Filtration by Pressure Filters is supplied to villagers or nearby communities.</p> <p>Two nos. pressure filter of capacity 10,000 liter /day have already been installed at Damoda Colliery.</p>
XIII	<p>Continuous monitoring of long-term impacts of dumping of fly ash (for life of the mine) and leaching of heavy metals on soil and water quality of the study area shall be undertaken and the details of which shall be submitted to the Central Ground Water Board, SPCB and to the Regional Office of this Ministry at Bhubaneswar, as part of the compliance report. Permanent monitoring arrangements such as peizometers shall be established in and around mine areas covering potential impact zone for contamination of heavy metals due to leachates from fly ash. In case of increasing levels of heavy metals detected in groundwater, further dumping of fly ash shall be stopped immediately. Independent thrd party monitoring of impacts of dumping of fly ash shall also be undertaken and reported to the regulatory authorities and uploaded on the company website. In case, the disposal of fly ash into the de-coaled voids is not found to be an environmentally suitable option, the balance void shall be converted into water reservoir of a maximum depth of 35m which shall be gently sloped. The upper benches of the reservoir shall be stabilized with plantation and the periphery of the reservoir fenced.</p>	<p>At present there is no fly ash being dumped.</p>
XIV	<p>Regular monitoring of groundwater level and quality of the study area shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be done four times a year in pre-monsoon (May), monsoon (August), post monsoon (November) and winter (January) seasons and for quality including As and F during the month of May. Data thus collected shall be submitted to the Ministry of Environment &amp; Forests and to the Central Pollution Control Board/SPCB quarterly within one month of monitoring.</p>	<p>Groundwater level and quality is being monitored by CMPDIL. The Location and design of Piezometers to be installed have been finalized by CMPDIL. A proposal for award of work of construction of new piezometers has been prepared and scheme has been approved by competent authority. The work will soon be tendered and will start shortly</p>


	Rainwater harvesting measures shall be undertaken in case monitoring of water table indicates a declining trend.	
xv	ETP shall also be provided for workshop, and CHP, if any. Effluents from the mines shall be treated to conform to prescribed standards if is discharged into any water course outside the lease area. The quality of effluent/water discharged shall be monitored at outlet points. Proper records shall be maintained thereof and uploaded regularly on the company's website.	Construction of ETP/Oil grease Trap will be taken-up.
xvi	For monitoring the land use pattern and post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start to the end of mine life, shall be prepared once in 3 years (for anyone particular season which is consistent in the time series). The report shall be submitted to MOEF and its Regional office at Bhubaneswar.	Presently a time series map of vegetation cover in the Jharia Coal Field is being carried out through CMPDI, Ranchi using satellite imagery for every 3 years the last map of the year 2010-11 has been uploaded on the official website of company. Further CMPDI has been requested to prepare "Time series of land use maps based on satellite imagery of the core zone and buffer zone in the scale 1:5000
xvii	A Final Mine Closure Plan along with a Plan for Habitat Restoration and with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests for approval before the final mine closure. The species selected for Habitat Restoration for post-mining land shall include a specific Plan for development of agro-forestry using a mix of native species found in the study area.	CMPDI has prepare the "Final Mine Closure Plan along with a Plan for Habitat Restoration and with details of Corpus Fund". BCCL has deposited the amountina separate ESCROW ACCOUNT for corpus fund as per Mine Clôsure Guidelines as specified in the mine closure Plan.


xviii	<p><b>Corporate Environment Responsibility:</b> The Company shall have a well laid down Environment Policy approved by the Board of Directors'.</p> <p>The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.</p> <p>The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.</p> <p>To have proper checks and balances, the company shall have a well laid down system of reporting of non-compliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.</p>	<p>A well-defined Corporate Environment Policy has already been laid down and approved by the Board of Directors. This is also posted on BCCL website.</p> <p>Complied.</p> <p>A hierarchical system of the company to deal with environmental issues from corporate level to mine level already exists.</p> <p>Being complied.</p>
B	<b>General Conditions by MOEF::</b>	
i	No change in technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	It is being followed.
ii	No change in the calendar plan including quantum of mineral coal and waste being produced shall be made.	It is being followed.
iii	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for monitoring PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>x</sub> and NO <sub>x</sub> . Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, in particulates shall be carried out at least once in a year.	The optimum location of monitoring stations in Jharia Coal Field has been finalized in consultation with the Jharkhand State Pollution Control Board. Ambient air quality is regularly monitored by CMPDIL, Ranchi
iv	Data on ambient air quality (PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>x</sub> and NO <sub>x</sub> and heavy metals such as Hg, As, Ni, Cr, etc) and other monitoring data shall be regularly submitted to the Ministry including its Regional Office at Bhubaneswar and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognised under the EP Rules, 1986 shall be furnished as part of the compliance report.	It is being complied.
v	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	It is being Complied in mines and also the Noise levels are below the Ambient Noise Standard (Day time 75 dB & Night Time 70 dB for Industrial Area).
vi	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, and treated so as to conform to the standards including for heavy metals	The work of monitoring of ambient environment is being done by CMPDIL,Ranchi.Physico-Chemical

	before discharge prescribed under GSR422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time. Oil and grease trap shall be installed before discharge of workshop effluents.	characteristics of effluents are well within the prescribed limit.
vii	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transportation of the mineral shall be covered with tarpaulins and optimally loaded.	It is being complied.
viii	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognized under EP Rules, 1986.	Monitoring of Environmental quality parameters have been regularly done by CMPDIL, Ranchi with proper analysis equipment.
ix	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects. Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed.	It is being complied. A separate full-fledged Human Resource Development Department is conducting regular training programme on these issues. Apart from this Vocational Training Centers are existing in all the areas of BCCL, which provides periodical training on the safety and occupational health issue to each of the workers working in the mines.
x	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	A full-fledged Environment Department, headed by a Dy. GM (Environment) along with a suitable qualified multi-disciplinary team of executives which includes Environment, Mining, Excavation, Civil, Survey, Electrical & Mechanical, Forestry disciplines executives and technicians (4 nos.) has been established in Headquarters. They are also trained in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, one Executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/Laws including environment protection measures. The activities are monitored on regular basis at Area and at Headquarter levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company.  The team is multi-disciplinary and very much motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and

		operating level is being done.
XI	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	It is being complied.
XII	The Project authorities shall advertise at least in two local newspapers that are widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the Ministry of Environment & Forests at <a href="http://envyfor.nic.in">http://envyfor.nic.in</a>	It has been complied.
XIII	A copy of the environmental clearance letter shall be marked to concerned Panchayat/Zila Parishad, Municipal Corporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	Complied.
XIV	A copy of the clearance letter shall be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Centre and Collector's Office/Tehsildar's Office for 30 days.	Complied.
XV	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in the public domain. The monitoring data of environmental quality parameters (air, water, noise and soil) and critical pollutants such as PM <sub>10</sub> , PM <sub>2.5</sub> , and NO <sub>x</sub> (ambient and stack if any) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mines office and in corporate office and on the company's website.	Complied.
XVI	The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the MOEF, the respective Zonal offices of CPCB and the SPCB.	It is being complied.
XVII	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data information/monitoring reports.	Project authority is ready to extend its full cooperation for any kind of visit and inspection conducted by Regional Office in connection with EC Conditions Compliance.
XVIII	The environmental statement for each financial year, ending 31 <sup>st</sup> March, in Form-V to be submitted mandatorily by the project proponent to the State Pollution Control Board concerned as prescribed under the Environment	Environmental Statement (Form-V) has been regularly submitted for each financial year to Jharkhand State Pollution Control Board.

	(Protection) Rules, 1986, as amended subsequently. This shall also be uploaded on to the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MOEF by E-mail.	
C	Other Conditions by MOEF:	
i	The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Agree.
ii	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and	Agree.
iii	The above conditions will be enforced <i>inter-alia</i> , under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to undertake and provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	It is being complied.
iv	The Environmental Clearance is subject to the outcome of the Writ Petition filed by M/S Bharat Coking Coal Limited (BCCL) in response to the closure orders issued by the Jharkhand State Pollution Control Board which is pending in the Jharkhand High Court.	Agree.

  
 General Manager  
 Barora Area  
 7/5/16

  
 Nodal Officer (Env),  
 Barora Area

**STRICTLY RESTRICTED**

**FOR COMPANY USE ONLY RESTRICTED**

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL / GOVERNMENT.

**ENVIRONMENTAL MONITORING REPORT  
OF  
BHARAT COKING COAL LIMITED,  
CLUSTER – I**

**(FOR THE Q.E. MARCH, 2016)**

**E. C. no. J-11015/93/2009-IA.II (M) dated 06.02.2013.**

**June, 2016**



**CMPDI**

ISO 9001 Company  
Regional Institute-II  
Dhanbad, Jharkhand

## CHAPTER - I

### INTRODUCTION

- 1.0 Any industry and development activities including coal mining is bound to affect environmental attributes. There are positive as well as negative impacts of such operations. For controlling the adverse impacts a regular monitoring is essential. The environmental monitoring is being done as per the guide-lines stipulated by Ministry of Environment, Forest and Climate Change (MoEF&CC), Govt. of India.

The very purpose of environmental monitoring is to assess the quality of various attributes which affects the environment. As per quality of these attributes appropriate strategy is to be developed to control the pollution level within the permissible limits. The three major attributes are air, water and noise level.

Bharat Coking Coal Limited (BCCL), a subsidiary company of Coal India Limited (CIL) is operating UG Mines and Opencast Mines in Jharia Coalfield (JCF). The Jharia Coalfield (JCF) having an area of 450 Sq.KM.

Bharat Coking Coal has awarded Environmental Monitoring work of all Projects, Cluster wise, to Central Mine Planning & Design Institute Limited (CMPDIL). The environmental monitoring has been carried out as per conditions laid down by MoEF&CC while granting environmental clearance to different projects. CMPDI has trained manpower and well equipped laboratory to carry out monitoring, analysis and R&D work in the field of environment.

- 1.1 The cluster I is in the westernmost part of the Jharia coalfield. It includes Damoda OCP, Damoda UG. The cluster – I is situated about 40 - 45 kms from Dhanbad Railway Station. The mines of this cluster - I are operating since pre nationalization period (prior to 1972-73). It is connected by both Railway and Road. The drainage of the area is governed by Jamunia River.
- 1.2 The cluster I is designed to produce 0.9 Mtpa (normative) and 1.17 Mtpa peak capacity of coal. The average grade of coal W-II to W-IV.

The Project is being worked by deploying shovel dumper combination.

The Project has Environmental Clearance from Ministry of Environment, Forest and Climate Change (MoEF&CC) for a rated capacity of 0.9 MTPA (normative) and 1.17 MTPA peak capacity of coal production vide letter no **E. C. no. J-11015/93/2009-IA.II (M) dated 06.02.2013.**

Ministry of Environment, Forest and Climate Change while granting environmental clearance has given one of the General conditions that " Four ambient air quality monitoring stations should be established in the core zone as well as in the buffer zone for PM<sub>10</sub>, PM<sub>2.5</sub>, SO<sub>2</sub>, NO<sub>x</sub> monitoring. Location of the stations should be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets, other conditions regarding water /

effluent and noise level monitoring in consultation with the State Pollution Control Board."

In compliance of these conditions the Environmental Monitoring has been carried out & report prepared for submission to MoEF&CC & JSPCB and other statutory authorities.

.....

2

I

i)

II.

i)

ii)

2.2

## CHAPTER-II

### AMBIENT AIR QUALITY MONITORING

#### 2.1 Location of sampling station and their rationale:

*(As per G.S.R. 742 (E) dt. 25th December, 2000)*

##### 2.1.1 Ambient Air Quality Sampling Locations

###### I. CORE ZONE Monitoring Location

###### i) Damoda (A2): Industrial Area

The location of the sampling station is 23° 46.138' N & 86° 10.600' E. The sampler was placed at ground level behind GM Bungalow of Damoda Colliery. The station was selected to represent the impact of mining activities of Damoda UG, poor roads condition, heavy public traffic, coke oven plants, burning of coal by the surrounding habitants.

###### II. BUFFER ZONE Monitoring Location

###### i) Madhuband washery (A3) : industrial area

The location of the sampling station is 23°47.297'N & 086°12.290'E The sampler was placed at ground level near water treatment plant of Block II OCP.

###### ii) Block II OCP (A4): Industrial Area

The location of the sampling station is 23° 47.297' N 86° 12.290' E. The sampler was placed at ground level near water treatment plant of Block II OCP.

#### 2.2 Methodology of sampling and analysis

Parameters chosen for assessment of ambient air quality were Particulate Matter (PM 10), Particulate Matter (PM 2.5), Sulphur Di-oxide (SO<sub>2</sub>) and Nitrogen Oxides (NO<sub>x</sub>). Respirable Dust Samplers (RDS) & fine particulates for PM 2.5 sampler were used for sampling PM 10 & PM 2.5 respectively at 24 hours interval once in a fortnight and the same for the gaseous pollutants. The samples were analysed in Environmental Laboratory of CMPDI, RI-I, Asansol.

Also in compliance of the EC conditions Half yearly analysis of Heavy metals has been carried out for Arsenic (As), Cadmium (Cd), Chromium (Cr),Mercury (Hg),Nickel (Ni),Lead (Pb).

2.3 Results & Interpretations

The results of Ambient Air Quality are presented in tabular form along with Bar c for each monitoring station. The interpretations of different parameters are gi below:

2.3.1 Ambient air quality

Particulate Matter PM<sub>10</sub>

In **core zone** under **Industrial area** varies from 76 to 96 µ/m<sup>3</sup>.  
In **buffer zone** in **Industrial area** varies from 76 to 106 µ/m<sup>3</sup>

Particulate Matter PM<sub>2.5</sub>

In **core zone** under **Industrial area** varies from 39 to 46 µ/m<sup>3</sup>.  
In **buffer zone** in **Industrial area** varies from 39 to 54 µ/m<sup>3</sup>

Sulphur Dioxide:

In **core zone** under **Industrial area** varies from 10 to 12 µ/m<sup>3</sup>.  
In **buffer zone** in **Industrial area** varies from 10 to 12 µ/m<sup>3</sup>

Oxides of Nitrogen:

In **core zone** under **Industrial area** varies from 20 to 27 µ/m<sup>3</sup>.  
In **buffer zone** in **Industrial area** varies from 20 to 28 µ/m<sup>3</sup>.

Sl.
1
2
3
4
5
6

Param
Conc

## AMBIENT AIR QUALITY DATA

Name of the Company: **Bharat Coking Coal limited**      Year : **2015-16.**

Name of the Cluster : **Cluster – I**


Q.E.: **March' 2016**

1. Station Code/Name: **A2, Damoda**

Category: **Industrial<sup>1</sup>.**

**ZONE: CORE**

Sl. No.	Dates of sampling	PM 10	PM 2.5	SO <sub>2</sub>	NO <sub>x</sub>
1	04 - Jan -16	87	42	11	26
2	18 - Jan - 16	76	39	<10.0	20
3	02 - Feb -16	94	46	<10.0	21
4	23 - Feb - 16	93	44	<10.0	20
5	12 - Mar - 16	82	43	12	27
6	29 - Mar - 16	96	41	<10.0	22
NAAQ Standard		100	60	80	80




### Trace Metal analysis report of Ambient Air Quality

Parameters	Arsenic (As)	Cadmium (Cd)	Chromium (Cr)	Mercury (Hg)	Nickel (Ni)	Lead (Pb)
Concentration(µg/m <sup>3</sup> )	<0.005	<0.001	<0.01	<0.001	<0.01	<0.005

Note:

- All values are expressed in microgram per cubic meter.
- 24 hours duration

<sup>1</sup> Report released by Shri Indranil De, Manager (Env), CMPDI, RI-1, Asansol, Signed..........Dated 28.05.2016. Job No. 110310

## 2.

Year : 2015-16.

**Q.E.: March' 2016**

**Category: Industrial.**

**Category: Industrial<sup>2</sup>.**


## BUFFER

S						
---	--	--	--	--	--	--

Pa  
CoPa  
CoPa  
CoPa  
CoPa  
CoPa  
Co

2. Station Code/Name: A3 – Madhuband Washery, Category: Industrial<sup>3</sup>.

Sl. No.	Dates of sampling	PM 10	PM 2.5	SO <sub>2</sub>	NO <sub>x</sub>
1	04 - Jan - 16	87	42	11	26
2	18 - Jan - 16	76	39	<10.0	20
3	02 - Feb - 16	94	46	<10.0	21
4	23 - Feb - 16	93	44	<10.0	20
5	12 - Mar - 16	82	43	12	27
6	29 - Mar - 16	96	41	<10.0	22
	NAAQ Standards	100	60	80	80



### Trace Metal analysis report of Ambient Air Quality


Parameters	Arsenic (As)	Cadmium (Cd)	Chromium (Cr)	Mercury (Hg)	Nickel (Ni)	Lead (Pb)
Concentration(µg/m <sup>3</sup> )	<0.005	<0.001	<0.01	<0.001	<0.01	<0.005

Note:

- All values are expressed in microgram per cubic meter.
- 24 hours duration

<sup>3</sup> Report released by Shri Indranil De, Manager (Env), CMPDI, RI-1, Asansol, Signed..... Dated 28.05.2016. Job No. 110310

## Surface Plan Showing Ambient Air Monitoring Stations in Cluster-I in Core & Buffer Zones



Ambient Air Quality Standards for Jharia Coal Field  
As per the Environment (Protection) Amendment Rules, 2000 notified vide  
notification G.S.R. 742(E), dated 25.9.2000.



Category	Pollutant	Time weighted average	Concentration in Ambient Air	Method of Measurement
1	2	3	4	5
<b>III</b> Coal mines located in the coal fields of <ul style="list-style-type: none"><li>Jharia</li><li>Raniganj</li><li>Bokaro</li></ul>	Suspended Particulate Matter (SPM)	Annual Average *  24 hours **	500 µg/m <sup>3</sup>  700 µg/m <sup>3</sup>	- High Volume Sampling (Average flow rate not less than 1.1 m <sup>3</sup> /minute)
	Respirable Particulate Matter (size less than 10 µm) (RPM)	Annual Average *  24 hours **	250 µg/m <sup>3</sup>  300 µg/m <sup>3</sup>	Respirable Particulate Matter sampling and analysis
	Sulphur Dioxide (SO <sub>2</sub> )	Annual Average *  24 hours **	80 µg/m <sup>3</sup>  120 µg/m <sup>3</sup>	1.Improved west and Gaeke method 2.Ultraviolet fluoresce
	Oxide of Nitrogen as NO <sub>2</sub>	Annual Average *  24 hours **	80 µg/m <sup>3</sup>  120 µg/m <sup>3</sup>	1. Jacob & Hochheiser Modified (Na-Arsenic) Method 2. Gas phase Chemiluminescence

**Note:**  
\* Annual Arithmetic mean for the measurements taken in a year, following the guidelines for frequency of sampling laid down in clause 2.  
\*\* 24 hourly / 8 hourly values shall be met 92% of the time in a year. However, 8% of the time it may exceed but not on two consecutive days.

---

## CHAPTER – III

### WATER QUALITY MONITORING

#### 3.1 Location of sampling sites

(Refer Plate No. - II)

i) **Mine Discharge of Damoda (MW1)**

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Jamunia.

ii) **Drinking Water Quality at Ghutway Village (DW1)**

iii) **Surface Water Quality at U/S of Jamunia River (SW1)**

iv) **Surface Water Quality at D/S of Jamunia River (SW2)**

#### 3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis. Effluent samples were also analysed for 27 parameters on half-yearly basis. The drinking and Surface water samples were collected and analysed for 25 and 17 parameters respectively, on quarterly basis. Thereafter the samples were preserved and analysed at the Environmental Laboratory at CMPDI (HQ), Ranchi.

#### 3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

## WATER QUALITY DATA

### (EFFLUENT WATER- FOUR PARAMETERS)

Name of the Company: **Bharat Coking Coal Limited** Year : **2015-16.**

Name of the Cluster: **Cluster -I**

Month: **January, 2016.**

Name of the Stations & Code :

**1. MW1- Mine Discharge of Damoda**

#### First Fortnight

Sl. No.	Parameters	MW1 (Mine Discharge ) 01.01.2016	As per MOEF General Standards for schedule VI
1	Total Suspended Solids	42	100 (Max)
2	pH	7.20	5.5 - 9.0
3	Oil & Grease	<2.0	10 (Max)
4	COD	28	250 (Max)

#### Second Fortnight

Sl. No.	Parameters	MW1 (Mine Discharge ) 16.01.2016	As per MOEF General Standards for schedule VI
1	Total Suspended Solids	56	100 (Max)
2	pH	7.15	5.5 - 9.0
3	Oil & Grease	<2.0	10 (Max)
4	COD	36	250 (Max)

All values are expressed in mg/lit unless specified.

Analysed By

Dy. Technical Manager  
Env. Lab. CMPDI(HQ)  
(Authorized Signatory)

Name of the Company: **Bharat Coking Coal Limited** Year : **2015-16.**

Name of the Cluster : **Cluster -I**

Month: **February, 2016.**

Name of the Stations & Code :

**1. MW1- Mine Discharge of Damoda**

### First Fortnight

Sl. No.	Parameters	MW1 (Mine Discharge )	As per MOEF General Standards for schedule VI
		03.02.2016	
1	Total Suspended Solids	40	100 (Max)
2	pH	7.17	5.5 - 9.0
3	Oil & Grease	<2.0	10 (Max)
4	COD	32	250 (Max)

### Second Fortnight

Sl. No.	Parameters	MW1 (Mine Discharge )	As per MOEF General Standards for schedule VI
		22.02.2016	
1	Total Suspended Solids	58	100 (Max)
2	pH	7.12	5.5 - 9.0
3	Oil & Grease	<2.0	10 (Max)
4	COD	36	250 (Max)

All values are expressed in mg/lit unless specified.

Analysed By

Dy Technical Manager  
Env. Lab, CMPDI(HQ)  
(Authorized Signatory)

ss specified.

ical Manager  
, CMPDI(HQ)  
& Signatory)

Name of the Company: **Bharat Coking Coal Limited**

Year : **2015-16.**

Name of the Cluster : **Cluster -I**

Month: **March, 2016.**

Name of the Stations & Code :

**1. MW1- Mine Discharge of Damoda**

Name of

**Coal Li**

Name of

Area :

Stations:

### First Fortnight

Sl. No.	Parameters	MW1 (Mine Discharge )	As per MOEF General Standards for schedule VI
		04.03.2016	
1	Total Suspended Solids	48	100 (Max)
2	pH	7.64	5.5 - 9.0
3	Oil & Grease	<2.0	10 (Max)
4	COD	36	250 (Max)

### Second Fortnight

Sl. No.	Parameters	MW1 (Mine Discharge )	As per MOEF General Standards for schedule VI
		21.03.2016	
1	Total Suspended Solids	48	100 (Max)
2	pH	7.87	5.5 - 9.0
3	Oil & Grease	<2.0	10 (Max)
4	COD	40	250 (Max)

All values are expressed in mg/lit unless specified.

Analysed By

Dy. Technical Manager  
Env. Lab, CMPDI(HQ)  
(Authorized Signatory)

No.	
1	Ammonica
2	Arsenic (a
3	B.O.D (3 d
4	COD, mg/
5	Colour
6	Copper (a
7	Dissolved
8	Fluoride (
9	Free Amm
10	Hexavale
11	Iron (as F
12	Lead (as
13	Mangane
14	Nickel (a
15	Nitrate N
16	Oil & Gr
17	Odour
18	pH valu
19	Phenolic (as C <sub>6</sub> H <sub>5</sub> C
20	Seleniur
21	Sulphide
22	Temper
23	Total Cl
24	Total K
25	Total R
26	Total S
27	Zinc (a

## WATER QUALITY (EFFLUENT WATER- 27 PARAMETERS)

Name of the Company: **Bharat Coking**  
**Coal Limited**

Year : **2015-16.**

Name of the Cluster : **Cluster -I**

Period: **H. E. March- 2016.**

Area : **Barora**

Project: **Barora**

Cluster **I**

Stations:

1. Mine Water Discharge Damoda MW-1

Date of Sampling:  
**21/03/2016**

Sl.No.	Parameter	Sampling Stations			Detection Limit	MOEF-SCH-VI STANDARDS Class 'A'	BIS Standard & Method
		MW-1	2	3			
1	Ammonical Nitrogen, mg/l, Max	0.69			0.02	50.0	IS 3025/34:1988, R : 2009, Nessler's
2	Arsenic (as As), mg/l, Max	<0.002			0.002	0.2	IS 3025/37:1988 R : 2003, AAS-VGA
3	B.O.D (3 days 27°C), mg/l, Max	<2			2.00	30.0	IS 3025/44:1993, R 2003 3 day incubation at 27°C
4	COD, mg/l, Max	40			4.00	250.0	APHA, 22 <sup>nd</sup> Edition, Closed Reflux, Titrimetric
5	Colour	colourless			Qualitative	Qualitative	Physical/Qualitative
6	Copper (as Cu), mg/l, Max	<0.03			0.03	3.0	IS 3025/42:1992 R : 2009, AAS-Flame
7	Dissolved Phosphate, mg/l, Max	<0.30			0.30	5.0	APHA, 22 <sup>nd</sup> Edition Molybdovanadate
8	Fluoride (as F) mg/l, Max	1.11			0.02	2.0	APHA, 22 <sup>nd</sup> Edition, SPADNS
9	Free Ammonia, mg/l, Max	<0.01			0.01	5.0	IS 3025/34:1988, Nessler's
10	Hexavalent Chromium, mg/l, Max	<0.01			0.01	0.1	APHA, 22 <sup>nd</sup> Edition, Diphenylcarbohydrazide
11	Iron (as Fe), mg/l, Max	<0.06			0.06	3.0	IS 3025/53 : 2003, R : 2009, AAS-Flame
12	Lead (as Pb), mg/l, Max	<0.005			0.005	0.1	APHA, 22 <sup>nd</sup> Edition, AAS-GTA
13	Manganese(as Mn), mg/l, Max	<0.02			0.02	2.0	IS-3025/59:2006, AAS-Flame
14	Nickel (as Ni), mg/l, Max	<0.10			0.10	3.0	IS-3025/54:2003, AAS-Flame
15	Nitrate Nitrogen, mg/l, Max	6			0.50	10.0	APHA, 22 <sup>nd</sup> Edition, UV-Spectrophotometric
16	Oil & Grease, mg/l, Max	<2.00			2.00	10.0	IS 3025/39:1991, R : 2003, Partition Gravimetric
17	Odour	Agreeable			Agreeable	Qualitative	IS-3015/5:1983/R:2012/Qualitative
18	pH value	7.87			2.5	5.5 to 9.0	IS-3025/11:1983, R-1996, Electrometric
19	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH),mg/l, Max	<0.002			0.002	1.0	APHA, 22 <sup>nd</sup> Edition 4-Amino Antipyrine
20	Selenium (as Se), mg/l, Max	<0.002			0.002	0.05	APHA, 22 <sup>nd</sup> Edition, AAS-GTA
21	Sulphide (as SO <sub>3</sub> ), mg/l, Max	<0.005			0.005	2.0	APHA, 22 <sup>nd</sup> Edition Methylene Blue
22	Temperature (°C )	36.2			Shall not exceed 5° C above the receiving temp.		IS-3025/09:1984, Thermometric
23	Total Chromium (as Cr), mg/l, Max	<0.04			0.04	2.0	IS-3025/52:2003, AAS-Flame
24	Total Kjeldahl Nitrogen, mg/l, Max	2.8			1.00	100.0	IS 3025/34:1988, Nessler's
25	Total Residual Chlorine, mg/l, Max	0.05			0.02	1.0	APHA, 22 <sup>nd</sup> Edition, DPD
26	Total Suspended Solids, mg/l, Max	48			10.00	100.0	IS 3025/17:1984, R :1996, Gravimetric
27	Zinc (as Zn), mg/l, Max	0.01			0.01	5.0	IS 3025/49 : 1994, R : 2009, AAS-Flame

Analysed By

Dy. Technical Manager  
Env. Lab. CMPDI(HQ)  
(Authorized Signatory)

**WATER QUALITY**  
**(SURFACE WATER- 17 PARAMETERS)**

Name of the Company: **Bharat Coking Coal Limited**      Year : **2015-16.**  
Name of the Cluster : **Cluster -I**      PERIOD: **Q. E. MARCH- 2016.**

Area : **Barora**      Project: **Barora**      Cluster **I**  
Stations:      Date of Sampling: **10/03/2016**  
1. Upstream in Jamunia River SW-1  
2. Downstream in Jamunia River SW-2      **10/03/2016**

Sl.No	Parameter	Sampling Stations				Detection Limit	BIS Standard & Method
		SW-1	SW-2	3	4		
1	Arsenic (as As), mg/l, Max	<0.002	<0.002			0.002	IS 3025/37:1988 R : 2003, AAS-VGA
2	BOD (3 days 27°C), mg/l, Max	2.6	2.8			2.00	IS 3025 /44: 1993, R : 2003 3 day incubation at 27°C
3	Colour	colourless	colourless			Qualitative	Physical/Qualitative
4	Chlorides (as Cl), mg/l, Max	32	40			2.00	IS-3025/32:1988, R-2007, Argentometric
5	Copper (as Cu), mg/l, Max	<0.03	<0.03			0.03	IS 3025 /42 : 1992 R : 2009, AAS-Flame
6	Disolved Oxygen, min.	8.9	8.2			0.10	IS 3025/381989, R : 2003, Winkler Azide
7	Fluoride (as F) mg/l, Max	0.77	0.89			0.02	APHA, 22 <sup>nd</sup> Edition SPADNS
8	Hexavalent Chromium, mg/l, Max	<0.01	<0.01			0.01	APHA, 22 <sup>nd</sup> Edition, 1,5 - Diphenylcarbohydrazide
9	Iron (as Fe), mg/l, Max	<0.06	<0.06			0.06	IS 3025 /53 : 2003, R : 2009 , AAS-Flame
10	Lead (as Pb), mg/l, Max	<0.005	<0.005			0.005	APHA, 22 <sup>nd</sup> Edition AAS-GTA
11	Nitrate (as NO <sub>3</sub> ), mg/l, Max	1.77	2.22			0.50	APHA, 22 <sup>nd</sup> Edition, UV-Spectrophotometric
12	pH value	7.52	7.58			2.5	IS-3025/11:1983, R-1996, Electrometric
13	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH), mg/l, Max	<0.002	<0.002			0.002	APHA, 22 <sup>nd</sup> Edition 4-Amino Antipyrine
14	Selenium (as Se), mg/l, Max	<0.002	<0.002			0.002	APHA, 22 <sup>nd</sup> Edition AAS-GTA
15	Sulphate (as SO <sub>4</sub> ) mg/l, Max	36	48			2.00	APHA, 22 <sup>nd</sup> Edition Turbidity
16	Total Dissolved Solids, mg/l, Max	226	252			25.00	IS 3025 /16:1984 R : 2006, Gravimetric
17	Zinc (as Zn), mg/l, Max	0.01	<0.01			0.01	IS 3025 /49 : 1994, R : 2009, AAS-Flame

Analysed By

Dy. Technical Manager  
Env. Lab. CMPDI(HQ)  
(Authorized Signatory)

## WATER QUALITY

### (DRINKING WATER- ALL PARAMETERS)

Name of the Company: **Bharat Coking Coal Limited** Year : **2015-16.**

Name of the Cluster : **Cluster -I**

PERIOD: **Q. E. MARCH- 2016.**

Area : **Barora**

Project: **Barora** Cluster **I**

Stations:

Date of Sampling:

1. Drinking Water from Ghutway Village DW-1

11/03/2016

Sl. No	Parameter	Sampling Stations			Detection Limit	IS:10500 Drinking Water Standards	Standard / Test Method
		DW-1	2	3			
1	Boron (as B), mg/l, Max	<0.20			0.20	0.5	APHA, 22 <sup>nd</sup> Edition ,Carminc
2	Colour, in Hazen Units	1			1	5	APHA, 22 <sup>nd</sup> Edition ,Pt.-Co. Method
3	Calcium (as Ca), mg/l, Max	64			1.60	75	IS-3025/40:1991, EDTA
4	Chloride (as Cl), mg/l, Max	20			2.00	250	IS-3025/32:1988, R-2007, Argentometric
5	Copper (as Cu), mg/l, Max	<0.03			0.03	0.05	IS 3025/42 : 1992 R : 2009, AAS-Flame
6	Fluoride (as F) mg/l, Max	1.50			0.02	1.0	APHA, 22 <sup>nd</sup> Edition , SPADNS
7	Free Residual Chlorine, mg/l, Min	0.03			0.02	0.2	APHA, 22 <sup>nd</sup> Edition, DPD
8	Iron (as Fe), mg/l, Max	<0.06			0.06	0.3	IS 3025 /53 : 2003, R : 2009 , AAS-Flame
9	Lead (as Pb), mg/l, Max	<0.005			0.005	0.01	APHA, 22 <sup>nd</sup> Edition, AAS-GTA
10	Manganese (as Mn), mg/l, Max	<0.02			0.02	0.1	IS-3025/59:2006, AAS-Flame
11	Nitrate (as NO <sub>3</sub> ), mg/l, Max	1			0.5	45	APHA, 22 <sup>nd</sup> Edition, UV-Spectrophotometric
12	Odour	Agreeable			Qualitative	Agreeable	IS 3025 /05:1983, R-2012, Qualitative
13	pH value	8.28			2.5	6.5 to 8.5	IS-3025/11:1983, R-1996, Electrometric
14	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH), mg/l, Max	<0.002			0.002	0.001	APHA, 22 <sup>nd</sup> Edition, 4-Amino Antipyrine
15	Selenium (as Se), mg/l, Max	<0.002			0.002	0.01	APHA, 22 <sup>nd</sup> Edition, AAS-GTA
16	Sulphate (as SO <sub>4</sub> ) mg/l, Max	15			2.00	200	APHA, 22 <sup>nd</sup> Edition. Turbidity
17	Taste	Acceptable			Qualitative	Acceptable	APHA, 22 <sup>nd</sup> Edition. Taste
18	Total Alkalinity (CaCO <sub>3</sub> ), mg/l, Max	192			4.00	200	IS-3025/23:1986, Titration
19	Total Arsenic (as As), mg/l, Max	<0.002			0.002	0.01	IS 3025/ 37:1988 R : 2003, AAS-VGA
20	Total Chromium (as Cr), mg/l, Max	0.042			0.04	0.05	IS-3025/52:2003, AAS-Flame
21	Total Dissolved Solids, mg/l, Max	320			25.00	500	IS 3025 /16:1984 R : 2006, Gravimetric
22	Total Hardness (CaCO <sub>3</sub> ), mg/l, Max	176			4.00	200	IS-3025/21:1983, R-2002, EDTA
23	Turbidity, NTU, Max	1			1.0	1	IS-3025/10:1984 R-1996, Nephelometric
24	Zinc (as Zn), mg/l, Max	<0.01			0.01	5.0	IS 3025/ 49 : 1994, R : 2009, AAS-Flame

Analysed By

Dy. Technical Manager  
Env. Lab. CMPDI(HQ)  
(Authorized Signatory)

## WATER QUALITY (GROUND WATER- ALL PARAMETERS)

Name of the Company: **Bharat Coking Coal Limited** Year : **2015-16.**

Name of the Cluster : **Cluster -I**

PERIOD: **Q. E. MARCH- 2016.**

Area : **Barora**

Project: **Barora**

Cluster **I**

Stations:

Date of Sampling:  
28/02/2016

1. Ground Water from Bera Village GW-1

Sl. No	Parameter	Sampling Stations			Detection Limit	IS:10500 Drinking Water Standards	Standard / Test Method
		GW-1	2	3			
1	Boron (as B), mg/l, Max	<0.20			0.20	0.5	APHA, 22 <sup>nd</sup> Edition, Can
2	Colour, in Hazen Units	1			1	5	APHA, 22 <sup>nd</sup> Edition, Pt. Method
3	Calcium (as Ca), mg/l, Max	70			1.60	75	IS-3025/40:1991, EDTA
4	Chloride (as Cl), mg/l, Max	130			2.00	250	IS-3025/32:1988, R-20 Argentometric
5	Copper (as Cu), mg/l, Max	<0.03			0.03	0.05	IS 3025/42 : 1992 R : 2009, AAS-Flame
6	Fluoride (as F) mg/l, Max	0.94			0.02	1.0	APHA, 22 <sup>nd</sup> Edition, SPADNS
7	Free Residual Chlorine, mg/l, Min	0.05			0.02	0.2	APHA, 22 <sup>nd</sup> Edition, DPD
8	Iron (as Fe), mg/l, Max	<0.06			0.06	0.3	IS 3025 /53 : 2003, R : 2009 , AAS-Flame
9	Lead (as Pb), mg/l, Max	<0.005			0.005	0.01	APHA, 22 <sup>nd</sup> Edition, AA GTA
10	Manganese (as Mn), mg/l, Max	<0.02			0.02	0.1	IS-3025/59:2006, AAS-Flame
11	Nitrate (as NO <sub>3</sub> ), mg/l, Max	6			0.5	45	APHA, 22 <sup>nd</sup> Edition, UV-Spectrophotometric
12	Odour	Agreeable			Qualitative	Agreeable	IS 3025 /05:1983, R-201 Qualitative
13	pH value	7.97			0.2	6.5 to 8.5	IS-3025/11:1983, R-199 Electrometric
14	Phenolic compounds (as C <sub>6</sub> H <sub>5</sub> OH), mg/l, Max	<0.001			0.001	0.001	APHA, 22 <sup>nd</sup> Edition, 4-Am Autipyrine
15	Selenium (as Se), mg/l, Max	<0.002			0.002	0.01	APHA, 22 <sup>nd</sup> Edition, AAS GTA
16	Sulphate (as SO <sub>4</sub> ) mg/l, Max	138			2.00	200	APHA, 22 <sup>nd</sup> Edition. Turb
17	Taste	Acceptable			Qualitative	Acceptable	APHA, 22 <sup>nd</sup> Edition. Tas
18	Total Alkalinity (C <sub>a</sub> CO <sub>3</sub> ), mg/l, Max	312			4.00	200	IS-3025/23:1986, Titration
19	Total Arsenic (as As), mg/l, Max	<0.002			0.002	0.01	IS 3025/ 37:1988 R : 2003, AAS-VGA
20	Total Chromium (as Cr), mg/l, Max	<0.04			0.04	0.05	IS-3025/52:2003, AAS-Fla
21	Total Dissolved Solids, mg/l, Max	800			25.00	500	IS 3025 /16:1984 R : 2006, Gravimetric
22	Total Hardness (C <sub>a</sub> CO <sub>3</sub> ), mg/l, Max	424			4.00	200	IS-3025/21:1983, R-2002, EDTA
23	Turbidity, NTU, Max	2			1.0	1	IS-3025/10:1984 R-1996, Nephelometric
24	Zinc (as Zn), mg/l, Max	0.015			0.01	5.0	IS 3025/ 49 : 1994, R : 2009, AAS-Flame

Analysed By

Dy. Technical Manager  
Env. Lab. CMPD(HQ)  
(Authorized Signatory)

## CHAPTER - IV

### NOISE LEVEL QUALITY MONITORING

#### 4.1 Location of sampling sites and their rationale

i) **Damoda Colliery (N2)**

To assess the noise level in mine site, the noise levels were recorded in the mine area where all mining activities are in progress.

ii) **Madhuband Washery (N3)**

To assess the noise generated in the Washery. Noise levels were recorded in the CISF Camp, which is 500m away from washery.

iii) **Block – II OCP (N4)**

To assess the noise level in the industrial area, noise levels were recorded during day time in the colony.

#### 4.2 Methodology of sampling and analysis

Noise level measurements in form of 'Leq' were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

#### 4.3 Results & Interpretations

Ambient noise levels were recorded during day and night time and the observed values were compared with standards prescribed by MoEFCC.

The results of Noise levels recorded during day and night time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of Leq are presented.

The observed values at all the monitoring locations are found to be within permissible limits.

## NOISE LEVEL DATA

Name of the Company: **Bharat Coking  
Coal Limited**

Year : **2015-16.**

Name of the Project: **Cluster -I**

Month: **January, 2016.**

Name of the Stations & Code :

1. **N2- Damoda**
2. **N3- Madhuband washery**
3. **N4- Block -II OCP<sup>1</sup>**

### (a) First Fortnight


Sl. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible of Noise level dB(A)
1	Damoda	Industrial area	04.01.2016	63.2	75
2	Madhuband washery	Industrial area	06.01.2016	63.4	75
3	Block -II OCP	Industrial area	05.01.2016	63.4	75

### (b) Second Fortnight

Sl. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible of Noise level dB(A)
1	Damoda	Industrial area	18.01.2016	60.6	75
2	Madhuband washery	Industrial area	20.01.2016	61.5	75
3	Block -II OCP	Industrial area	19.01.2016	61.6	75

*\*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.*

*\* Day Time: 6.00 AM to 10.00 PM, +Night Time: 10.00 PM to 6.00 AM.*

<sup>1</sup> Report released by Shri Indranil De, Manager (Env), CMPDI, RI-1, Asansol, Signed..........Dated 28.05.2016. Job No. 110310

**Name of the Company: Bharat Coking Coal Limited      Year : 2015-16.**

Month: **February, 2016**


1. N2- Damoda
2. N3- Madhuband washery
3. N4- Block –II OCP<sup>2</sup>

Sl. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Damoda	Industrial area	02.02.2016	62.8	75
2	Madhuband washery	Industrial area	04.02.2016	63.4	75
3	Block –II OCP	Industrial area	03.02.2016	62.8	75

Sl. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Damoda	Industrial area	23.02.2016	59.7	75
2	Madhuband washery	Industrial area	16.02.2016	59.8	75
3	Block –II OCP	Industrial area	24.02.2016	57.6	75

**\*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.**

\* Day Time: 6.00 AM to 10.00 PM, +Night Time: 10.00 PM to 6.00 AM.

<sup>2</sup> Report released by Shri Indranil De, Manager (Env), CMPDI, RI-1, Asansol, Signed..........Dated 28.05.2016. Job No. 110310

## NOISE LEVEL DATA

Name of the Company: **Bharat Coking  
Coal Limited**

Year : **2015-16.**

Name of the Project: **Cluster -I**

Month: **March, 2016.**

Name of the Stations & Code :

1. **N2- Damoda**
2. **N3- Madhuband washery**
3. **N4- Block -II OCP<sup>3</sup>**

### a. First Fortnight data


Sl. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible of Noise level dB(A)
1	Damoda	Industrial area	12.03.2016	61.3	75
2	Madhuband washery	Industrial area	15.03.2016	61.6	75
3	Block -II OCP	Industrial area	10.03.2016	60.2	75

### b. Second Fortnight data


Sl. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible of Noise level dB(A)
1	Damoda	Industrial area	29.03.2016	62.8	75
2	Madhuband washery	Industrial area	30.03.2016	58.7	75
3	Block -II OCP	Industrial area	21.03.2016	61.8	75

*\*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.*

*\* Day Time: 6.00 AM to 10.00 PM, +Night Time: 10.00 PM to 6.00 AM.*

<sup>3</sup> Report released by Shri Indranil De, Manager (Env), CMPDI, RI-1, Asansol, Signed..........Dated 28.05.2016. Job No. 110310

# Noise Level Monitoring Locations of Cluster I



Permissible L<sub>eq</sub>  
Noise level  
dB(A)

75

75

75

Permissible L<sub>eq</sub>  
Noise level  
dB(A)

75

75

75

dt.  
ules, 2000.

.....Dated

ng Report