## भारत कोकिंग कोल लिमिटेड

(कोल इंडिया लिमिटेड का एक अंग) वाशरी निर्माण विभाग

पनंजीकृत कार्यालय : कोयला भवन, कोयला नगर

धनबाद - 826005

CIN: U10101JH1972GOI000918.

दूरभाष/ .फेक्स: 0326-2230201

सन्दर्भ सं : BCC/WCD/249



## BHARAT COKING COAL LIMITED

(A subsidiary of Coal India Limited)

WASHERIES CONSTRUCTION DIVISION Regd. Off.: Koyla Bhawan (Level - VI),

Koyla Nagar,

**DHANBAD - 826005** 

CIN: U10101JH1972GOI000918

Telephone no. / Fax: 0326-2230201 Email ID: cgmwccp@bccl.gov.in

दिनांक: 08.10.2018

सेवा में,

The Director

Ministry of Environment, Forests & Climate Change.

Govt. of India,

Eastern-Central Regional Office (ECZ),

Bungalow No. A-2, Shymali Colony

Ranchi - 834002

Sub: Six monthly compliance report of EC conditions for the period from April 2018 to September 2018 in respect of Madhuband 5.0 Mtpa NLW coal washery of Bharat Coking Coal Limited.

Ref: EC order No. J-11015/234/2009 IA-II (M) dated 25.01.2012.

महोदय,

Enclosed herewith please find the half yearly Compliance Report of EC conditions for the period from April 2018 to September 2018 in respect of Madhuband 5.0 Mtpa NLW coal washery of Bharat Coking Coal Limited.

Thanking you

Encl: As above.

भवदीय.

महाप्रबंधक(वाशरी)/वा0नि0वि0

1. Director, 1A Monitoring Cell, Paryavaran Bhawan, CGO complex, New Delhi-110003.

2. Scientist and Incharge, Zonal Office, Central Pollution Control Board, Kolkata

3. Member Secretary, Jharkhand State Pollution Control Board, T. A. Division Building (Ground Floor), HEC Dhurba, Ranchi-834004

4. Dy. GM (Env.), BCCL, HQ. K.B., Dhanbad

5. Nodal office (ENV.)

## COMPLIANCE OF EC CONDITIONS OF MADHUBAND 5.0 MTPA NLW COAL

WASHERY

EC order No. J-11015/234/2009-IA-II (M) dated 25.01.2012. April 2018 to September' 2018)

(For the period from April 2020	Compliance St. 1
	Compliance Status
tion modelings stidli be taken to	Project commissioning
Special mitigation in the prescribed standards.	is not yet started. At
PM <sub>10</sub> levels within the present	the time of
	commissioning it will
,	be complied.
the project report submitted and	At the time of
Washery shall be as per tile project report sashing	commissioning it will
presented to the EAC. The chosen technology for tracking	be complied.
should conform to 'zero Liquid discharge'.	At the time of
Thick green belt of 30-45 m width to be provided around the	commissioning it wil
washery to mitigate/check the dust pollution. A 3- tier avenue	be complied.
plantation should also be developed along vacant areas, storage	be complied.
yards, loading/transfer points, and also along internal	
roads/main approach roads.	
Transport of raw coal will be by Road &Washed Coal, Power	Will be complied.
Coal and rejects shall be made by rail with wagon loading	
through silo.	
Rejects shall be used in power generation for which JV company	Will be complied
has been formed between CIL & NTPC.	
Funds worth Rs. 200 Lakh towards CSR to be provided each	Will be complied
year and Rs. 5 /MT will be done as recurring expenditure.	
Waste water shall be effectively treated and recycled either for	Will be complied
plant.	631 12
Hoppers of the coal crushing unit and washery unit shall be	Will be complied
fitted with high efficiency bag filters and mist spray water	
sprinkling system shall be installed and operated effectively at	
all times of operation to check fugitive emissions from crushing	
operations, transfer points of closed belt conveyor systems and	
from transportation roads.	1 100 17 19
All approach roads shall be black topped and internal roads	Will be complied
shall be concreted. The roads shall be regularly cleaned with	
mechanical sweepers.	
Records of quantum and ash content of raw coal being washed,	Will be complied
and cleaned coal and coal rejects produced from every batch of	
washing shall be maintained and details thereof uploaded on	
	Will be complied
additional water requirement envisaged shall be obtained by	
recycle/refuse to the maximum extent and from rainwater	
harvesting measures.	
Socio-economic and Welfare measures for the local	Will be complied
	Rejects shall be used in power generation for which JV company has been formed between CIL & NTPC.  Funds worth Rs. 200 Lakh towards CSR to be provided each year and Rs. 5 /MT will be done as recurring expenditure.  Waste water shall be effectively treated and recycled either for reuse in washery or maintenance of green belt around the plant.  Hoppers of the coal crushing unit and washery unit shall be fitted with high efficiency bag filters and mist spray water sprinkling system shall be installed and operated effectively at all times of operation to check fugitive emissions from crushing operations, transfer points of closed belt conveyor systems and from transportation roads.  All approach roads shall be black topped and internal roads shall be concreted. The roads shall be regularly cleaned with mechanical sweepers.  Records of quantum and ash content of raw coal being washed, and cleaned coal and coal rejects produced from every batch of washing shall be maintained and details thereof uploaded on the company website.  No groundwater shall be used for the plant Operations. Any additional water requirement envisaged shall be obtained by recycle/refuse to the maximum extent and from rainwater harvesting measures.



	77	
	under CSR. Activities under CSR activities to be undertaken for	
	the adjoining villages shall be identified in consultation with the	
	local authorities, the details of the status of implementation of	
	CSR and expenditure thereon which should be annually	
	updated on the company website.	
(xiii)	Heavy metal content in raw coal and washed coal shall be	Will be complied
Valliy.	analysed once in a year and records maintained thereof.	
(xiv)	The project authorities shall in consultation with the Panchayats	Will be complied
(XIV)	of the local villages and administration identity socio-economic	
	and welfare measures under CSR to be carried out over the	
5 g <sup>4</sup>	balance life of the mine.	
(xv)	Corporate Environment Responsibility:  The company shall have a well laid down Environment Policy	Complied
a)	The company shall have a well laid down Environment 1 only	Compile
	approved by the Board of Directors.	Will be complied
b)	The Environment Policy shall prescribe for standard operating	
10.7	hrnress, procedures to pring	
	infringements/deviation/violation of the environmental or	
	forest norms/conditions.	Complied
c)	The hierarchical system or Administrative Order of the company	Complica
M 4 27	to deal with environmental issues and for ensuring compliance	
	with the environmental clearance conditions shall be furnished.	Complied
d)	To have proper checks and balances, the company shall have a	Compiles
-,	u laid down eystem of reporting of non	•
	compliances/violations of environmental norms to the Board of	
	Directors of the company and/or shareholders or stakeholders	
	at large.	
в.	General Conditions:	Will be complied
- <u>.</u>	/tachnology and scope of work stidil be	14111 BC
' · · · · ·	made without prior approval of the Milistry	1.0
,	Forests & Climate Change.  No change in the calendar plan of production for quantum of	Will be complied
ii.	No change in the calendar plan of production for quantum of	····· a sas
. ""	mineral coal shall be made.	Will be complied
iii.		1 4 5 ROLT   15 T
. ""	established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone for established in the core zone as well as in the buffer zone as well as in the core zone as well as in the buffer zone as well as in the core zone as well as well as well as well as well as in the core zone zone zone zone zone zone zone zon	
	established in the core zone as well as in the stations PM <sub>10</sub> ,PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>2</sub> monitoring. Location of the stations	
	PM <sub>10</sub> ,PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>2</sub> monitoring. Education of shall be decided based on the metrological data, topographical shall be decided based on the metrologically sensitive targets	
	shall be decided based on the metrological data, shall be decided based on the metrologically sensitive targets features and environmentally and ecologically sensitive targets.	
-	features and environmentally and ecologically Control Board. in consultation with the State Pollution Control Board. in consultation with the State Pollution Control Board.	
	Monitoring of heavy metals such as	n-d
	carried out at least once in six months and NO2) and NO2) and	Will be complied
iv.	Data on ambient air quality (Pivilo, 1992) other monitoring	7
	heavy metals such as his har Ministry including its	New
i ·	data shall be regularly submitted to pollution Control	
·	concerned Regional Office one	3.6
4	Board and the Celitial I should analysis iron	
- 645	months. Random verification of samples through analysis independent laboratories recognised under the EPA rules, 1986	
	independent laboratories recognised and	* 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



	<u> </u>	
=====:	shall be furnished as part of compliance report.	14
v.	Adequate measures shall be taken for control of noise level below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc. shall be provided with ear plugs/muffs.	1
vi.	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422( E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time	
	before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	
Vii.	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	
viii.	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed though a laboratory recognised under EPA Rules, 1986.	Will be complied
ix.	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Will be complied
х.	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contradictions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outstanding and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Will be complied
xi.	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	Will be complied
xii.	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its concerned Regional Office.	Will be complied
xiii.	The project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned	Complied
	within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution Control Board and may also be seen at the website of the Ministry of Environment, Forests & Climate Change at	



	http://onufor.nic.in	
xiv.	http://envfor.nic.in.  A copy of the environmental clearance letter shall be marked to concern Panchyat/ZilaParished, Municipal Coporation or Urban Local Body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on company's website.	
	t the environmental clearance letter shan also be	Complied
xv.	Control Board. The EC letter shall also be displayed at the Regional office, District Industry sector and Collector's	•.
xvi.	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollution such as PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> (ambient) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mine	The clearance letter has been uploaded on company 's website. Compliance of other conditions will be obeyed after start and operation of the project.
	office and in corporate office and on company's website.	Complied
xvii.	The project proponent shall submit six monthly compliance reports on the status of compliance of the stipulated environmental clearance conditions (both in hard copy and in email) to the respective Regional Office of this Ministry, respective Zonal Offices of CPCB and the SPCB.	
xviii	The Regional Office of this Ministry located in the Region shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data / information / monitoring reports.	Complied
xix.	The Environmental statement for each financial year ending 31 March in Form-V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF&CC by e-mail.	Will be complied

