

Bharat Coking Coal Limited (A Subsidiary of Coal India Limited) Office of the General Manager Block-II Area, P.O: Nawagarh, Dhanbad

Ref: GM/B-II/13-14/

Date: 23.05.14

To,
The Director(S),
Ministry of Environment & Forest
Govt. of India
Eastern Region Office
A/3, Chandrashekharpur, Bhubneshwar 751023

Sub: Six monthly reports on implementation of environmental measures for the period 1st Oct' 13 to 31st Mrach'14 in respect of cluster-II group of mines

Ref : EC order no: J-11015/35/2011-IA.II(M)

Dear Sir,

Kindly find enclosed herewith the six monthly reports on implementation of Environmental protection measures for the period from April-2013 to Sep-2013 in respect of cluster group of mines.

Hope you will find the same in order.

Encl: as above

Yours faithfully,

General Manager

Block-II Area

Copy to:

- Dr Sunita Aulok, Director, IA Monitoring cell, Paryavaran Bhawan, CGO Complex, New Delhi
- Member Secretary, Jharkhand State Pollution Control Board,
 T.A. Division Building HEC, Dhurwa Ranchi 834004
- 3. Regional Officer, JSPCB, Housing colony Bartand, Dhanbad
- 4. General Manager(Env.), Koyla Bhawan, Dhanbad
- 5. Area Manager(Plg), Block-II Area
- 6. Nodal Officer, Env (Area Survey Officer)
- 7. Office File
- 8. Master File



ENVIRONMENTAL CLEARANCE COMPLIANCE OF CLUSTER-II (GRANTED VIDE: J-11015/35/2011-IA II CM), dated 06.02.13 (01.10.13 to 31.03.14)

Sl.	A. Specific Conditions by MOEF:	Compliance
i	The maximum production by opencast mining shall not exceed beyond that for which environmental clearance has been granted for the 5 mine of Cluster- II	The production from the Cluster is within limit for which environment clearance has been granted.
ii	The measure to identify in the Environmental Plan for Cluster- II groups of mine and the conditions given in this environmental clearance letter shall be dovetailed to the implementation of the Jharia Action Plan.	Master Plan is dovetailed with environmental clearance condition.
iii	The proponent shall prepare time -series maps of the Jharia Coalfields through NRSA to monitor and prevent fire problems in the Jharia Coalfields by Isothermal mapping /imaging and monitoring temperatures of the coal seams (whether they are close to spontaneous ignition temperatures) and based on which, areas with potential fire problems shall be identified. Measures to prevent ingress of air (Ventilation) in such areas, to prevent restart fresh/spread fires in other areas including in mines of cluster II shall be undertaken. Expertise available internationally could also be utilized for control of fire in Jharia Coalfields and for their reclamation and to further minimize time for fire and subsidence control. Monitoring of fire should be carried out regularly.	Work has been awarded to NRSC (earlier NRSA). A MOU is to be entered with the NRSC for start of the work .For this purpose, duly signed MOU has been sent to NRSC for necessary processing at their end and to start the work immediately Action is being taken as specified in Master Plan and EMP.
iv	Underground mining should be taken up after completion of reclamation of Opencast mine area.	It shall be complied.
V	The embankment constructed along the river boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side and stabilized with plantation so as to withstand the peak water flow and prevent mine inundation.	It is being followed. Action for construction of Embankments have been taken as specified in EMP.
vi	The rejects of washeries in Cluster –II should be send to FBC based plant.	No washery at present in cluster.

vii	No mining shall be undertaken where underground fires continue. Measure shall be taken to prevent/ check such fire including in	In cluster-II only Open Cast working is being worked, However sufficient precaution is being taken to guard against fire.
	old OB dump areas where the fire could start due to presence of coal /shale with sufficient carbon content.	
viii	There shall be no external OB dumps. OB produce from the whole cluster will be 484.89Mm ³ . OB from 3 OCP and 2 patches in mixed mine shall be backfilled. At the end of the mining there shall be no void and the entire mined out area shall be re-vegetated. Areas where opencast mining was carried out and completed shall be reclaimed immediately	At the end of mining there shall be no void and area will be re-vegetated and reclaimed. Action is being taken as specified in EMP.
•	thereafter.	
ix	A detailed calendar plan of production with plan for OB dumping and backfilling (for OC mines) and reclamation and final mine closure plan for each mine of cluster-II shall be drawn	Calendar plan has been prepared. Mine closure plan as per the guidelines of
	up and implemented.	Ministry of Coal on the basis of cluster concept
X	Mining shall be carried out as per statu te from the streams/nalas flowing within the lease and	is under preparation by CMPDI. It is being followed.
	maintaining a safe distance from the Nalas	
	flowing along the lease boundary. A safety	
	barrier of a minimum 60m width shall be	
	maintained along the nalas/water bodies. The	
	small water bodies in OC shall be protected to	
	the extent feasible and the embankment proposed along water body shall be	
	strengthened with stone pitching taking into	
	account the highest flood level, based on past	
	data, so as to guard against mine inundation.	
	The slope of the embankment shall at least 2:1	
	towards the ML. The height of the	
	embankment shall be at least 3 m higher than the HFL. The embankment to be constructed	
	by OB /solid waste shall be strengthened with	
	stone pitching. Slope stability of the	
	embankment shall be done by planting suitable	
	grass and shrubs using native species selected	
xi	from the study area.	It is boing complied /Thoro is no pative divers
λI	Active OB dumps near water bodies and rivers should be rehandled for backfilling abandoned	It is being complied. (There is no active dump near the river. However old Dumps are being
	mine voids. However, those which have been	ecologically restored.)
	biologically reclaimed need not be disturbed.	coologically restored.
xii	Thick green belt shall be developed along	It is being complied. Eco-restoration, plantation
	undisturbed areas, mine boundary and in mine	are being done for development of green belts
	reclamation. A total area of 1237.48ha shall be	as per EMP.
u.:::	reclaimed and afforested.	this bains as multiple
xiii	The road should be provided with avenue plantation on both side as trees act as sink of carbon and other pollutant.	It is being complied.
xiv	Specific mitigative measures identified for the	Dhanbad Action Plan is being implemented. The
	Jharia Coalfields in the Environmental Action	salient actions of this cluster:
	Plan prepared for Dhanbad as a critically	 Covered transportation of Coal.

		2
	polluted are and relevant for Cluster- II shall	2. Water sprinkling.
	be implemented.	3. Plantation.
		4. Utilization of surplus mine water.
XV	The locations of monitoring stations in the	The location of monitoring stations in the Jharia
	Jharia Coalfields should be finalised in	Coalfield has been finalized with the Jharkhand
	consultation with the Jharkhand State	State pollution Control Board.
	Pollution Control Board. The Committee stated	
	that smoke/dust emission vary from source to	The work of monitoring of ambient
	source (fuel wood, coal, flyash from TPPs, silica	environment is being done through Central
	from natural dust, etc) and a Source	
	Apportionment Study should be got carried out	Institute Of Mining & Fuel Research (SIMFER),
	for the entire Jharia Coalfields. Mineralogical	Dhanbad which is having CSIR Laboratory
	composition study should be undertaken on the	recognized under the EP Rules. For the source
	composition of the suspended particulate	apportionment study the action has been
	matter (PM_{10} and $PM_{2.5}$) in Jharia Coalfields	taken with help of CMPDIL.
	and also quantified. These studies would help	·
	•	Presently ambient air is being monitored
	ascertain source and extent of the air pollution,	through BCCL own Laboratory at HQ level.
	based on which appropriate mitigative	tinough beet own taboratory at ny level.
	measures could be taken.	
xvi	The Transportation Plan for conveyor-cum-	Action has been taken for formulating
	rail for Cluster-II should be dovetailed with	transportation plan for conveyor cum rail
	Jharia Action Plan. Road transportation of coal	system of dispatch. CMPDIL has been requested
	during Phase-I should be by mechanically	to prepare the plan.
	covered trucks, which should be introduced at	By that time transportation is being done by
	the earliest.	covering vehicle with tarpaulin cover.
xvii	R&R of 1137 nos of PAF's involved. They	It shall be complied. BCCl is implementing CSR
	should be rehabilitated at cost of Rs 45.08	activities through Tata Institute of Social
	Crores as per the approved Jharia Action Plan.	Science.
xviii	Regular monitoring of groundwater level and	It shall be complied. The work of monitoring is
71 111	quality of the study area shall be carried out by	being done through Central Institute of Mining
	establishing a network of existing wells and	& Fuel Research (CIMFR), Dhanbad, which is
	construction of new peizometers. The	, , , , , ,
	monitoring for quantity shall be dome four	having CSIR laboratory recognized under the EP
	times a year in pre-monsoon (May), monsoon	Rules.
		Presently CMPDIL is Monitoring the ground
	(August), post-monsoon (November) and winter (January) seasons and for quality including	water level.
	` ''	The location of monitoring stations in the Jharia
	Arsenic and Fluoride during the month of May.	Coal fields has been finalized with the
	Data thus collected shall be submitted to the	Jharkhand state pollution control Board.
	Ministry of Environment & Forest and to the	
	Central Pollution Control Board/SPCB	
	quarterly within one month of monitoring.	
	Rainwater harvesting measures shall be	
	undertaken in case monitoring of water table	
	indicates a declining trend.	
xix	Regular monitoring of subsidence movement on	It shall be complied.
	the surface over and around the working area	As the area is having O/C mines, hence no
	and impact on natural drainage pattern, water	subsidence is there.
	bodies, vegetation, structure, roads, and	
	surroundings shall be continued till movement	
	ceases completely. In case of observation of any	
	high rate of subsidence movement, appropriate	
	effective corrective measures shall be taken to	
	avoid loss of life and material. Cracks shall be	
	effectively plugged with ballast and clayey	
	soil/suitable material.	

XX	Sufficient coal pillars shall be left un extracted	Presently only OCP working exist in this cluster.
AA	around the air shaft (within the subsidence	Presently only och working exist in this cluster.
	influence area) to protect from any damage	
	from subsidence, if any.	
xxi	High root density tree species shall be selected	As the area is having O/C mines, hence no
	and planted over areas likely to be affected by	subsidence is there.
	subsidence.	substactice is there.
xxii	Depression due to subsidence resulting in water	As the area is having O/C mines, hence no
12122	accumulating within the low lying areas shall be	subsidence is there.
	filled up or drained out by cutting drains.	substactice is there.
xxiii	Solid barriers shall be left below the roads	Sufficient barriers are left as per the statute.
	falling within the blocks to avoid any damage to	
	the roads.	
xxiv	No depillaring operation shall be carried out	Presently only OCP working exist in this cluster.
	below the township/colony.	, ,
XXV	A detailed CSR Action Plan shall be prepared	It shall be complied. BCCL is implementing CSR
	for Cluster II croup of mines. Specific activities	activities, as per Govt. norms with a CSR
	shall be identified for CSR for the budget ofRs	Committee being evaluated by Tata Institute of
	77.50 Lakhs per year@ Rs 5/T of coalprovided	Social Science.
	for CSR for 2012-2013 and Rs. 5/T of coal as	Social Science.
	recurring expenditure. The 416.98 ha of area	
	within Cluster II ML existing as waste land and	All welfare/ CSR activities are also uploaded in
	not being acquired shall be put to productive	Company web site.
	use under CSR and developed with fruit	Company web site.
	bearing and other useful species for the local	
	communities. In addition to afforesting 1237.48	
	ha of area at the post-mining stage, the	
	122.18ha of fallow/abandoned land and 416.98	
	ha waste land /barren land within Cluster- II	
	mining lease area shall be	
	rehabilitated/reclaimed as forest/agricultural	
	land under CSR Plan in consultation with local	
	communities. Third party evaluation shall be	
	got carried out regularly for the proper	
	implementation of activities undertaken in the	
	project area under CSR. Issue raised in the	
	Public Hearing shall also be integrated with	
	activities being taken up under CSR. The	
	details of CSR undertaken along with	
	budgetary provisions for the village-wise various activities and expenditure thereon shall	
	be uploaded on the company website every	
	year. The company must give priority to	
	capacity building both within the company and	
	to the local youth, who are motivated to carry	
	out the work in future.	
xxvi	Details of transportation, CSR, R&R and	Booklet form is being maintained in Company
2121 1	implementation of environmental action plan	Level.
	for the clusters-II should be brought out in a	LCVCI.
	booklet form within a year and regularly	
	updated	
	npuntou	

xxvii	Mine discharge water shall be treated to meet standards prescribed standards before discharge into natural water courses/agriculture. The quality of the water discharged shall be monitored at the outlet points and proper records maintained thereof and uploaded regularly on the company website.	The monitoring is being done through Central Institute Of Mining & Fuel Research (SIMFER), Dhanbad which is having CSIR Laboratory recognized under the EP Rules. Presently mine water is being monitored through BCCL own Laboratory at HQ level.
xxviii	No groundwater shall be used for the mining activities. Additional water required, if any, shall be met from mine water or by recycling/reuse of the water from the existing activities and from rainwater harvesting measures. The project authorities shall meet water requirement of nearby village(s) in case the village wells go dry to dewatering of mine.	It is being complied and mine water is being used for the industrial purpose. Further mine water is also utilized for the community and irrigation purposes. Following action has been taken by the Company: 1. Utilization of surplus mine water for irrigation purpose.
xxix	The void shall be converted into a water reservoir of a maximumdepth of 15-20 m and shall be gently sloped and the upper benches of the reservoir shall be stabilised with plantation and the periphery of the reservoir fenced. The abandoned pits and voids should be backfilled with OB and reclaimed with plantation and or may be used for pisciculture.	It shall be complied. At the end of mining a part of the void will be converted into the water body as specified in EMP.
XXX	Regular monitoring of groundwater level and quality of the study area shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be dome four times a year in pre-monsoon (May), monsoon (August), post-monsoon (November) and winter (January) seasons and for quality including Arsenic and Fluoride during the month of May. Data thus collected shall be submitted to the Ministry of Environment & Forest and to the Central Pollution Control Board/SPCB quarterly within one month of monitoring. Rainwater harvesting measures shall be undertaken in case monitoring of water table indicates a declining trend.	The work of monitoring is being done through Central Institute of Mining & Fuel Research (CIMFR), Dhanbad, which is having CSIR laboratory recognized under the EP Rules. Presently CMPDIL is monitoring the ground water level. The location of monitoring stations in the Jharia Coalfields has been finalized with the Jharkhand State pollution Control Board.
xxxi	ETP shall also be provided for workshop, and CHP, if any. Effluents shall be treated to confirm to prescribed standards in case discharge into the natural water course.	Oil grease Trap has been constructed & maintained in RR Work Shop.
xxxii	The location of monitoring stations in the Jharia coalfield should be finalized in consultation with Jharkhand State Pollution Control Board.	The location of monitoring stations in the Jharia Coalfield has been finalized with the Jharkhand State pollution Control Board.
xxxiii	For monitoring land use pattern and for post mining land use, a time series of landuse maps, based on satellite imagery (on a scale of 1: 5000)	Being Complied. Presently a time series map of vegetation cover in the Jharia Coal Field is being carried out through CMPDIL Ranchi.

xxxiv	of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its Regional office at Bhubaneswar. A Final Mine Closure Plan along with details of	Further CMPDI has been requested to prepare "Time series of land use maps based on satellite imagery of the core zone and buffer zone in the scale 1:50000. CMPDI, Ranchi has been entrusted to prepare
	Corpus Fund shall be submitted to the Ministry of Environment & Forests five year before mine closure for approval. Habitat Restoration Plan of the mine area shall be carried out using a mix of native species found in the original ecosystem, which were conserved in-situ and ex-situ in an identified area within the lease for reintroduction in the mine during mine reclamation and at the post mining stage for habitat restoration.	cluster wise "Final Mine Closure Plan along with a Plan for Habitat Restoration and with details of Corpus Fund".
XXXV	A separate management structure for implementing environment policy and socio-economic issues and the capacity building required in this regard.	A full-fledged Environment Department, headed by a HoD (Environment) along with a suitable qualified multidisciplinary team of executives (12 nos.) which includes Environment, Mining, Excavation, Civil, Survey ,Electrical & mechanical, Forestry disciplines executives and technicians (4 nos.) has been established in Headquarters. They are also trained in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, one Executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/Laws including environment protection measures .The activities are monitored on regular basis at Area and at Head quarters levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company. The team is multidisciplinary and very much motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and operating level is being done. Socio economic issues and capacity building are being evaluated by Tata Institute of Social Science.
xxxvi	(A) Corporate Environment Responsibility:	Science.
	(-2) corporate Environment Responsibility.	

	 a) The Company shall have a well laid down Environment Policy approved by the Board of Directors. b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions. 	A well defined Corporate Environment Policy has already been laid down and approved by the Board of Directors. This is also posted on BCCL website. Complied. A hierarchical system of the company to deal with environmental issues from corporate level to mine level already exists.
	c) The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.	Being complied.
	d) To have proper checks and balances, the company shall have a well laid down system of reporting of noncompliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.	
В	General Conditions by MOEF:	
i	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment and Forests.	Being complied.
ii	No change in the calendar plan of production for quantum of mineral coal shall be made.	Being complied.
iii	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM ₁₀ , PM _{2.5} , SO ₂ and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board.Monitoring of heavy metals such as Hg,As,Ni,Cd,Cr,etc carried out at least once in six months.	The location monitoring stations in the Jharia Coalfield have been finalized with the Jharkhand State Pollution Control Board. The monitoring is being done by CIMFER, Dhanbad having CSIR Laboratory.
iv	Data on ambient air quality (PM ₁₀ , PM _{2.5} , SO ₂ and NO _x Hg,As,Ni,Cd,Cr and other monitoring data shall be regularly submitted to the Ministry including its Regional Office at Bhubaneswar and to the State Pollution Control Board and the Central Pollution Control Board	It shall be complied.

	once in six months. Random verification of samples through analysis from independent laboratories recognised under the EPA rules,1986	
V	shall be furnished as part of compliance report. Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Being Complied.
vi	Industrial waste water (workshop and waste water from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 th May 1993 and 31 st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	Excess mine water is also treated before being finally discharged. Work shop effluent is being processed through Oil & Grease trap.
vii	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	It shall be complied.
viii	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognised under EPA Rules, 1986.	It is being done through CIMFER having CSIR Laboratory
ix	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Being Complied. Vocational training center under separate Human Resource Development Deptt. Is conducting regular training programme on these issues.
X	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Initial Medical Examination (IME) and Periodical Medical Examination (PME) of all the personnel are carried out as per the Statutes and Director General of Mines Safety (DGMS) guideline. Medical examination of outsourcing Manpower is also being done.
xi	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	A full-fledged Environment Department, headed by a HOD (Environment) along with a suitable qualified multidisciplinary team of executives (12 nos.) which includes Environment, Mining, Excavation, Civil, Survey ,Electrical & mechanical, Forestry disciplines executives and technicians (4 nos.) has been established in Headquarters. They are also trained in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, one Executive in each area has also been nominated as Project Nodal

		Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/ Laws including environment protection measures .The activities are monitored on regular basis at Area and at Head quarters levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company. the team multidisciplinary and very much motivated under the guidance of company's Director (Tech.) and CMD. Further capacity building at both corporate and operating level is being done.
xii	The funds earmarked for environmental	It is being complied.
	protection measures shall be kept in separate	·
	account and shall not be diverted for other	
	purpose. Year-wise expenditure shall be	
	reported to this Ministry and its Regional Office at Bhubaneswar.	
	Office at Bhubaneswar.	
Xiii	The project authorities shall advertise at least	It has been complied. Advertisement in local
	in two local newspapers widely circulated	newspaper has been given.
	around the project, one of which shall be in the	
	vernacular language of the locality concerned within seven days of the clearance letter	
	informing that the project has been accorded	
	environmental clearance and a copy of the	
	clearance letter is available with the State	
	Pollution control Board and may also be seen at	
	the website of the ministry of Environment &	
xiv	Forests at http://envfor.nic.in .	Raing complied Classance letter has been
AIV	A copy of the environmental clearance letter	Being complied. Clearance letter has been displayed on our Company web site.
	shall be marked to concern	alsplayed on our company web site.
	Panchayat/ZilaParishad, Municipal corporation	
	or Urban local body and local NGO, if any, from	
	whom any suggestion /representation has been	
	received while processing the proposal. A copy of the clearance letter shall also be displayed on	
	company's website.	
	- "	
XV	A copy of the environmental clearance letter	•
	shall also be displayed on the website of the	Complied .
	concerned State Pollution Control Board. The	
	EC letter shall also be displayed at the Regional Office, District Industry Sector and Collector's	
	Office/Tehsildar's Office for 30 days	
	1	

xvii xvii	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollutant such as PM10, PM2.5, SO ₂ and NO _x (ambient) and critical sectoral parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website. The project proponent shall submit six monthly compliance reports on status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry, respective Zonal Office s of CPCB and the SPCB.	Complied. Being complied.
xviii	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Shall be complied.
xix	The Environmental statement for each financial year ending 31 March in For –V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF by E-mail	Being complied.

Nodal Officer
Block-II Area

Nodal Officer Barora Area

> General Manager Block-II Area