



## BHARAT COKING COAL LIMITED

(A Subsidiary of Coal India Limited) OFFICE OF THE GENERAL MANAGER KATRAS AREA - IV

PO: Sijua. Dist. - Dhanbad (Tharkhand) - 828121

Dated: 05.5.2614

To, The Director (S) Ministry of Enviornment & Forest, Govt. Of India Eastern Region Office A/3, Chandrashekharpur, Bhubaneshwar-751023

Sub:- Six monthly report on implementation of Environmental Measures for the period from Oct'2013 to Mar'2014.

Dear Sir,

Kindly find enclosed herewith the six monthly report on implementation of environmental protection measures for the period from Oct'2013 to Mar'2014 in respect of Cluster-IV group of

Hope you will find in order.

Enclosed - As above.

General Manager Katras Area

C.C.to:-

1. Dr. Sunita Aulock, Director, 1A Monitoring Cell, Faryavaran Bhawan, CGÓ Complex, New Deini-11003 GM(Env),BCCL, Koyla Bhawan, Dhanbad.

3.Area Manager(PLG), Katras Area

4. Nodal Officer (Civil), katras Area

5.Office copy

Soi s. h. sight had Monoger ( Ea. M.)

# ENVIRONMENTAL CLEARANCE COMPLIANCE OF CLUSTER-IV (GRANTED VIDE J-11015/212/2010-IA. II (M) Dated 06.02.2013)

(Upto MARCH- 2014)

SN	A. Specific Conditions by MOEF:	Compliance
i	The maximum production from one opencast section in the cluster shall not exceed beyond that for which environmental clearance has been granted for the cluster IV.	The production from the operating Mines of the cluster is within the limit for which environmental clearance has been granted.
li	The measure to identify in the Environmental Plan for Cluster- IV groups of mine and the conditions given in this environmental clearance letter shall be dovetailed to the implementation of the Jharia Action Plan.	Master Plan is dovetailed with environmental clearance conditions. For implementation of fire dealing as per the Master Plan Gasilitand fire patch was operated to dig out the firey coal seam and to control the further spread of fire to the nearby coal mines. During the course of fire dealing activity additional 0.352 MT of firey coal has been recovered during the year.
iii	The proponent shall prepare time —series maps of the Jharia Coalfields through NRSA to monitor and prevent fire problems in the Jharia Coalfields by Isothermal mapping /imaging and monitoring temperatures of the coal seams (whether they are close to spontaneous ignition temperatures) and based on which, areas with potential fire problems shall be identified. Measures to prevent ingress of air (Ventilation) in such areas, to prevent restart fresh/spread fires in other areas including in mines of cluster IV shall be undertaken.  Expertise available internationally could also be utilized for control of fire in Jharia Coalfields and for their reclamation and to further minimize time for fire and subsidence control. Monitoring of fire should be carried out regularly.	Work has been awarded to NRSC (earlier NRSA). A MoU is to be entered with the NRSC for start of the work .For this purpose, duly signed MOU has been sent to NRSC for necessary processing at their end and to start the work immediately. (Copy enclosed as Annexure-A)  Action is being taken as specified in the Master Plan and EMP.
lv	Underground mining should be taken up after completion of reclamation of Opencast mine area after 15 years.	It is being complied. Mining is being done as per the guidelines and approval/permission of Directorate General of Mines Safety (DGMS).
V	The embankment constructed along the river boundary shall be of suitable dimensions and critical patches shall be strengthened by stone pitching on the river front side and Stabilised with plantation so as to withstand the peak water flow and prevent	It is being followed. Action for construction of embankment has been taken as specified in EMP.

	mine inundation.	
Vi	The rejects of washeries in Cluster –IV	NO WASHERY AT PRESENT
• •	should be send to FBC based plant.	
vii	No mining shall be undertaken where	It shall be complied.
•	underground fires continue. Measure shall	restrain se complica.
	be taken to prevent/ check such fire	
	including in old OB dump areas where the	
	fire could start due to presence of coal	
\ /:::	/shale with sufficient carbon content.	Astion is being taken as appointed in EMD
Viii	There shall be no external OB dumps. OB	Action is being taken as specified in EMP.
	produce from the one OC Patch of cluster IV	Backfilling of OB is going on with mining. At the end
	will be 45.5 Mm <sup>3</sup> . OB from one OCP patches	of mining there shall be no void and area will be re-
	in mixed mine shall be backfilled. At the	vegetated and reclaimed.
	end of the mining there shall be no void	
	and	
	The entire mined out area shall be re-	
	vegetated. Areas where opencast mining	
	was carried out and completed shall be	
	reclaimed immediately thereafter.	
lx	A detailed calendar plan of production with	Calendar plan has been prepared.
	plan for OB dumping and backfilling (for OC	Mine closure plan as per the guidelines of Ministry
	mines) and reclamation and final mine	of Coal and on the basis of cluster concept is under
	closure plan for each mine of cluster-IV	·
	shall be drawn up and implemented.	preparation by Central Mine planning and Design
	• •	Institute (CMPDI).
Х	Mining shall be carried out as per statuette	It is being followed. Action for construction of
	from the streams/nalas flowing within the	embankment has been taken as specified in EMP.
	lease and maintaining a safe distance from	·
	the Nalas flowing along the lease boundary.	
	A safety barrier of a minimum 60m width	
	shall be maintained along the nalas/water	
	bodies. The small water bodies in OC shall	
	be protected to the extent feasible and the	
	embankment proposed along water body	
	shall be strengthened with stone pitching	
	taking into account the highest flood level,	
	based on past data, so as to guard against	
	mine inundation. The slope of the	
	embankment shall at least 2:1 towards the	
	ML. The height of the embankment shall be	
	at least 3 m higher than the HFL. The	
	embankment to be constructed by OB	
	/solid waste shall be strengthened with	
	stone pitching. Slope stability of the	
	embankment shall be done by planting	
	suitable grass and shrubs using native	
	species selected from the study area.	No OD is being diagonal assurants to the first F. H.
xi	Active OB dumps near water bodies and	No OB is being dumped near water bodies. Further
	rivers should be rehandled for backfilling	action has been taken for their eco-restoration
	abandoned mine voids. However, those	work as per Road Map prepared by FRI, Dehradun.

	which have been biologically reclaimed need not be disturbed.	
xii	Thick green belt shall be developed along undisturbed areas, mine boundary and in mine reclamation. During post mining stage, a total of 794.09 ha area would be reclaimed. The total additional area under plantation would be 719.42 ha (101.7 ha abandoned quarry area, 103.31 ha active quarry area, 14.82 OB dump outside quarry area, 4.36 ha service building /mine infrastructure area /coal dump etc, 160.25 ha green belt around OCP, 334.94 ha barren area), by planting 17,98,550 plants at a total cost of Rs 396.41 lakhs.	It is being complied. Yearly plantation is being done for development of green belts as per EMP.
xiii	The road should be provided with avenue plantation on both side as trees act as sink of carbon and other pollutant.	It shall be complied.
Xiv	Specific mitigative measures identified for the Jharia Coalfields in the Environmental Action Plan prepared for Dhanbad as a critically polluted are and relevant for Cluster- IV shall be implemented.	Dhanbad Action Plan is being implemented. The salient actions of this cluster  1. Covered transportation of coal.  2. Water sprinkling  3. Plantation.
XV	The locations of monitoring stations in the Jharia Coalfields should be finalized in consultation with the Jharkhand State Pollution Control Board. The Committee stated that smoke/dust emission vary from source to source (fuel wood, coal, flyash from TPPs, silica from natural dust, etc) and a Source Apportionment Study should be got carried out for the entire Jharia Coalfields. Mineralogical composition study should be undertaken on the composition of the suspended particulate matter (PM <sub>10</sub> and PM <sub>2.5</sub> ) in Jharia Coalfields and also quantified. These studies would help ascertain source and extent of the air pollution, based on which appropriate mitigative measures could be taken.	The location of the monitoring stations has been finalized.  The work of monitoring of ambient environment is being done through Central Institute of Mining & Fuel Research (CIMFR), Dhanbad who is having CSIR laboratory recognized under the EP Rules. For the source apportionment study the action has been taken with help of CMPDIL.
Xvi	The Transportation Plan for conveyor-cumrail for Cluster-IV should be dovetailed with Jharia Action Plan. Road transportation of coal during Phase-I should be by mechanically covered trucks, which should be introduced at the earliest. The Plan for conveyor-cum-rail for Cluster-IV should be dovetailed with Jharia Action Plan. The Committee desired that road	Action has been taken for formulating adequate transportation plan for conveyor cum rail system of dispatch. CMPDIL, RI-II has been requested to conduct study and prepare the plan in this regarding.  Conversion of existing truck into mechanically covered trucks in a phased manner has been taken up. By that time transportation is being done by

	transportation of coal during phase—I should be by mechanically covered trucks.	covering vehicle with tarpaulin cover.
Xvii	A study should be initiated to analyse extent of reduction in pollution load every year by reducing road transport	CMPDI RI-2 has been requested for Source Apportionment Study.
Xviii	R&R of 7012 nos of PAF's involved. They should be rehabilitated at cost of Rs 26274 lakhs as per the approved Jharia Action Plan.	Action of Master plan is being completed as per action plan of Master Plan
xix	Regular monitoring of groundwater level and quality of the study area shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be dome four times a year in premonsoon (May), monsoon (August), postmonsoon (November) and winter (January) seasons and for quality including Arsenic and Fluoride during the month of May. Data thus collected shall be submitted to the Ministry of Environment & Forest and to the Central Pollution Control Board/SPCB quarterly within one month of monitoring. Rainwater harvesting measures shall be undertaken in case monitoring of water table indicates a declining trend.	It shall be complied. The work of monitoring will be done through Central Institute of Mining & Fuel Research (CIMFR), Dhanbad who is having CSIR laboratory recognized under the EP Rules. Presently CMPDI is monitoring the ground water level.  The location of the monitoring stations has been finalized.
Xx	Regular monitoring of subsidence movement on the surface over and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads, and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clayey soil/suitable material.	At present only development districts are operational at UG mines in Cluster IV and no depillaring district is taken up. However regular monitoring of subsidence will be undertaken on commencement of depillaring districts.
Xxi	Sufficient coal pillars shall be left unextracted around the air shaft (within the subsidence influence area) to protect from any damage from subsidence, if any.	Sufficient coal pillars have been left around air shafts as per the statutes and DGMS guidelines.
Xxii	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Identification of high root density Plant and its plantation in subsidence prone area will be taken-up at the time of depillaring operations.
Xxiii	Depression due to subsidence resulting in water accumulating within the low lying	It is being complied.

	anne shell be filled an dualized a life	
	areas shall be filled up or drained out by cutting drains.	
Xxiv	Solid barriers shall be left below the roads	Sufficient barriers are left for saving the surface
	falling within the blocks to avoid any	installation and infra structures as per the statute
	damage to the roads.	and DGMS guidelines.
V		
Xxv	No depillaring operation shall be carried	It is being followed.
. ·	out below the township/colony.	High all have a wall at BOOK 1.1. It will be seen a second
Xxvi	A detailed CSR Action Plan shall be	It shall be complied. BCCL is implementing CSR
	prepared for Cluster IV croup of mines.	activities.
	Specific activities shall be identified for CSR	Area wise separate CSR committee has been
	for the budget of Rs 142 .55 Lakhs /annum	framed for this purpose.
	@ Rs 5/T of coal provided for CSR and Rs.	' '
	5/T of coal as recurring expenditure. The	
	416.98 ha of area within Cluster IV ML	
	existing as waste land and not being	
	acquired shall be put to productive use	
	under CSR and developed with fruit bearing	
	and other useful species for the local	
	communities. Third party evaluation shall	
	be got carried out regularly for the proper	
	implementation of activities undertaken in	
	the project area under CSR. Issue raised in	
	the Public Hearing shall also be integrated	
	with activities being taken up under CSR.	
	The details of CSR undertaken along with	
	budgetary provisions for the village-wise	
	various activities and expenditure thereon	
	shall be uploaded on the company website	
	every year. The company must give priority	
	to capacity building both within the	
	company and to the local youth, who are	
	motivated to carry out the work in future.	
Xxvii	Details of transportation, CSR, R&R and	It is being followed.
	implementation of environmental action	Ŭ
	plan for the clusters-IV should be brought	
	out in a booklet form within a year and	
	regularly updated.	
Xxviii	Mine discharge water shall be treated to	Monitoring station has been finalized.
	meet standards prescribed standards	The monitoring is being done through Central
	before discharge into natural water	
	courses/agriculture. The quality of the	Institute of Mining & Fuel Research (CIMFR),
	water discharged shall be monitored at the	Dhanbad who is having CSIR laboratory recognized
	outlet points and proper records	under the EP Rules.
	maintained thereof and uploaded regularly	
	on the company website.	
xxix	No groundwater shall be used for the	It is being complied and mine water is being used
^^!^	mining activities. Additional water	
		for the industrial purpose. Further Mine water is
	required, if any, shall be met from mine	also utilized for the community and irrigation
	water or by recycling/reuse of the water	purposes.
	from the existing activities and from	Following actions has been taken by the company
	rainwater harvesting measures.	, , ,

	The constant authorities shall most mater	1 Installation of Duscours filters for utilization of
	The project authorities shall meet water	1. Installation of Pressure filters for utilisation of
	requirement of nearby village(s) in case the	mine water
	village wells go dry to dewatering of mine.	2. Rain water Harvesting
Xxx	The void shall be converted into a water reservoir of a maximum depth of 15-20 m and shall be gently sloped and the upper benches of the reservoir shall be recognized with plantation and the periphery of the reservoir fenced. The abandoned pits and voids should be backfilled with OB and reclaimed with plantation and or may be	It shall be complied. A part of the void will be converted into the water body as specified in EMP.
	used for pisciculture.	
Xxxi	Regular monitoring of groundwater level and quality of the study area shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be dome four times a year in premonsoon (May), monsoon (August), postmonsoon (November) and winter (January) seasons and for quality including Arsenic and Fluoride during the month of May. Data thus collected shall be submitted to the Ministry of Environment & Forest and to the Central Pollution Control Board/SPCB quarterly within one month of monitoring. Rainwater harvesting measures shall be undertaken in case monitoring of water table indicates a declining trend.	It shall be complied. The work of monitoring will be done through Central Institute of Mining & Fuel Research (CIMFR), Dhanbad who is having CSIR laboratory recognized under the EP Rules. Presently CMPDI is monitoring the ground water level.  Monitoring station has been finalized.
Xxxii	ETP shall also be provided for workshop, and CHP, if any. Effluents shall be treated to confirm to prescribed standards in case discharge into the natural water course	Construction of ETP/ Oil grease Trap is being taken- up.
Xxxiii	The location of monitoring stations in the Jharia coalfield should be finalized in consultation with Jharkhand State Pollution Control Board.	Monitoring station has been finalized.
Xxxiv	For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MOEF and its Regional office at Bhubaneswar.	Complied. Presently a time series map of vegetation cover in the Jharia Coal Field is being carried out through CMPDI Ranchi. Further CMPDI has been requested to prepare "Time series of land use maps based on satellite imagery of the core zone and buffer zone in the scale 1:50000 for every 3 years.
Xxxv	A Final Mine Closure Plan along with details	CMPDI, Ranchi has been requested to prepare
	of Corpus Fund shall be submitted to the	
	of Corpus Fund shall be submitted to the	"Final Mine Closure Plan along with a Plan for

	Ministry of Environment & Forests five year before mine closure for approval. Habitat Restoration Plan of the mine area shall be carried out using a mix of native species found in the original ecosystem, which were conserved in-situ and ex-situ in an identified area within the lease for reintroduction in the mine during mine reclamation and at the post mining stage for habitat restoration.	Habitat Restoration and with details of Corpus Fund".
Xxxvi	Implementation of Final Mine Closure Plan for Cluster IV, subject to obtaining prior approval of the DGMS in regard to mine safety issues.	For the purpose of safety issues related to the closure of mine prior approval of DGMS will be taken.
Xxxvii	A separate management structure for implementing environment policy and socio-economic issues and the capacity building required in this regard.	A full-fledged Environment Department, headed by a HOD (Environment) along with a suitable qualified multidisciplinary team of executives (12 nos.) which includes Environment, Mining, Excavation, Civil, Survey ,Electrical & mechanical, Forestry disciplines executives and technicians (4 nos.) has been established in Headquarters. They are also trained in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, one Executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/ Laws including environment protection measures .The activities are monitored on regular basis at Area and at Head quarters levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company.  The team is multidisciplinary and very much motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and operating level is being done.
Xxxviii	Corporate Environment Responsibility:  a) The Company shall have a well laid down Environment Policy approved by the Board of Directors.	A well defined Corporate Environment Policy has already been laid down and approved by the Board of Directors. This is also posted on BCCL website.
	b) The Environment Policy shall prescribe for standard operating process/procedures to bring into focus	Complied.

	any infringements/deviation/violation	
	of the environmental or forest	
	norms/conditions.	
	A The Internation of the	
	c) The hierarchical system or	A hierarchical system of the company to deal with
	Administrative Order of the company to	environmental issues from corporate level to mine
	deal with environmental issues and for	·
	ensuring compliance with the	level already exists.
	environmental clearance conditions	
	shall be furnished.	
	d) To have proper checks and balances,	Being complied.
	the company shall have a well laid	
	down system of reporting of non-	
	compliances/violations of	
	environmental norms to the Board of	
	Directors of the company and/or	
	shareholders or stakeholders at large.	
В	General Conditions by MOEF:	
i	No change in mining technology and scope	Being complied.
	of working shall be made without prior	
	approval of the Ministry of Environment	
	and Forests.	
li	No change in the calendar plan of	Being complied.
"	production for quantum of mineral coal	being complica.
	shall be made.	
lii	Four ambient air quality monitoring	Monitoring stations has been finalized.
'''	stations shall be established in the core	_
	zone as well as in the buffer zone for $PM_{10}$ ,	The work of monitoring of ambient environment is
	PM <sub>2.5</sub> , SO <sub>2</sub> and NOx monitoring. Location of	being done through Central Institute of Mining &
	the stations shall be decided based on the	Fuel Research (CIMFR), Dhanbad who is having CSIR
	meteorological data, topographical features	laboratory recognized under the EP Rules.
	and environmentally and ecologically	
	sensitive targets in consultation with the	
	State Pollution Control Board. Monitoring	
	of heavy metals such as Hg, As, Ni, Cd, Cr,	
	etc carried out at least once in six months.	
lv	Data on ambient air quality (PM <sub>10</sub> , PM <sub>2.5</sub> ,	It shall be complied.
''	$SO_2$ and $NO_x$ ) and heavy metals such as Hg,	iconali de complicat
	As, Ni, Cd, Cr and other monitoring data	
	shall be regularly submitted to the Ministry	
	including its Regional Office at	
	Bhubaneswar and to the State Pollution	
	Control Board and the Central Pollution	
	Control Board once in six months. Random	
	verification of samples through analysis	
	from independent laboratories 9recognized	
	under the EPA rules, 1986 shall be	
	furnished as part of compliance report.	
v	Adequate measures shall be taken for	Being Complied.
	control of noise levels below 85 dBA in the	Being complica.
	work environment. Workers engaged in	
	work environment. workers engaged in	

	blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	
Vi	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19 <sup>th</sup> May 1993 and 31 <sup>st</sup> December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	Monitoring stations has been finalized.  The work of monitoring of ambient environment is being done through Central Institute of Mining & Fuel Research (CIMFR), Dhanbad who is having laboratory recognized under the EP Rules.
vii	Vehicular emissions shall be kept under control and regularly monitored. Vehicles used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	It shall be Complied.
Viii	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognized under EPA Rules, 1986.	It is being done.
lx	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Being Complied. Vocational training Centers under separate Human Resource Development Deptt. Is conducting regular training programme on these issues.
X	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Initial Medical Examination (IME) and Periodical Medical Examination (PME) of all the personnel are carried out as per the Statutes and Director General of Mines Safety (DGMS) guideline.
Xi	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	A full-fledged Environment Department, headed by a HOD (Environment) along with a suitable qualified multidisciplinary team of executives (12 nos.) which includes Environment, Mining, Excavation, Civil, Survey ,Electrical & mechanical, Forestry disciplines executives and technicians (4 nos.) has been established in Headquarters. They are also trained

		in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, one Executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/ Laws including environment protection measures .The activities are monitored on regular basis at Area and at Head quarters levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company.  The team is multidisciplinary and very much
		motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and operating level is
		being done.
Xii	The funds earmarked for environmental	It is being complied.
XII	protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	it is being complied.
Xiii	The Project authorities shall advertise at	It has been complied.
	least in two local newspapers widely	
	circulated around the project, one of which	Advertisement in local newspaper is enclosed as
	shall be in the vernacular language of the	annexure-B.
	locality concerned within seven days of the clearance letter informing that the project	
	has been accorded environmental	
	clearance and a copy of the clearance letter	
	is available with the State Pollution control	
	Board and may also be seen at the website	
	of the ministry of Environment & Forests at	
xiv	http://envfor.nic.in.  A copy of the environmental clearance	Complied.
XIV	letter shall be marked to concern	Complied.
	Panchayat/Zila Parishad, Municipal	
	corporation or Urban local body and local	
	NGO, if any, from whom any suggestion	
	/representation has been received while	
	processing the proposal. A copy of the	
	clearance letter shall also be displayed on company's website.	
Xv	A copy of the environmental clearance	Complied.
	letter shall be shall also be displayed on the	
	website of the concerned State Pollution	
	Control Board. The EC letter shall also be	

	displayed at the Regional Office, District Industry Sector and Collector's Office/Tehsildar's Office for 30 days.	
Xvi	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollutant such as PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub> and NO <sub>x</sub> (ambient) and	Complied.

	critical sectoral parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.	
xvii	The project proponent shall submit six monthly compliance reports on status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry, respective Zonal Office s of CPCB and the SPCB.	It is being complied.
xviii	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/ information/monitoring reports.	It shall be complied.
xix	The Environmental statement for each financial year ending 31 March in For –V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules,1986,as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF by E-mail	Being complied.
c	Other Conditions by MOEF:	
t	The Ministry or any other Competent Authority may stipulate any further condition(s) for environmental protection.	Agree.
H	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment (Protection) Act, 1986.	Agree.
***	The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to undertake and provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	Being complied.
iv	The Environmental Clearance is subject to the outcome of the Writ Petition filed by M/S Bharat Coking Coal Limited (BCCL) in response to the closure orders issued by the Jharkhand State Poliution Control Board which is pending in the Jharkhand High Court.	Agree.

General Manager Katras Area ,Cluster IV

#### Annexure- A

BCCL



#### **Bharat Coking Coal Limited**

(A Subsidiary of Coal India Limited)
Office of HOD(Environment)
Koyla Bhawan, Koyla Nagar
Dhanbad 826005

Ref. No.BCCL/HOD(Env)/F- MP/13/ G10

Dated 21.05.2013

To,

Dr Vinod Kumar,
Group Head, Geosciences group
Sc/Eng-SG
National Remote Sensing Centre
Indian Space Research Organization
Dept of Space,Govt Of India,Balanagar,Hyderabad
Andhra Pradesh-500625

Subject: Regarding proposal for "Delineation of Surface Coal Fire and associated Land Subsidence in Jharia coalfield, Jharkhand using satellite based remote-sensing techniques at a cost of Rs 19.70 Lakhs submitted by e-mail on 15.05.2013

D/Sir.

We are in receipt of the aforesaid proposal, sent by email on 15.05.2013, covering two components of the scope of study and subsequent communication by BCCL vide letter no. BCCL/D (T) Op/F-Env/2012/148(A) dated 11.02.2013:

Part 1: Coal Fire mapping of Jharia Coalfield using Thermal Infra-red data – for a cost of Rs. 6,70,721=00. The study is proposed to be completed within 8 months and

Part 2: Land subsidence mapping of Jharia Coalfield using Interferometric SAR data - for a cost of Rs. 12,98,571=00. The study is proposed to be completed within 12 months.

Competent authority of BCCL has approved both the two components as above . You are therefore requested to submit your invoice for 90% amounting to 17.73 Lakhs, of the cost of the project Rs 19.00 Lakhs at the earliest for placing the work order and releasing the 90% amount.

Thanking you,

Yours faithfully,

HOD (Environment)

### Annexure- B

510	matter reduced wit ma uplant team new it for foodbellen per ( of a manage (Chaulau) floret as more en apmeering utsiden en a gest unione enemal (Envisormental Ginaranca) (	al molecules
97,1		odisple sector when you retin
1	पार्ट (Charles) र सार्थ प्रता प्रतीप प्रतीप प्रतीप प्रतीप प्रतिप्रेत, प्रतीप भोगतीकातृत में पिता, वर्गाय प्रशास (त्रिक्ट सम्बाद, प्राण्येत की कर्तात प्राप्त की अर्थि - प्रतीप (श्राप्तिकार प्राप्त) आरोगि, प्रार्थेत कृति कर्ता का (त्रोद की के प्रकार प्रमुख की कर्ते (32) क्रिकेट की यह प्रतिप्रोध प्रत प्राप्त की केंद्र कर ती की समावादात 1.17 कर ती बीच (384)	#-11010/43/ 2004-1E-11
2.	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2011-15 11 (UK) State: 6 WHRT 2012
2	Wild (Chanter) III : Real was affect use fadare, gather startinger if their, from saver, privile at 1-420-2+ before at your silladies on top gift if 3-4 per 50 for will real severall y sent (ps. 11-20-11 millionisting of all our to another gift).	th-11015/213/ 2010-15, 11 (101) flotis: 6 tanuff 2013
	प्याप्त (Cheater) हैंगं । प्रााणीविक स्रोतिकती स्वीवार को प्रोप्तार केवर्त । पहार क्रोडिंग प्रोप्त विकित्त , इसीचा क्रोडिंग्यून में तिका, विकास । प्रााणा, हाराबंद की १९३३, १९ क्रिकेट की एक स्त्रीतिक एक एक हुए में 2,311 (मा.) वि.सं. (प्रााणाम) ३,३१० । एक ही से ए (प्राप्त; की प्राापास हुएक से प्राापास	9-11015/212/ 2010-19: 11 (191) fortis: 6 terrell 2013
1.	पितृत (Chander) V । कार्या प्रथम स्थितिक स्रोत विविद्रेष्ट, guiller सर्वेजनित्रपुर ते पिता, दिशान-द्रशास्त्र, प्रारावाद को उन्तर, उन्न केलेक्ट की कृत स्थितिक पुरुष् होता है इ. इ.५५ (प्रकार) ३. ३ + । (प्रस्त) पहा देश की चीन कृत प्रकार को १ कार्ये (१४. ३३. ५० १) को उन्तर की वर्षा आहे ही जो उत्तर कार्योक हुं बीत्	के-11215/01/ 2011-1E 11 (एस) किलेख / 11 फार्की 2013
6.	तापुर (Chanday) VII. तेलार्च कार चारिता आंतर विशेष्ट्य, प्राणिक भारतीयात्राप्य प्रीक्षात्र (ताल-स्ताल्य, प्राण्येष क्षेत्र 1917) क्रिकेश की प्राथ जीवित्रीय कारण्य कृत के, ता का प्राण प्राप्य के पत्र ज्ञालक के प्राप्य 8 अर्थ कार का जात्राणि प्रोणी (तुकतीर पुरेश्यत एवं भूषी भारतीय को प्रीप्यार)	10-11012/238/ 2010-11, 11 (101) Tokke ( a 1000ft 2013
*	स्तुत (Chiedra) X.; चैतार्च काल क्षत्रिका क्षतेत विविद्धेत, प्रतिकार स्तितात्वका से स्तिता, रिक्ट- साम्बद्धः कृत्याचेत्र की (2005. उन्ह स्तितेत्व स्तिता अस्तितात्वका स्तितात्वका प्रतिकार्यः अस्ति स्तितात्वका प्रतिकार स्तित्वका प्रतिकार कार्यं से सिन्द की स्त्राच स्त्राच्या कर्म ८.३० कार्यं से प्रतिकार से एक स्तिता से एक स्तिता क्षत्र के से स्तिता १.३ कार्यं से से स्तावात्वका ८.३० कार्यं से से स्तावात्वका ८.३० कार्यं से स्तिता १.३ कार्यं से से स्तिता १.३ कार्यं से से स्तिता स्तिता स्तितात्वका	R-11215/200/ 2010-19, 11 (191) Robe: a week 2012
	mortisation, recorder the whole wife of corboral when	#-11019/188/ 2010-15, 11 (100) Roder; 4 WHIRT 2013
- 1	अरोगरिकाम्बर में निवार, विकास- कार्यात, प्राम्प्येच के उन्त प्रवारी पाट आहर (१९४८ स्ट केम्प्रेयन के एक पारिस्तीका एक एक क्रिमी १,४८३ एक क्रियों प्रशे विकास प्राप्तात के प्राप्त स्ट १९ एक क्षेत्रीय क्ष्मी अरोगरिका कार्यात	0-11018/298/ 2010-19, 11 (99) Stone: 15 month 2013

Clu	s is to bring into notice of all concerned that to sters of BCCL consisting of 63 Mirres and 62 w fronmental Clearances by Ministry of Emileo	pelipotes are senting
St. No	Name of the Chatee	Senction order number and date
1	Chester-I (Carroote Group of 3 Mirres - Darroca (Althins Section) - OCP, Decreade (ACP and Darrode NJ Section - OCP) Groce of Mirres (et 0.9 MTPA aprentises and 1.17 MTPA (pass) > 4 fortibreed M, area of 575 har of Mrs Marro Costep Cities Ltd. section of home Coefficies Block Chestrague, Clest Director, Jestificance	J-11015/8012000 1A 9 (M) dehed in Peti. 2013
2	Charter # 75 not we of a continued unon capacity 35.55 MTPA with a peak production of 20.215 MTPA) in a combined Ms, sens of 2028 71 has of Ms Mural Colleg Cost Ltd. scaled in Party Cootinue, Cite Dhambar, Jharkhand.	Fab. 2013
3	Chiester-III (7 mm as of is peak production of 3.5 MTPA vs 5 contribued A6, area of 1420,61 flag of Mrs Bhurst Coking Coal Ltd., located in Junior Coal Ltd., located in Junior Coal Coal College (EC) based on TOR grantled an D4.11 2010;	
*	Chaetee-W (in misses with production capacity 2.561 MTRA (Normative) 3.700 MTRA (Paul) is a constraint ML area of 12.719 na. of Ma Straint Cosing Cost Ltd., located or Jines Costlerds. Dist. Orentool, Jineshuard embedging Gestland Colley (IG)	3-11018/212/2010 1A-3( (M) stated do Fieb. 2013
47	Gluster-W (7 mines of a 4 DSA Prioritative) and 8-11 (Piper) production of MFFS in a continued ML area of 1957 OF has of MV Shared Classificated LNL, booked in Jinetia Coordinate, Disk. Openhale, Johnstones (SID based on TOM glarand on 18.03.2011).	TAB (M) dated 159 Feb. 2013
*	Glaster-VE increased expectly £.227 MTPA with a peak grode, of 8.18 MTPA in a combined Mt. Area of 2127 / 1 mg of 61% Blast of Coking Coul Ltd. Society in Jharra Castlerdy, Dist. Drantaset, Bushiper (EC hased on TOR granted on 69.12.2010) (sectoding Karters UC) and East Bruggistish).	AA.RujMi dussa en Felo 2010
7.00	Charles-X (fi represent 1.762 MTPA of reconsisted and please productions of 2.285 MTPA in a continued M. area of 2007. 95 has and Budgerells Coal Waterway (Wither the index build of Sudansish Shark May of 1.6 MTPA at a cross of 18 May of MA MTPA peak production for a cross of 18 May of May Briant Crising Goal Ltd., located in Jinatha Couling Goal Ltd., located in Jinatha Couling Coal Ltd., located in Jinatha Couling May Briant Crising Goal Ltd., located in Jinatha Couling May Briant Crising Goal Ltd., located in Jinatha Couling May Briant Crising Goal Ltd., located in Jinatha Couling May May 10 Ma	S.A. D. Phillips of Charles of Charles
The state of the s	Cluster XVI - Commerci (Darbtar Breathmute OCP) Resembnis sheld Organi Mine, Nee Lakhille OCP (Instituting Sehiber) Copal Minespry). Landsh Deep UG, Chanch UG) pormetter 1.51 MTPA and 1.953 MTPA peels in a contained Mr. area of 1066 21 hall and California sheld of 12 mines of 1066 21 hall and California sheld of 12 hall and 13 MTPA in the same of 12 hall and 13 MTPA in the same of 12 hall and 13 MTPA in the same of 12 hall and 13 MTPA in the same of 12 hall and 13 MTPA in the same of 12 minesprend on 12 MTPA in 13	2-110.5-165/2010 TA.II (M) colled 6th Feb: 2012
	Cluster-VIII Circup of 10 Mines (combined capacity 4.31 MTPA with a pues groom of 6.000 MTPA in a controlled MIL, well of 1163 92 ha (1200.41 ha 1048 har 1100.10 ha) of Mrailleaut Colong Cast Ltd., located in Jinesa Colong Cast Ltd., located in Jinesa Colong Cast Ltd., bloods in Jinesa Colong Cast Ltd., bloods in Jinesa Colong Cast Ltd., bloods in Jinesa Colong in Jinesa Colong Cast Ltd., bloods in Jinesa Colong in Jinesa Colong in Jinesa Colong in the colong	1A II (M) dated 12m Feb 2013