

Bharat Coking Coal Limited
(A Subsidiary of Coal India Limited)
Office of the Project Officer
Kapuria Project, Mahuda, Dhanbad.

Ref No :-BCCL/PO/KAPURIA/Env/2019/964

Date:- 18.04.2019

To the Director

Ministry of Environment, Forest & Climate Change

Regional Office (ECZ), Bungalow No. A-2

Shyamli Colony

Ranchi - 834002

Sub: six monthly report for the period from 1st Oct 2018 to 31st March 2019 on Compliance to Environmental Clearance from MoEF, Govt of India for Cluster – XII of Kapuria UG Project, M/s Bharat Coking Coal Limited.

Dear Sir

Enclosed herewith please find the six monthly report on Compliance to Environmental Clearance from MoEF, Govt of India vide letter no J-11015/184/2012-IA. II(M), dated 10th Dec 2014 for Cluster-XII of Kapuria UG of M/s Bharat Coking Coal Limited for your kind perusal and further needful action please. It is also to bring to your kind notice that the project has been delayed due to the delay in physical possession of land. The work has not started yet.

Kai

Project Officer Kapuria Project

Encl: as above.

Copy to:

1. Director, IA, Monitor Cell, Paryavaran Bhawan, CGO Complex, New Delhi 110003.

2.GM W.J.A.BCCL

3.Dy GM (Env), BCCL

4.Office Copy

October 2018 to 31st March 2019

SI No	Specific Condition	Action	
	The maximum production from the mine at any given time shall not exceed the limit as prescribed in the EC.	Project has not started yet. Land acquisition is under process. This condition shall be complied as the production starts.	
l	A separate team for subsidence monitoring and surface mitigation measures be constituted and continuous monitoring and mitigation measures be carried out.	Shall be complied. Project is under construction phase.	
111	The validity of EC is for the life of the mine or as specified in the EIA notification, 2006, whichever is earlier.	Agreed.	
IV	The coal transportation from the mine to the siding shall be by conveyor belt and coal transportation from siding to washery shall be by rail.	Shall be complied.	
V	Piezometers be installed upto the depth of mining to facilitate monitoring of ground water.	The work of monitoring of ground water is being carried out by CMPDI.	
VI	Water sprinkler be used for coal dust suppression along the haul road.	Shall be complied.	
VII	Thick green belt shall be developed around proposed washery within the cluster-XII lease area and plantation shall be undertaken along NH-32.	Shall be complied.	
VIII	Subsidence study shall be taken up with reputed scientific agency as per stipulation of DGMS.	Shall be complied.	
IX	Various CSR works that will be carried out shall include education, healthcare, water supply etc.	Shall be complied.	
x	The project should have ecologist / social scientist to monitor the project.	BCCL is following the roadmap prepared by FRI, Dehradun to restore ecology in the region and conducting the work of ecological restoration in the mined out areas. BCCL has also got facilitated by the guidance of Prof. CR Babu, CEMDE, University of Delhi,	
XI	Coal produced from the mine will be directly loaded into a CHP at the incline top. From the CHP at incline top, coal will be transported to the proposed Kapuria coal washery linked to the mine by covered conveyor system of length 250m. Washed coal from the washery will be transported by conveyor to the railway siding and loaded into the wagons by CHP.	Shall be complied.	
XII		Shall be complied.	

		The second secon
XIII	Regular monitoring of subsidence movement on the surface cover and around the working area and impact on natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case of observation of any high rate of subsidence movement, appropriate effective corrective measures shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clay soil / suitable material.	Shall be complied.
XIV	If subsidence is found exceeding the permitted limits, the land owners shall be adequately compensated with mutual agreement of the land owners.	Shall be complied.
XV	Mining shall be carried out as per statute at a safe distance from river / nallah falling adjacent to the lease boundary at the time of depillaring, protective bunds and garland drains shall be provided so that no water from the surface enters the subsidence area and the shaft.	Mining shall be done as per DGMS statute.
XVI	Sufficient coal pillars shall be left unextracted around the air shaft (within the subsidence influence area) to protect from any damage due to subsidence, if any.	Shall be complied.
XVII	Solid barriers shall be left below the roads falling within the blocks to any damage to the	Shall be complied.
XVIII	roads. Diversion of land shall be done with approval of	Shall be complied.
XIX	the competent authority. Coal extraction shall be optimized in areas where agriculture production is continuing. Some pillars shall be left below the agricultural land. No depillaring and coal extraction shall be carried out below habitation, HT lines &	It will be done as per the statute and DGMS guidelines.
XX	beneath road, water bodies, railway track. The mined out land should be used for	Shall be complied.
XXI	Safety measures and health issues need to be addressed for workers and surrounding	Shall be complied.
22	Proponent shall implement all the related safety measures with safety equipment	It will be done as per the statute and guidelines of DGMS.

in

Sull Sull sall sall

-	and the state of t	
	At the time of establishing the CHP, it is proposed to establish mist spray arrangements and also enclosing the ground level bunkers up to the level of gantry.	Shall be complied.
24	An afforestation plan to be prepared for implementation after stabilization of subsidence.	Shall be complied.
25	Water spraying arrangements at loading points and mist spray arrangements are to be provided.	Shall be complied.
26	No additional land, manpower and equipment and water shall be used for the expansion project.	Shall be complied.
27	Mine closure activity include sealing of incline mouth, dismantling of haulage system, cleaning and afforestation of coal stock area, plantation on barren land and old abandoned mine.	Mine closure plan will be formulated as per the guidelines of Ministry of Coal Gol
28	3-tier plantation should be developed 2 Km stretch of road from the mine using native species.	Shall be complied.
29	Garland drains around the safety area such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper setting of silt material.	It will be done as per EMP.
30	Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points etc. Major approach roads shall be black topped and properly maintained.	Shall be complied.
31	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township etc. by planting native species in consultation with the local FDO / agriculture department.	Shall be done. EMP and mine closure plan will be followed.
32	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and construction of	It will be complied. At present CMPDI is working to establish a network of piezometer well.

-

	new piezometers. The monitoring for quality	55
	shall be done four times a year, in May, August, November and January seasons and for quality in May.	
33	Acid water Treatment Plant, volume of water to be treated and disposal of brine should be provided.	Shall be provided if acid water treatment is required.
34	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Shall be provided.
35	Monitoring of drinking water should be carried out regularly.	Environmental parameters are being monitored by CMPDI, as per the MoEFCC standards.
36	Sewage treatment plant shall be installed in the township. ETP shall also be provided for workshop and CHP effluents.	Shall be provided.
37	For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1: 5000) of the core zone and buffer zone, from the start of the project till the end of the mine life shall be prepared once in 3 years (for any particular season which is consistent in the time series), and the report submitted to MoEF& CC and its regional Office at Bangalore.	Presently a time series map of vegetation cover in the Jharia coal field is being carried out through CMPDI Ranchi using satellite imagery for every 3 years and is being uploaded on the official website of company. Further CMPDI has been requested to prepare time series of land use maps based on satellite imagery of the core zone and buffer zone in the scale 1:5000.
38	If the water quality parameter such as F, pH, heavy metals etc. exceed the prescribed limits, suitable measures by the proponent be taken to ensure that the local communities are provided alternate source of water for their livelihood.	Shall be done.
39	Medical camps should be organized in the area for regular checkup of workers / villagers / population. Detailed prevalent disease pattern in the area should be documented and detail of medical facilities provided for the same be made available to the MoEF&CC.	It is being done.
40	Mine discharge water outside the ML shall be monitored, particularly for TDS and treated to confirm to prescribed levels before discharge into the natural environment.	Environmental parameters are being monitored by CMPDI, as per the MoEFCC standards.
41	The Company shall put up artificial groundwater recharge measures for augmentation of	It will be provided and regular monitoring shall be done.

sh vi de	cundwater resource, in case water table dows a decline trend, the project authorities half meet water requirement of nearby liage(s) in case the village wells go dry due to ewatering of mine.	
ic n c	esides carrying out regular periodic health heckup of their workers, 10% of the workers dentified from workforce engaged in active mining operations shall be subjected to health checkup for occupational diseases and hearing impairment, if any, through an agency such as NIOH, Ahmadabad within a period of one year and the results reported to this ministry and to DGMS.	It will be complied, however, BCCL has engaged NIOH for other cluster of BCC to health checkup for occupational diseases and hearing impairment and work will be started shortly.
	The mining in the existing mines should be phased out after expiry of of the current mining lease and after reclamation of mined out area. The operating mines may be analysed and monitored for compliance of conditions, bearing with movement of wildlife and until such time they are closed / phased out.	Agreed, and shall be complied.
44	Project specific CSR for an amount of Rs 5 per tonne of coal production, as per the annual inflation, should be provided for the CSR activities undertaken and the progress made thereon shall be uploaded annually on the company website. Monitoring of the impact of activities under CSR shall be carried out periodically.	It will be done as per the CSR policy of organization.
45	A final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment, Forest & Climate Change, 5 years in advance of final mine closure for approval.	Shall be complied.
	Corporate Environment Responsibility: a) The company shall have a well laid down Environment policy approved by the Board of Directors. b) The Environment Policy shall prescribe for standard operating procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms /	Bharat Coking Coal Ltd is a subsidiary of Coal India Ltd which is having a well laid down Environmental Policy. It is being complied.

本社会

D. DOTTON	condition	the leady exists within the company
	conditions.	It already exists within the company.
1	c) The hierarchical system or Administrative order of the company to	
	deal with environmental issues and for	
	ensuring compliance with the	
	environmental clearance conditions shall	
	be furnished.	It will be done, if any.
	d) To have proper checks and balances, the	
1	company shall have a well laid down	
1	system of reporting of non – compliance	
1	/ violations of environmental norms to	
	the Board of Directors of the company	
	and/or shareholders at large.	
1	B. General Conditions :	
	No change in mining technology and scope of	Shall be complied.
	working shall be made without prior approval of	
un rupturities	the MoEFCC.	
1	No change in the calendar plan of production	Shall be complied. However, production
	for quantum of mineral / coal shall be made.	and calendar plan may vary due to land
3	Four ambient air quality monitoring stations	acquisition problem. Shall be complied.
1	shall be established in the core zone as well as	Shall be compiled.
	in the buffer zone for PM 10, PM2.5, SO2 and	
	NOx monitoring. Location of the stations shall	
	be decided based on the meteorological data,	
	topographical features and environmentally and	
7	ecologically sensitive targets in consultation	
	with the State Pollution Control Board.	and the second s
	Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. carried out at least once in six	o verglenne musely contribute 👫 💢
1		
4	months. Data on ambient air quality (PM10, PM2.5, SO2	Shall be complied.
	and NOx) and heavy metals such as Hg, As, NI,	
	Cd. Cr and other monitoring data shall be	
	regularly submitted to the Ministry including its	A Company of the Comp
	regional office at Bhubaneshwar and to the	
1	state pollution control board once in six	A CONTRACTOR OF THE PARTY OF TH
	months. Random verification of samples	
	through analysis from independent laboratory	
734	recognized under the EPA rules, 1986 shall be furnished as part of compliance report.	// Land Gallery Land
5	Adequate measures shall be taken for control of	Shall be complied.
-	noise levels below 85 dBA in the work	

Y	What is a second of the second	
env	ironment. Workers engaged in blasting and	
arii	ing operations, operation of HFMM, etc.	
sna	il be provided with ear plug / muffs.	
6 Ind	ustrial wastewater (workshop and	Shall be complied.
wa	stewater from the mine) shall be properly	
co	llected, treated so as to confirm to the	
sta	andards prescribed under GSR 422 (F) dated	
19	May 1993 and 31st December 1993 or as	
ai	mended from time to time before discharge.	
	il and grease trap shall be installed before	
d	ischarge of workshop effluents.	
7	/ehicular emissions shall be kept under control	Shall be complied.
-	and regularly monitored. Vehicles used for	
	transporting the mineral shall be covered with	and the second section of the second
	tarpaulins and optimally loaded. Monitoring of environmental quality	Environmental parameters are being
	parameters shall be carried out through	Environmental parameters are being monitored as per NAAQS standards which
	establishment of adequate number and type of	is having CSIR laboratory.
1 1	pollution monitoring and analysis equipment in	Monitoring stations have been finalized
	consultation with the State Pollution Control	with Jharkhand State Pollution Control
	Board and data got analyzed through a	Board, Ranchi.
	laboratory recognized under EPA rules, 1986.	
9	Personnel working in dusty areas shall wear protective respiratory devices and they shall	Shall be complied.
	also be provided with adequate training and	consists as making the control of the control
1	information on safety and health aspects.	or a second seco
10	Occupational health surveillance programme of	Shall be complied.
	the workers shall be undertaken periodically to	ma entit account to the manufacture of
	observe any contractions due to exposure to	from any and a second
	dust and to take corrective measures, if needed	man of all things of the state of
	and records maintained thereof. The quality of	A CONTRACT OF STREET
	environment due to outsourcing and the health and safety issues should be addressed by the	MINISTER NAME OF THE PARTY OF T
44	company while outsourcing.	
11	A separate environmental management cell	A full-fledged environment department
	with suitable qualified personnel shall be set up	headed by a HoD (Environment) along
	under the control of a senior executive, who will	with a suitable qualified multidisciplinary team of executives has been established
	report to the head of the company.	in the headquarters. They are trained in
	A service of the serv	ecological restoration, sustainable
		development, rainwater harvesting
	2 The family	methods, etc.
4 20 8 10 / 10	The funds earmarked for environmental	Shall be complied.

1 13	- rato	
	protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to this ministry and its concerned regional office.	malied
13	The project authorities shall advertise at least in two local, newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance is available with the State Pollution Control Board and may also be seen at the website of the ministry of Environment & forest.	It is complied.
14	A copy of the environmental clearance shall be marked to concerned panchayat / zilla parishad, Municipal Corporation or Urban local body and local NGO, if any, from whom any suggestion / representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	It is complied.
15	A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the regional office, district industry sector and collector's office for 30 days.	It is complied.
16	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance condition shall also be uploaded by the project authorities on their website and updated once at least in every six months so as to bring the same in public domain. The monitoring data of environmental parameter (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient) and critical sector parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.	construction of the constr

	The against proper and the Health at the second	10.7.1	
17	The project proponent shall submit six monthly	It is being complied.	
	compliance report on status of compliance of		
	the stipulated environmental clearance		
	conditions (both in hard copy and email) to the		
	respective regional office of the ministry,		
	respective zonal office of CPCB and the SPCB.		
18	The regional office of this ministry located at	It is being complied.	E E
	Bhubaneswar shall monitor compliance of the		
	stipulated conditions. The project authorities		
	shall extend full co-operation to the office(s)of		
	the regional office by furnishing the requisite		
	data / information /monitoring report.		
19	The Environment Statement for each financial	It is being complied.	
	year ending 31 st March in Form – V is mandated		10.14
	to be submitted by the project proponent for		13.74
	the concerned State Pollution Control Board as		
	prescribed under the Environment (Protection)		
	Rules, 1986, as amended subsequently, shall		
	also be uploaded on the company's website		
	along with the status of compliance of EC		15 - 11
	conditions and shall be sent to the respective		E. 4 1
-	regional offices of the MoEF by email.		
4	C. Other Conditions by MoEF: The proponent shall abide by all the	Agreed.	
4	commitments and recommendations made in	Agreed.	
	the EIA / EMP reports so also during their		
	presentation to the EAC.		
5	The commitment made by the proponent to the	Shall be implemented.	
	issue raised during Public Hearing shall be		
	implemented by the proponent.		
6	The proponent is required to obtain all	Agreed.	
	necessary clearances / approvals that may be		
	required before the start of the project. The		
	ministry or any other competent authority may		
	stipulate any further condition for environmental protection.		9-7
1	The ministry or any other competent authority	Agreed.	
	may stipulate any further condition for	Agreed.	
	environmental protection.		4 L N.
	The proponent shall set up an Environment	It will be done.	8.043 V
	Audit cell with responsibility and accountability		11
	to ensure implementation of all the EC conditions.		
	1 soliditions.		

	protection measures shall be kept in separate account and shall not be diverted for other purpose. Year wise expenditure shall be reported to this ministry and its concerned regional office.	
13	The project authorities shall advertise at least in two local, newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance is available with the State Pollution Control Board and may also be seen at the website of the ministry of Environment & forest.	It is complied.
14	A copy of the environmental clearance shall be marked to concerned panchayat / zilla parishad, Municipal Corporation or Urban local body and local NGO, if any, from whom any suggestion / representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on the company's website.	It is complied.
15	A copy of the environmental clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the regional office, district industry sector and collector's office for 30 days.	It is complied.
16	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance condition shall also be uploaded by the project authorities on their website and updated once at least in every six months so as to bring the same in public domain. The monitoring data of environmental parameter (air, water, noise and soil) and critical pollutants such as PM10, PM2.5, SO2 and NOx (ambient) and critical sector parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.	

			W.
17	The project proponent shall submit six monthly compliance report on status of compliance of the stipulated environmental clearance conditions (both in hard copy and email) to the respective regional office of the ministry, respective zonal office of CPCB and the SPCB.	It is being complied.	
18	The regional office of this ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The project authorities shall extend full co-operation to the office(s)of the regional office by furnishing the requisite data / information /monitoring report.	It is being complied.	
19	The Environment Statement for each financial year ending 31 st March in Form – V is mandated to be submitted by the project proponent for the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be uploaded on the company's website along with the status of compliance of EC conditions and shall be sent to the respective regional offices of the MoEF by email. C. Other Conditions by MoEF:	It is being complied.	
4	The proponent shall abide by all the commitments and recommendations made in the EIA / EMP reports so also during their presentation to the EAC.	Agreed.	
5	The commitment made by the proponent to the issue raised during Public Hearing shall be implemented by the proponent.	Shall be implemented.	
6	The proponent is required to obtain all necessary clearances / approvals that may be required before the start of the project. The ministry or any other competent authority may stipulate any further condition for environmental protection.	Agreed.	
7	The ministry or any other competent authority may stipulate any further condition for environmental protection.	Agreed.	
8	The proponent shall set up an Environment Audit cell with responsibility and accountability to ensure implementation of all the EC conditions.	It will be done.	

9	Concealing factual data or submission of false / fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.	Agreed.
10	The above conditions will be enforced inter-alia, under the provisions of Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with their amendments and Rules. The proponent shall ensure to undertake and provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of ground water and surface water, and occupational and other disease due to the mining operations.	Shall be complied.
11	Any Appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.	Agreed.

Project Officer
Kapuria Project

BCCL

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH OCTOBER, 2018)




Cluster–XII, Bharat Coking Coal limited Month: OCT, 2018 Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone: Core		Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	15.10.18	88	49	11	30
2	26.10.18	91	52	11	29
	NAAQ Standard	100	60	80	80



☑ PM 2.5
□ SO2
■ NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	04.10.18	97	59	14	32
2	30.10.18	108	62	13	33
	NAAQ Standard	100	60	80	80




PM 10PM 2.5SO2NOx

Analysed By JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	11.10.18	94	52	11	30
2	24.10.18	97	56	12	31
	NAAQ Standards	100	60	80	80





Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	10.10.18	106	62	13	32
2	25.10.18	114	64	14	33
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration



Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	Name of the Project: Cluster -XII			Month: OCT , 2018			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)		
1	Moonidih UGP (N17)	Industrial area	11.10.18	66.6	75		
2	Moonidih UGP	Industrial area	24.10.18	62.3	75		
3	Rudhi Basti (N18)	Residential area	15.10.18	48.2	55		
4	Rudhi Basti	Residential area	26.10.18	51.4	55		
5	Murlidih 20/21(N19)	Industrial area	10.10.18	58.4	75		
6	Murlidih 20/21(N19)	Industrial area	25.10.18	59.3	75		
7	Block IV (N6)	Industrial area	04.10.18	58.2	75		
8	Block IV	Industrial area	30.10.18	59.7	75		

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH NOVEMBER, 2018)




Cluster–XII, Bharat Coking Coal limited Month: NOV, 2018 Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone	e: Core	Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	05.11.18	92	53	12	30
2	29.11.18	96	57	11	31
	NAAQ Standard	100	60	80	80



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	16.11.18	112	71	14	32
2	23.11.18	120	76	13	33
	NAAQ Standard	100	60	80	80




I PM 10I PM 2.5II SO2II NOx

Sअन सीनेन , राद्र Analysed By

JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	16.11.18	96	54	13	32
2	30.11.18	98	57	13	31
	NAAQ Standards	100	60	80	80






Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	05.11.18	116	63	13	33
2	28.11.18	121	69	13	32
	NAAQ Standards	100	60	80	80





- All values are expressed in microgram per cubic meter.
- 24 hours duration



Checked By Lab In Charge RI-2, CMPDI, Dhanbad



4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	Name of the Project: Cluster -XII			Month: NOV , 2018			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)		
1	Moonidih UGP (N17)	Industrial area	16.11.18	68.2	75		
2	Moonidih UGP	Industrial area	30.11.18	65.4	75		
3	Rudhi Basti (N18)	Residential area	05.11.18	51.6	55		
4	Rudhi Basti	Residential area	29.11.18	50.3	55		
5	Murlidih 20/21(N19)	Industrial area	05.11.18	52.3	75		
6	Murlidih 20/21(N19)	Industrial area	28.11.18	57.9	75		
7	Block IV (N6)	Industrial area	16.11.18	54	75		
8	Block IV	Industrial area	23.11.18	57.8	75		

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH DECEMBER, 2018)




Cluster–XII, Bharat Coking Coal limited Month: DEC, 2018 Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone	e: Core	Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	07.12.18	94	56	14	35
2	21.12.18	89	51	13	34
	NAAQ Standard	100	60	80	80



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

Station Name: A6, Block IV		Zone: E	Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X	
1	10.12.18	124	74	14	26	
2	18.12.18	118	72	12	32	
	NAAQ Standard	100	60	80	80	




I PM 10I PM 2.5II SO2II NOx

अमर सीमेंग, राद्ध Analysed By

JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.12.18	95	52	10	31
2	27.12.18	91	49	15	36
	NAAQ Standards	100	60	80	80






Station Name: A19 – Murlidih 20/21		Zone:	Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx	
1	05.12.18	112	67	14	29	
2	20.12.18	106	58	<10	27	
	NAAQ Standards	100	60	80	80	





- > All values are expressed in microgram per cubic meter.
- 24 hours duration







4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	Name of the Project: Cluster -XII			Month: DEC , 2018			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)		
1	Moonidih UGP (N17)	Industrial area	14.12.18	61.5	75		
2	Moonidih UGP	Industrial area	27.12.18	61.3	75		
3	Rudhi Basti (N18)	Residential area	07.12.18	52.6	55		
4	Rudhi Basti	Residential area	21.12.18	49.9	55		
5	Murlidih 20/21(N19)	Industrial area	05.12.18	54.3	75		
6	Murlidih 20/21(N19)	Industrial area	20.12.18	56.2	75		
7	Block IV (N6)	Industrial area	10.12.18	54.7	75		
8	Block IV	Industrial area	18.12.18	55.8	75		

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH JANUARY, 2019)




Cluster–XII, Bharat Coking Coal limited Month: JAN, 2019 Year : 2018-19.

Station Name: A18, Rudhi Basti		: A18, Rudhi Basti Zone: Core			Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X	
1	31.12.18	88	52	13	32	
2	23.01.19	84	49	12	30	
	NAAQ Standard	100	60	80	80	



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

Station Name: A6, Block IV		Zone: I	Zone: Buffer		Industrial
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	08.01.19	93	54	13	32
2	29.01.19	91	50	13	30
	NAAQ Standard	100	60	80	80




I PM 10I PM 2.5II SO2II NOx

Sअप सीमेन , राद्र Analysed By

JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.01.19	94	55	12	31
2	24.01.19	92	54	12	30
	NAAQ Standards	100	60	80	80





Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	02.01.19	104	63	12	32
2	22.01.19	97	55	12	31
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration



Checked By Lab In Charge RI-2, CMPDI, Dhanbad



4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Cl	uster -XII		, 2019	
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	14.01.19	67.6	75
2	Moonidih UGP	Industrial area	24.01.19	61.7	75
3	Rudhi Basti (N18)	Residential area	31.12.18	51.6	55
4	Rudhi Basti	Residential area	23.01.19	48.9	55
5	Murlidih 20/21(N19)	Industrial area	02.01.19	54.9	75
6	Murlidih 20/21(N19)	Industrial area	22.01.19	58.2	75
7	Block IV (N6)	Industrial area	08.01.19	53.2	75
8	Block IV	Industrial area	29.01.19	54.6	75

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH FEBRUARY, 2019)




Cluster–XII, Bharat Coking Coal limited Month: FEB, 2019 Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone	e: Core	Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	01.02.19	90	48	11	27
2	21.02.19	88	52	11	29
	NAAQ Standard	100	60	80	80



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

Station Name: A6, Block IV		Zone: E	Zone: Buffer		Industrial
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	14.02.19	95	56	14	30
2	26.02.19	94	55	14	31
	NAAQ Standard	100	60	80	80




I PM 10I PM 2.5II SO2II NOx

Sअप सीमेन , राद्र Analysed By

JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	07.02.19	96	56	12	31
2	22.02.19	96	53	13	33
	NAAQ Standards	100	60	80	80



☑ PM 10	
☑ PM 2.5	
⊞ SO2	
□NOx	

Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	01.02.19	101	65	11	28
2	21.02.19	99	54	13	32
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration



Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Clo	uster -XII	Month: FEB , 2019			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)	
1	Moonidih UGP (N17)	Industrial area	07.02.19	68.2	75	
2	Moonidih UGP	Industrial area	22.02.19	60.8	75	
3	Rudhi Basti (N18)	Residential area	01.02.19	46.2	55	
4	Rudhi Basti	Residential area	21.02.19	46.8	55	
5	Murlidih 20/21(N19)	Industrial area	01.02.19	56.2	75	
6	Murlidih 20/21(N19)	Industrial area	21.02.19	56.7	75	
7	Block IV (N6)	Industrial area	14.02.19	58.4	75	
8	Block IV	Industrial area	26.02.19	57.3	75	

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH MARCH, 2019)




Cluster–XII, Bharat Coking Coal limited Month: MARCH, 2019 Year : 2018-19.

Station Name: A18, Rudhi Basti		tion Name: A18, Rudhi Basti Zone: Core		Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	11.03.19	88	58	11	28
2	19.03.19	83	49	11	29
	NAAQ Standard	100	60	80	80



☑ PM 2.5
SO2
□ NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	08.03.19	97	56	13	33
2	25.03.19	94	52	14	35
	NAAQ Standard	100	60	80	80




I PM 10I PM 2.5II SO2I NOx

S्रामन सीमीन , राजुः Analysed By

JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10 PM 2.5		SO2	NOx
1	08.03.19	94	57	12	32
2	22.03.19	92	52	14	33
	NAAQ Standards		60	80	80






Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.03.19	97	56	14	32
2	28.03.19	92	53	15	34
	NAAQ Standards	100	60	80	80





- All values are expressed in microgram per cubic meter.
- 24 hours duration







4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Clo	uster -XII	Month: MARCH, 2019		
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	08.03.19	66.2	75
2	Moonidih UGP	Industrial area	22.03.19	65.3	75
3	Rudhi Basti (N18)	Residential area	11.03.19	41.3	55
4	Rudhi Basti	Residential area	19.03.19	45.8	55
5	Murlidih 20/21(N19)	Industrial area	14.03.19	52.4	75
6	Murlidih 20/21(N19)	Industrial area	28.03.19	58.3	75
7	Block IV (N6)	Industrial area	08.03.19	57.3	75
8	Block IV	Industrial area	25.03.19	59.1	75

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad