ENVIRONMENTAL CLEARANCE COMPLIANCE OF CLUSTER-XIV (GRANTED VIDE LETTER NO.J-11015/10/2010-IA.II (M) DATED 06.06.2013

(OCTOBER'18 - MARCH'19)

S1. No.	A. Specific Conditions by MOEF:	Compliance
i.	No mining shall be undertaken in/under the forestland until prior forestry clearance has been obtained under the provisions of FC Act 1980. The maximum production in the cluster shall not exceed beyond that for which the provisions of the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that the cluster shall not exceed beyond that for which the cluster shall not exceed beyond that the cluster shall not exceed beyond the cluster shall not exceed the cluster shall not exceed beyond the cluster shall not exceed beyond the cluster shall not exceed the clu	Application for forest clearance was applied on 16.3.2010 to DFO, Dhanbad vide ref. no. WJA/MND/F/10/13 dated 16.3.2010. The initial application was misplaced from the office of DFO Dhanbad. It was further directed to apply again demanding "Jungle- Jhari" report for the whole leasehold area. We applied to get the above report from concerned Circle Officer. After several correspondences, C.O. sent the "Jungle- Jhari report for 3 mouzas out of 14 mauza only, showing unavailability/ tearing off of Khatiyan. After putting up the above report to DFO, Dhanbad, he directed to get the above report for rest of Mouzas from D.C's Office, Dhanbad. D.C's office issued the same for 2 mauzas only showing unavailability/tearing off of Khatiyan. Hence, application for forest clearance was again applied to DFO, Dhanbad vide ref. no. WJA/MND/GM/2013/2529 dt. 22.4.13/28.5.13 including above report. There are two no. of Mouzas namely Kunji and Lohapatti which have forest land under leasehold area of Lohapatti colliery. NOC from above Mouzas are obtained from the village panchayats as per the advice of the DFO. DFO, Dhanbad directed us to apply forest clearance of the same through ON-LINE. So Online registration for the same was done vide Unique Proposal no. FP/JH/MIN/9728/2015.Form 'A' application for the same has been completed, top sheets uploaded and Geo-reference is being done. Correspondences for NPV payment are done with concerned DFO, Dhanbad.
	environmental clearance has been granted for the cluster XIV.	Production from Lohapatti mine is suspended from April 2018. Annexure - I
iii.	The measure identified in the environmental plan for cluster–XIV group	Implementation of Jharia Action Plan is under

	of mine and the condition given in this environmental clearance letter shall be dovetailed to the implementation of Jharia Action Plan.	process.
Iv.	As there is no fire in cluster XIV but the measure should be adopted proponent to control spread of neighboring fire to this cluster XIV. The proponent shall prepare time series maps of Jharia Coal field through NRSA to monitor & prevent fire problems in this Jharia Coalfield by Isothermal mapping / imaging and monitoring temperatures of the coal seam (whether they are closed spontaneous ignition temperatures) and based on which, areas with potential fire problems shall be identified. Measures to prevent ingress of air (ventilation) in such areas, to prevent restart fresh/spread fire in other areas including in mines of cluster - XIV shall be undertaken.	It has been complied. NRSC was engaged for preparation of time series maps to monitor and prevent fire problems of Jharia Coalfield by Isothermal mapping/imaging and monitoring temperatures of the coal seams and NRSC has submitted their final report in January 2018 in which the area of fire has been reduced from 9.00 Km2 to 3.28 km2. NRSC report is enclosed as Annexure II.
V.	Underground mining should be taken up after completion of reclamation of O/C mine area after two years.	Agreed. Lohapatti O/C project yet not started.
vi.	No mining shall be undertaken where underground fires continue. Measure shall be taken to prevent/check such fire including in old OB dump.	At present there is no fire.
vii.	A part of Cluster XIV is under River Damodar. It was clarified that although the mine is underground, there is no coal underneath River Damodar, which would be mined. The Committee desired that the data of bore wells near River Damodar require to be monitored for permeability and seepage of water of River Damodar.	Agreed. There is no coal mining underneath of River Damodar.
viii.	The rejects of washeries in Cluster –XIV should be send to FBC based plant.	There is no washery in cluster XIV, so rejects of washery in cluster XIV cannot be sent to FBC based plant.
ix	There shall be no external OB dumps.OB produce from the whole cluster will be 7.29 Mm³. OB from one patch OCP mine shall be backfilled. At the end of the mining there shall be no void and the entire mined out area shall be re-vegetated. Areas where opencast mining was carried out and completed shall be reclaimed immediately thereafter.	Will be complied. There is no running opencast mine in this cluster XIV at present.

X.	A detailed calendar plan of production with plan for OB dumping and back filling (for open cast mines) and reclamation and final mine closure plan for each mine of cluster XIV shall be drawn up & implemented.	Being implemented. Mine closure plan of Lohapatti mine is approved.
xi.	The void in 5 ha area shall be converted in to a water reservoir of maximum depth of 15-20 mtr in post mining stage and shall be gently sloped and upper benches of the reservoir shall be stabilized with plantation and periphery of the reservoir fenced. The abandoned pits and voids should be backfilled with OB & biologically reclaimed with plantation and or may used for pisciculture.	Will be Complied. As there is no opencast mine in this cluster at present.
xii.	Mining shall be carried out as per statuette from the streams/nalas flowing within the lease and maintaining a safe distance from the Nalas flowing along the lease boundary. A safety barrier of a minimum 60m width shall be maintained along the nalas/water bodies. The small water bodies in OC shall be protected to the extent feasible and the embankment proposed along water body shall be strengthened with stone pitching.	Being Complied. There is no running opencast mine in this cluster at present.
xiii.	Active OB dumps near water body and rivers should be rehandled for back filling abandoned mine voids. However, those which have been biologically reclaimed need not be disturbed.	No active OB dumps in this cluster at present.
xiv.	Thick green belt shall be developed along undisturbed areas, mine boundary and in mine reclamation. During post mining stage, a total of 47.63 ha would be reclaimed and afforested by planting native species in consultation with local DFO/Agriculture deptt. Institutions with the relevant discipline. The density of the trees should be around 2500 plants per ha.	Agreed. Sufficient plantation in required area is done and is also being done. There is no reclaimed land under the leasehold area of cluster XIV and so thick green belt is already developed in adjoining area of cluster XIII (Ecological restoration of 4.2 ha, 1.5 ha 1.8 ha & 0.9 ha area are maintained for the purpose in reclaimed land by planting native species – FRI, Dehradun is doing monitoring of 4.2 ha eco-restoration site).
XV.	The roads should be provided with avenue plantation on both sides as trees act as sink of carbon and other pollutant.	Agreed. Being complied.
xvi.	Specific mitigative measures identified for the Jharia Coalfields in the Environmental Action Plan prepared for Dhanbad as a	Implemented. Environmental action plan is maintained for the purpose.

	critically polluted are and relevant for Cluster- XIV shall be implemented.	
xvii.	The locations of monitoring stations in the Jharia Coalfields should be finalized in consultation with the Jharkhand State Pollution Control Board. The Committee stated that smoke/dust emission vary from source to source (fuel wood, coal, flyash from TPPs, silica from natural dust, etc.) and a Source Apportionment Study should be got carried out for the entire Jharia Coalfields. Mineralogical composition study should be undertaken on the composition of the suspended particulate matter (PM10 and PM2.5) in Jharia Coalfields and also quantified. These studies would help ascertain source and extent of the air pollution, based on which appropriate mitigative measures could be taken.	It is being complied. Establishment of ambient environment quality monitoring stations has been finalized with the consultation of Jharkhand State Pollution Control Board. NEERI Nagpur was approached for conducting Source Apportionment Study BCCL for compliance of EC conditions. The proposal regarding Conducting the Source Apportionment Study has been submitted by NEERI. Work Order had already been issued to NEERI Nagpur on 12.05.2018. And work has been started in September 2018. Field data collection is scheduled in Summer 2019.
xviii.	No ground water shall be used for mining activities. Additional water required, if any, shall be met from mine water or by recycling / reused of the water from the existing activities and from rain water harvesting measures. The project authority shall meet water requirement of nearby village(s) in case the village wells go dry to dewatering of mine.	Already being done water supplied to Kandra and Bhurungia village and all other adjoining villages. There are 8 no. of ponds maintained for the purpose within leasehold area of Cluster XIV.
xix.	Regular monitoring of groundwater level and quality of the study area shall be carried out by establishing a network of existing wells and construction of new peizometers. The monitoring for quantity shall be done four times a year in premonsoon (May), monsoon (August), postmonsoon (November) and winter (January) seasons and for quality including Arsenic and Fluoride during the month of May. Data thus collected shall be submitted to the Ministry of Environment & Forest and to the Central Pollution Control Board/SPCB quarterly within one month of monitoring. Rainwater harvesting measures shall be undertaken in case monitoring of water table indicates a declining trend.	It is being complied. CMPDI RI-II has prepared a report for Location and design of Piezometers. Ground water monitoring has been done.

XX.	Mine discharge water shall be treated to meet standards prescribed standards before discharge into natural water courses/agriculture. The quality of the water discharged shall be monitored at the outlet points and proper records maintained thereof and uploaded regularly on the company website.	Being complied. Monitoring work being done by CMPDI. Records maintained for the purpose.
xxi.	ETP shall also be provided for workshop, and CHP, if any. Effluents shall be treated to confirm to prescribe standards in case discharge into the natural water course.	There is no effluent discharge into natural water course. However there is arrangement for treatment of effluent discharge to prescribed standards. There is neither Open Cast mine running nor CHP nor such workshop in this cluster at present.
xxii.	Regular monitoring of subsidence movement on the surface over and around the working area and impact natural drainage pattern, water bodies, vegetation, structure, roads and surroundings shall be continued till movement ceases completely. In case observation of any high rate of subsidence movement, appropriate effective corrective measure shall be taken to avoid loss of life and material. Cracks shall be effectively plugged with ballast and clayey soil /suitable material.	At present there is no active depillaring operation in the underground workings of ClusterXIV. There is no chance of active subsidence at present. However subsidence monitoring is being done.
xxiii.	Sufficient coal pillars shall be left un extracted around the air shaft (within subsidence influence area) to protect from any damage from subsidence, if any.	Already complied as per DGMS provisions.
xxiv.	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Plantation in required area is done and is also being done. There is no active subsidence at present.
Xxv.	Depression due to subsidence resulting in water accumulating within low lying areas shall be filled up or drained out by cutting drains.	At present there is no active depillaring operation in the underground workings of Cluster XIV. There is no active subsidence at present. However subsidence monitoring is being done.
Xxvi.	Solid barriers shall be left below the roads falling within the blocks to avoid any damage to the road.	Already complied as per DGMS's statutory provisions.
xxvii.	No depillaring operation shall be carried out below the township/colony.	At present there is no active depillaring operation in the underground workings of Cluster XIV.
xxviii.	The transportation plan for conveyor – cum – rail for cluster XIV should be dovetailed with Jharia Action Plan. Road transportation of coal during phase I should be by mechanically covered trucks, which should be introduced at the earliest.	Presently no Coal Transportation from cluster-XIV mines as there is NIL Production.

	The plan for conveyor – cum – rail for cluster XIV should be dovetailed with Jharia Action Plan. The road transportation of coal during phase I should be by mechanically covered trucks.	
xxix.	A study should be initiated to analyze extent of reduction in pollution load every year by reducing road transport.	Production from Lohapatti mine is suspended from April 2018. Therefore there is no transportation of coal from Lohapatti mine.
XXX.	R & R of 713 nos. of PAF's involved. They should be rehabilitated at cost of Rs. 5035.38 lacs as per the approved Jharia Action Plan.	PAF's involved is being rehabilitated as per cost specified as per Jharia Action Plan.

Xxxi.	Details of transportation, CSR, R&R and implementation of environmental action plan for each of the 17 clusters should be brought out in a booklet for and submitted to Ministry.	Will be Complied.
Xxxii.	A detailed CSR action plan shall be prepared for cluster XIV group of mines. Specific activities shall be identified for CSR of Rs. 20.25 / annum @of Rs.5/ton of coal production as recurring expenditure. The area within the cluster XIV ML that would be existing waste land and not being acquired shall be put to productive use under CSR and developed with fruit bearing and other useful species for the local communities. Third party evaluation shall be got carried out regularly for the proper implementation of activities under taken in the project area under CSR. Issue raised in the public hearing should also be integrated with activities being taken up under CSR. The details of CSR undertaken along with budgetary provisions for the village wise various activities and the expenditure thereon shall be uploaded on the company website every year. The company must give priority to capacity building both within the company and to the local youth, who are motivated to carry out the work in future.	Agreed. Being complied

rand For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project until end of mine life shall be prepared once in 3 years (for any one particular season which is consistent in the time series), and the report submitted to MoEF and its Regional office at Bhubaneswar.

Time series map of vegetation cover in the Jharia Coal field has been carried out through CMPDI in the year 2014 and 2017(which is enclosed as Annexure- III)

A Final Mine Closure Plan along with details of Corpus Fund shall be submitted to the Ministry of Environment & Forests five year before mine closure for approval. Habitat Restoration Plan of the mine area shall be carried out using a mix of native species found in the original ecosystem, which were conserved in-situ and ex-situ in an identified area within the lease for reintroduction in the mine during mine reclamation and at the post mining stage for habitat restoration.

XXXV.

Mine closure plan has already been approved.

A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the head of Company for implementing environment policy and socio – economic issues and the capacity building required in this regard.

A full-fledged Environment Department, headed by a HoD (Environment) along with a suitable qualified multidisciplinary team of executives which includes Environment, Mining, Excavation has been established in Headquarters. They are also trained in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, one executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/ Laws including environment protection measures .The activities are monitored on regular basis at Area and at Headquarters levels. GM (Environment) at head quarter level, co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of company. The team the multidisciplinary and very much motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and operating level is being done.

xxxvi.	Implementation of final mine closure plan for cluster XIV, subject to obtaining prior approval of the DGMS in regard to mines safety issues.	Mine closure plan has been approved. Will be implemented.
xxxvii.	Corporate Environment Responsibility:	Annexure- IV
a)	The Company shall have a well laid down Environment Policy approved by the Board of Directors.	Agreed
b)	The Environment Policy shall prescribe for standard operating process/procedures to bring into focus any infringements/deviation/violation of the environmental or forest norms/conditions.	Complied
c)	The hierarchical system or Administrative Order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished.	Complied
d)	To have proper checks and balances, the company shall have a well laid down system of reporting of noncompliances/violations of environmental norms to the Board of Directors of the company and/or shareholders or stakeholders at large.	Complied
S1. No.	B. General Conditions Conditions by MOEF:	Compliance
i.	No change in mining technology and scope of working shall be made without prior approval of the Ministry of Environment	Being Complied

	and Forests.	
ii.	No change in the calendar plan of production for quantum of mineral coal shall be made. Four ambient air quality monitoring	Being Complied The locations of monitoring stations in the Jharia
iii.	stations shall be established in the core zone as well as in the buffer zone for PM10, PM 2.5, SO ₂ and NO _x monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc carried out at least once in six months.	Coalfields has been finalized in consultation with the Jharkhand State Pollution Control Board. The work of monitoring of ambient environment is being done through CMPDIL which is having laboratory under EP rule. Records for the same are maintained. Annexure - V
iv.	Data on ambient air quality (PM10, PM 2.5, SO ₂ and NO _x) and heavy metals such as Hg,As,Ni,Cd,Cr and other monitoring data shall be regularly submitted to the Ministry including its Regional Office at Bhubaneswar and to the State Pollution Control Board and the Central Pollution Control Board once in six months. Random verification of samples through analysis from independent laboratories recognized under the EPA rules, 1986 shall be furnished as part of compliance report.	Being complied. Monitoring for the same is done by CMPDIL.
v.	Adequate measures shall be taken for control of noise levels below 85 dBA in the work environment. Workers engaged in blasting and drilling operations, operation of HEMM, etc shall be provided with ear plugs/muffs.	Being complied No opencast projects at present in Cluster XIV.
vi.	Industrial wastewater (workshop and wastewater from the mine) shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May 1993 and 31st December 1993 or as amended from time to time before discharge. Oil and grease trap shall be installed before discharge of workshop effluents.	The work of monitoring of ambient environment done through CMPDIL which is having laboratory under EP rule. There is neither Open Cast mine running nor CHP nor such workshop from where effluent discharge is found. Very small quantity of burnt oil is generated which is used to lubricate the machines.
vii.	Vehicular emissions shall be kept under control and regularly monitored. Vehicles	

	used for transporting the mineral shall be covered with tarpaulins and optimally loaded.	Already Complied.
viii.	Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analysed through a laboratory recognised under EPA Rules, Monitoring of environmental quality parameters shall be carried out through establishment of adequate number and type of pollution monitoring and analysis equipment in consultation with the State Pollution Control Board and data got analyzed through a laboratory recognized under EPA Rules, 1986.	It is complied. Montoring for the same is being done by CMPDI which is having laboratory under EP rule. Annexure-V
ix.	Personnel working in dusty areas shall wear protective respiratory devices and they shall also be provided with adequate training and information on safety and health aspects.	Being Complied. Vocational training Centers under separate Human Resource Development Deptt. is conducting regular training programme on these issues. Annexure - VI
х.	Occupational health surveillance programme of the workers shall be undertaken periodically to observe any contractions due to exposure to dust and to take corrective measures, if needed and records maintained thereof. The quality of environment due to outsourcing and the health and safety issues of the outsourced manpower should be addressed by the company while outsourcing.	Initial Medical Examination (IME) and Periodical Medical Examination (PME) of all the personnel are carried out as per the Statutes and Director General of Mines Safety (DGMS) `s guideline.
xi.	A separate environmental management cell with suitable qualified personnel shall be set up under the control of a Senior Executive, who will report directly to the Head of the company.	A full-fledged Environment Department, headed by a HoD (Environment) along with a suitable qualified multidisciplinary team of executives which includes Environment, Mining & Excavation has been established in Headquarters. They are also trained in ecological restoration, sustainable development, rainwater harvesting methods etc. At the project level, One executive in each area has also been nominated as Project Nodal Officer (Environment) and is also entrusted with the responsibility of compliance and observance of the environmental Acts/ Laws including environment protection measures .The activities are monitored on regular basis at Area and at Head quarters levels. GM (Environment) at head quarter level,

xii.	The funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to this Ministry and its Regional Office at Bhubaneswar.	co-ordinates with all the Areas and reports to the Director (Technical) and in turn he reports to the CMD of the company. The team is multidisciplinary and very much motivated under the guidance of company's Director (Technical) and CMD. Further capacity building at both corporate and operating level is being done. It is being initiated to comply the same. Agreed to report the same.
xiii.	The Project authorities shall advertise at least in two local newspapers widely circulated around the project, one of which shall be in the vernacular language of the locality concerned within seven days of the clearance letter informing that the project has been accorded environmental clearance and a copy of the clearance letter is available with the State Pollution control Board and may also be seen at the website of the ministry of Environment & Forests at www.envfor.nic.in.http://envfor.nic.in.	It has been complied.
xiv.	A copy of the environmental clearance letter shall be marked to concern Panchayat/Zila Parishad, Municipal Corporation or Urban local body and local NGO, if any, from whom any suggestion/representation has been received while processing the proposal. A copy of the clearance letter shall also be displayed on company's website.	Complied.
XV.	A copy of the environmental clearance letter shall be shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industry Sector and Collector's Office/Tehsildar's Office for 30 days.	Complied.

xvi.	The clearance letter shall be uploaded on the company's website. The compliance status of the stipulated environmental clearance conditions shall also be uploaded by the project authorities on their website and updated at least once every six months so as to bring the same in public domain. The monitoring data of environmental quality parameter (air, water, noise and soil) and critical pollutant. such as PM10, PM2.5, SO 2 and NOx (ambient) and critical sectorial parameters shall also be displayed at the entrance of the project premises and mine office and in corporate office and on company's website.	Complied.
xvii.	The project proponent shall submit six monthly compliance reports on status of compliance of the stipulated environmental clearance conditions (both in hard copy and in e-mail) to the respective Regional Office of the Ministry, respective Zonal Office s of CPCB and the SPCB.	Being complied.
xviii.	The Regional Office of this Ministry located at Bhubaneswar shall monitor compliance of the stipulated conditions. The Project authorities shall extend full cooperation to the office(s) of the Regional Office by furnishing the requisite data/information/monitoring reports.	Agreed .It is being and shall be complied.
xix	The Environmental statement for each financial year ending 31 st March – Form – V is mandated to be submitted by the Project proponent for the concerned State Pollution Control Board as prescribed under the Environmental (Protection) Rules, 1986 as amended subsequently, shall also be uploaded on the company's website along with the status of compliances of EC conditions and shall be sent to the respective Regional Officers of the MOEF by e-mail.	Already complied
8	The Ministry or any other competent authority may stipulate any further condition for environmental protection.	Agreed
9	Failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract the provisions of the Environment	Agreed

10	(Protection) Act, 1986. The above conditions will be enforced inter-alia, under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and the Public Liability Insurance Act, 1991 along with	Agreed
	their amendments and Rules. The proponent shall ensure to undertake and provide for the costs incurred for taking up remedial measures in case of soil contamination, contamination of groundwater and surface water, and occupational and other diseases due to the mining operations.	
11	The Environmental Clearance is subject to the outcome of the Writ Petition filed by M/S Bharat Coking Coal Limited (BCCL) in response to the closure orders issued by the Jharkhand State Pollution Control Board which is pending in the Jharkhand High Court.	Agreed

Project officer field patti colliery lyighuda Group Office B.C.L

ANNEXURE- I

A. Production from Oct'18 to March'19 of Cluster XIV mines

Month		Oct'18	Nov'18	Dec'18	Jan'19	Feb'19	March'19	Total (tonne)		
Cluster XIV	Lohapatti UG Mine Lohapatti OC Mine	0	0	0 Ni	0 0 Nil		0 0			
	Total (in tonne)									
	Production is closed from April'18 from Lohapatti UG Mine.									

ANNEXURE- II

भारत कोर्किंग कोल लिमिटेड एक मिनीरत्न कंपनी (कोल इंडिया लिमिटेड का एक अंग) पंजीकृत कार्यालय कोयला भवन ,कोयला नगर,

(धनबाद)झारखंड 826005(CIN:U10101JH1972GOI000918 Tele: 0326 2230174 FAX: 0326

2230176

इमेल :cgmsafety@bccl.gov.in



Bharat Coking Coal Limited A Miniratna Company (A subsidiary of Coal India Ltd) Office of GM I/C(S&R) Koyla Bhawan, Koyla Nagar, Dhanbad, Jharkhand-826005 CIN:U10101JH1972GOI000918 Tele: 0326 2230174 FAX: 0326

2230176 Email: cgmsafety@bccl.gov.in

पत्र संख्या भाकोकोलि/उप महाप्रबंधक(एस&आर)।/C/संचिका-MP/17 323

दिनांक-: 07.04.2017

To. Dr, Vinod Kumar. Group Head, Geosciences group National Remote Sensing Center India Space Research Organization Dept of Space, Govt of India, Balanagar, Hyderabad - 500037

Sub:- Work -Order for "Delineation of Surface Coal Fire and associated Land Subsidence in Jharia Coalfield, Jharkhand using satellite based remote - sensing techniques"

Dear Sir.

Consequent upon competent approval of proposal on aforesaid subject and subsequent signing o MOU between BCCL and NRSC, the aforesaid work is awarded to NRSC for Rs.18,10500/- (Eighteen lac ten thousand five hundred) only, against 100% payment in advance subject to terms and conditions listed in MOU. As per agreed payment terms and Demand Note No. 07/2016-17,

You are therefore requested to initiate all necessary activities for commencing the subject work as early as possible.

Thanking you,

General Manager I/C (S&

Yours whfully


Cc to :

1. Director (T) P&P, BCCL- for kind information.

2. TS to CMD, BCCL - for kind information.

3. Sri Mithilesh Kumar, Sr.Mgr.(M), Safety.Deptt., KoylaBhawan

Land Restoration / Reclamation Monitoring of Clusters of (Opencast + Underground) Coal Mines of Bharat Coking Coal Limited based on Satellite Data for the Year 2018



Submitted to **Bharat Coking Coal Limited**



Land Restoration / Reclamation Monitoring of Clusters of (Opencast + Underground) Coal Mines of Bharat Coking Coal Limited based on Satellite Data for the Year 2018

March-2019



Remote Sensing Cell Geomatics Division CMPDI, Ranchi

i

CONTENTS

Executive Summary	iii
1. Background	1
2. Objective	2
3. Methodology	2
4. Land Reclamation Status in Bharat Coking Coal Ltd	6
List of Tables	
Table 1 Cluster wise Land Reclamation Status	v
Table 2 Area Statistics of Land Use Classes in Clusters	7
List of Figures	
Fig. 1 Cluster wise Land Reclamation Status-2018 (BCCL)	vi
Fig. 2 Methodology of Land Reclamation Monitoring	3
Fig. 3 Land Reclamation status of Cluster I	12
Fig. 4 Land Reclamation status of Cluster IV	
Fig. 5 Land Reclamation status of Cluster VII	
Fig. 6 Land Reclamation status of Cluster X	13
List of Plates	
Plate 1 Land Use Map of Cluster I	8
Plate 2 Land Use Map of Cluster IV	
Plate 3 Land Use Map of Cluster VII	10
Plate 4 Land Use Map of Cluster X	11
List of Photographs	
Photo 1 Ecological Restoration Site, Damoda Colliery, Cluster I	14
Photo 2 Ecological Restoration Site in Cluster IV	14
Photo 3 Ecological Restoration Site in Cluster VII	15
Photo 4 Plantation on OB in Cluster X	15

Executive Summary

1. Project

Land restoration / reclamation monitoring of clusters of (Opencast + Underground) coal mines of Bharat Coking Coal Ltd. (BCCL), based on satellite data, on every three year basis.

2. Objective

Objective of the land restoration / reclamation monitoring is to assess the area of backfilled, plantation, social forestry, active mining area, water bodies, and distribution of wasteland, agricultural land and forest in the leasehold area of the project. This will help in assessing the progressive status of mined land reclamation and to take up remedial measures, if any, required for environmental protection.

3. Salient Findings

- Four Clusters viz. I, IV, VII, X were selected in 2018-19 for land reclamation/restoration monitoring. These clusters consist of mainly opencast mines.
- Out of the total leasehold area of 5883.96 Ha., total mined out area is only 1075.76 Ha., belonging to the OC mines.
- It is evident from the analysis that 58.11% of excavated area is under technical reclamation and 35.02% of the excavated area is under active mining. Cluster wise details are given in Table-1 & Fig-1.
- 13.61% of total leasehold area has come under plantation (% green cover)
- Study reveals that out of total mine leasehold area of 5883.96 Ha. of the above mentioned 04 nos. clusters of BCCL taken up for the land reclamation monitoring during the year 2018-19; total excavated area is 1075.76 Ha. (18.28%) out of which 73.92 Ha. (6.87%) has been planted (Biologically Reclaimed), 625.15 Ha. (58.11%) is under backfilling (Technical Reclamation) and

balance 376.69 Ha. (35.02%) is under active mining

- This report and the findings will act as the basis for further monitoring and reclamation related activities.
- Out of the four clusters of BCCL, maximum land reclamation has been done in Cluster VII (76.09%) followed by Cluster X (71.00%).

Table 1

Land Reclamation Status in Clusters of (Underground + Opencast) Projects of BCCL based on Satellite Data of the Year 2018

	(Area in Hectare)									
CI	Cluster No.	Total Leasehold Area		Biological Reclamation	Area under	Total	Total Area under	Total Area		
Sl. No.				Plantation on Excavated / Backfilled	Plantation on External Over	Social Forestry, Avanue	Active Mining	Excavated Area	Plantation (% Green	under Reclamatio n
				Area	Burden Dumps	Plantation Etc.			Cover	**
1	2	3	4	5	6	7	8	9 (=4+5+8)	10 (=5+6+7)	11(=4+5)
1	Cluster I	575.00	10.11	7.29	47.99	25.53	28.39	45.78	80.80	17.40
			22.08%	15.91%			62.00%		14.05%	38.00%
2	Cluster IV	1123.79	147.22	0.00	27.11	165.09	166.67	313.88	192.20	147.22
			46.90%	0.00%			53.10%		17.10%	46.90%
3	Cluster VII	2127.70	351.54	37.47	15.52	238.67	122.23	511.24	291.67	389.01
			68.76%	7.33%			23.91%		13.71%	76.09%
4	Cluster X	2057.47	116.28	29.16	66.09	140.75	59.41	204.86	236.00	145.44
			56.76%	14.23%			29.00%		11.47%	71.00%
	TOTAL	5883.96	625.15	73.92	156.71	570.04	376.69	1075.76	800.66	699.07
			58.11%	6.87%			35.02%	18.28%	13.61%	64.98%
(% is calculated with respect to Excavated Area as applicable)										

Note: In reference of the above Table, different parameters are classified as follows:

- 1. Area under Biological Reclamation includes Areas under Plantation done on Backfilled Area Only.
- 2. Area under Technical Reclamation includes Area under Barren Backfilling only
- 3. Area under Active Mining Includes Coal Quarry, Advance Quarry Site and Quarry filled with water etc., if any.
- 4. Social Forestry and Plantation on External OB Dumps are not included in Biological Reclamation and are put under separate categories as shown in the above Table.
- 5. (%) calculated in the above Table is in respect to Total Excavated Area except for ""Total Area under Plantation" where % is in terms of "Leasehold Area".




Fig. 1: Cluster wise Land Reclamation Status-2018 (BCCL)

Job No 561410027/(BCCL) vi

1. Background

- 1.1 Land is the most important natural resource which embodies soil, water, flora, fauna and total ecosystem. All human activities are based on the land which is the scarcest natural resource in our country. Mining is a site specific industry and it could not be shifted anywhere else from the location where mineral occurs. It is a fact that surface mining activities do affect the land environment due to ground breaking. Therefore, there is an urgent need to reclaim and restore the mined out land for its productive use for sustainable development of mining. This will not only mitigate environmental degradation, but would also help in creating a more congenial environment for land acquisition by coal companies in future.
- 1.2 Keeping above in view, Coal India Ltd. (CIL) issued a work order vide letter no. CIL/WBP/ENV/2017/DP/8391 dated 22.06.2017 to Central Mine Planning & Design Institute (CMPDI), Ranchi, for monitoring of clusters with coal mines (both underground and open cast projects) having less than 5 million m³ per annum capacity (Coal +OB) at an interval of three years based on remote sensing satellite data for sustainable development of mining. Earlier, CMPDI used to carry out land reclamation monitoring for individual projects of less than 5 million capacity, but from 2018 the same will be carried out cluster wise for mines of ECL & BCCL. For operational reasons and convenience, underground and opencast mines (often with multiple overlapping seams), have now been clustered together. The result of land reclamation status of all such mines are hosted on the website of CIL, (www.coalindia.in), CMPDI (www.cmpdi.co.in) and the concerned coal companies in public domain. Detailed report is submitted to Coal India and respective subsidiaries.

- 1.3 Land reclamation monitoring of all cluster coal mining projects would also comply the statutory requirements of Ministry of Environment & Forest (MoEF). Such monitoring would not only facilitate in taking timely mitigation measures against environmental degradation, but would also enable coal companies to utilize the reclaimed land for larger socio-economic benefits in a planned way.
- 1.4 Present report is embodying the finding of the study based on satellite data of the year 2018 carried out for four clusters of mines comprising both underground and OC projects for Bharat Coking Coal Ltd.

2. Objective

Objective of the land reclamation/restoration monitoring is to assess the area of backfilled, plantation, OB dumps, social forestry, active mining area, settlements and water bodies, distribution of wasteland, agricultural land and forest land in the leasehold area of the project. This is an important step taken up for assessing the progressive status of mined land reclamation and for taking up remedial measures, if any, required for environmental protection.

3. Methodology

There are number of steps involved between raw satellite data procurement and preparation of final map. National Remote Sensing Centre (NRSC) Hyderabad, being the nodal agency for satellite data supply in India, provides only raw digital satellite data, which needs further digital image processing for extracting the information and map preparation before uploading the same in the website. Methodology for land reclamation monitoring is given in fig 2. Following steps are involved in land reclamation /restoration monitoring:




Fig. 2: Methodology of Land Reclamation Monitoring

- 3.1 Data Procurement: After browsing the data quality and date of pass on internet, supply order for data is placed to NRSC. Secondary data like leasehold boundary, toposheet are procured for creation of vector database.
- **3.2 Satellite Data Processing:** Satellite data are processed using ERDAS IMAGINE digital image processing s/w. Methodology involves the following major steps:
 - Rectification & Geo-referencing: Inaccuracies in digital imagery may occur due to 'systematic errors' attributed to earth curvature and rotation as well as 'non-systematic errors' attributed to satellite receiving station itself. Raw digital images contain geometric distortions, which make them

unusable as maps. Therefore, geo-referencing is required for correction of image data using ground control points (GCP) to make it compatible to Sol toposheet.

Image enhancement:

To improve the interpretability of the raw data, image enhancement is necessary. Local operations modify the value of each pixel based on brightness value of neighbouring pixels using ERDAS IMAGINE 14.0 s/w. and enhance the image quality for interpretation.

Training set selection

Training set requires to be selected, so that software can classify the image data accurately. The image data are analysed based on the interpretation keys. These keys are evolved from certain fundamental image-elements such as tone/colour, size, shape, texture, pattern, location, association and shadow. Based on the image-elements and other geo-technical elements like land form, drainage pattern and physiography; training sets were selected/identified for each land use/cover class. Field survey was carried out by taking selective traverses in order to collect the ground information (or reference data) so that training sets are selected accurately in the image. This was intended to serve as an aid for classification.

Classification and Accuracy assessment

Image classification is carried out using the maximum likelihood algorithm. The classification proceeds through the following steps: (a) calculation of statistics [i.e. signature generation] for the identified training areas, and (b) the decision boundary of maximum probability based on the mean vector, variance, covariance and correlation matrix of the pixels. After evaluating the statistical parameters of the training sets, reliability test of training sets is conducted by measuring the statistical separation between

the classes that resulted from computing divergence matrix. The overall accuracy of the classification was finally assessed with reference to ground truth data.

Area calculation

The area of each land use class in the leasehold is determined using ERDAS IMAGINE v. 14.0 s/w.

Overlay of Vector data base

Vector data base is created based on secondary data. Vector layer like drainage, railway line, leasehold boundary, forest boundary etc. are superimposed on the image as vector layer in the Arc GIS database.

Pre-field map preparation

Pre-field map is prepared for validation of the classification result

3.3 Ground Truthing:

Selective ground verification of the land use classes are carried out in the field and necessary corrections if required, are incorporated before map finalization.

3.4 Land reclamation database on GIS:

Land reclamation database is created on GIS platform to identify the temporal changes identified from satellite data of different cut - of dates.


4. Land Reclamation Status in Bharat Coking Coal Ltd.

- 4.1 In BCCL, a total of twelve clusters of mines are selected for land reclamation monitoring. Following four clusters of mines comprising both underground and OC projects of Bharat Coking Coal Ltd. have been taken up for land reclamation monitoring in 2018.
 - Cluster I (Damoda OCP)
 - Cluster IV (Salanpur Colliery, Katras Choitudih Colliery, Gaslitand Colliery, Amalgamated Keshalpur West Mudidih Colliery, Angarpathra Colliery & Ramkanali Colliery)
 - Cluster VII (Amalgamated East Bhuggatdih Simlabahal Colliery, Ena OC, Vishwakarma OCP, Kustore OCP)
 - Cluster X (Bhowrah North, Bhowrah South, Patherdih)
 - **4.2** All the four above clusters, have been mapped during the year 2018 for assessing the progress of land reclamation.
 - 4.3 Area statistics of different land use classes present in OC projects till the year 2018 is given in Table 2. Land use maps derived from the satellite data are given in Plate nos.1, 2, 3 & 4. The land use status are shown in Fig. 3, 4, 5 & 6.
 - 4.4 Study reveals that majority of the mines under the clusters considered for monitoring are of opencast type. 35.02% of excavated area is under active mining in the opencast mines. 58.11% of the excavated area have come under technical reclamation till 2018


Table 2
Status of Land Use/Reclamation Status in Clusters of (OC + Underground) mines of Bharat Coking Coal Limited based on Satellite Data of the year 2018


(Area in Hectare)

		CLUS	TER I	CLUST	ER IV	CLUST	ER VII	CLUS'	TER X	TOT	AL
STS		Area	%	Area	%	Area	%	Area	%	Area	%
	Dense Forest	5.36	0.93	0.00	0.00	0.00	0.00	0.00	0.00	5.36	0.09
FORESTS	Open Forest	29.81	5.18	0.00	0.00	0.00	0.00	180.80	8.79	210.61	3.58
	Total Forest	35.17	6.12	0.00	0.00	0.00	0.00	180.80	8.79	215.97	3.67
SCRUBS	Scrubs	194.77	33.87	154.53	13.75	618.49	29.07	559.57	27.20	1527.35	25.96
	Social Forestry/Avenue Plantation	25.53	4.44	165.09	14.69	238.67	11.22	140.75	6.84	570.04	9.69
ATION	Plantation on OB Dump	47.99	8.35	27.11	2.41	15.52	0.73	66.09	3.21	156.71	2.66
PLANTATION	Plantation on Backfill (Biological Reclamation)	7.29	1.27	0.00	0.00	37.47	1.76	29.16	1.42	73.92	1.26
	Total Plantation	80.80	14.05	192.20	17.10	291.67	13.71	236.00	11.47	800.66	13.61
	Total Vegetation	310.75	54.04	346.73	30.85	910.15	42.78	976.37	47.45	2543.99	43.24
	Coal Dump	5.26	0.91	20.40	1.82	16.03	0.75	2.84	0.14	44.53	0.76
NG	Coal Quarry	8.79	1.53	158.87	14.14	119.18	5.60	46.10	2.24	332.94	5.66
ACTIVE MINING	Advance Quarry Site	3.24	0.56	0.00	0.00	0.00	0.00	0.00	0.00	3.24	0.06
AC	Quarry Filled With Water		2.84	7.80	0.69	3.05	0.14	13.31	0.65	40.52	0.69
	Total Area under Active Mining		4.93	166.67	14.83	122.23	5.74	59.41	2.89	376.69	6.40
	Barren OB Dump	20.58	3.58	154.32	13.73	75.79	3.56	89.57	4.35	340.25	5.78
RECLAIMED	Area Under Backfilling (Technical Reclamation)	10.11	1.76	147.22	13.10	351.54	16.52	116.28	5.65	625.15	10.62
RECL	Total Area under Technical Reclamation	10.11	1.76	147.22	13.10	351.54	16.52	116.28	5.65	625.15	10.62
	Total Area under Mine Operation		11.19	488.60	43.48	565.59	26.58	268.10	13.03	1386.62	23.57
LAND	Waste Lands	69.03	12.00	51.99	4.63	162.76	7.65	153.62	7.47	437.40	7.43
WASTELAND	Fly Ash Pond / Sand Body	9.94	1.73	0.00	0.00	0.00	0.00	44.69	2.17	54.63	0.93
នួ	Total Wasteland	78.97	13.73	51.99	4.63	162.76	7.65	198.30	9.64	492.02	8.36
WATERBODIES	Reservoir, nallah, ponds		2.51	14.84	1.32	18.39	0.86	194.65	9.46	242.30	4.12
WA.	Total Waterbodies		2.51	14.84	1.32	18.39	0.86	194.65	9.46	242.30	4.12
JRE	Crop Lands	3.52	0.61	3.45	0.31	37.65	1.77	18.29	0.89	62.91	1.07
AGRICULTURE	Fallow Lands	79.43	13.81	34.97	3.11	20.73	0.97	91.05	4.43	226.18	3.84
AG	Total Agriculture		14.43	38.42	3.42	58.37	2.74	109.35	5.31	289.09	4.91
	Urban Settlement	7.17	1.25	160.59	14.29	380.73	17.89	228.39	11.10	776.88	13.20
ETTLEMENTS	Rural Settlement	13.83	2.41	22.63	2.01	9.93	0.47	57.90	2.81	104.29	1.77
SETTLE	Industrial Settlement	2.58	0.45	0.00	0.00	21.79	1.02	24.42	1.19	48.80	0.83
	Total Settlement	23.58	4.10	183.21	16.30	412.45	19.38	310.71	15.10	929.96	15.80
	Grand Total	575.00	100.00	1123.79	100.00	2127.70	100.00	2057.47	100.00	5883.96	100.00




Job No 561410027/(BCCL) 8





Job No 561410027/(BCCL) 10



Job No 561410027/(BCCL) 11




Fig. 3: Land Reclamation status of Cluster I




Fig. 4: Land Reclamation status of Cluster IV




Fig. 5: Land Reclamation status of Cluster VII




Fig. 6: Land Reclamation status of Cluster X



Photo 1: Ecological Restoration Site, Damoda Colliery, Cluster I






Photo 3: Ecological Restoration Site in Cluster VII





Central Mine Planning & Design Institute Ltd.

(A Subsidiary of Coal India Ltd.)

Gondwana Place, Kanke Road, Ranchi 834031, Jharkhand Phone: (+91) 651 2230001, 2230002, 2230483, FAX (+91) 651 2231447, 2231851

 $Website: \underline{www.cmpdi.co.in}, Email: cmpdihq@cmpdi.co.in\\$



CORPORATE ENVIRONMENTAL POLICY

Bharat Coking Coal Limited (BCCL), a subsidiary of Coal India Limited, is a Public Sector Undertaking engaged in mining of coal and allied activities. It is the only producer of Prime Coking Coal in India. BCCL was incorporated in 1972 to operate coking coal mines operating in the Jharia and Raniganj Coalfields. Currently, the Company operates 66 coal mines and 8 Coal Washeries.

Our mission is to produce the planned quantity of coal efficiently and economically with due regard to safety, conservation and quality. BCCL affirms its commitment for environment friendly mining with right mitigation of pollution, reclamation of the degraded land, preservation of biodiversity and proper disposal of waste following the best environmental practices including judicious use of the non-renewable energy on the path of continual improvement. Towards this commitment, BCCL shall endeavor to:

- Conduct mining and associated operations in an environmentally responsible manner to comply with applicable laws and other requirements related to environmental aspects.
- Design projects with due consideration of Sustainable Development by integrating sound environmental management practices in all our activities.
- Prevent pollution of surrounding habitation by continuous monitoring and adopting suitable measures for environment protection.
- Ensure compliance of all applicable Environmental and Forest Clearance conditions and other statutory conditions issued by regulatory agencies.
- Implement the Environmental Management Plans in all our mines effectively to mitigate pollutions on air, water and noise; proper disposal of wastes and reclamation and ecological restoration of degraded land; and by also dovetailing the Jharia action/ Master Plan for dealing with Fires, Subsidence and Rehabilitation of affected people with the Environmental Management Plans under the Cluster Concept.
- Strive to conserve Bio-Diversity through Ecological restoration methods.
- Conserve natural resources through recycling of wastes on the principle of Reduce, Recycle and Reuse. Put special thrusts on efficient energy utilization as a measure to reduce carbon foot-print.
- Strive for continual improvement in our environmental performances by setting targets, measuring progress and taking corrective action.
- Create environmental awareness among the employees and the local communities through pro-active communication and training and encourage our business associates to adopt similar approach for environmental protection.

Place: Dhanbad Date: 25.5.12 Chairman-cum-Managing Director

Cheirman-cum-Mg. Director BHARAT COKING COAL LIMITED Royla Shawan, Dhanbad-826 005

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XIV

(FOR THE MONTH OCTOBER, 2018)




Cluster – XIV, Bharat Coking Coal Ltd Month: OCT ,2018 Year : 2018-19.

Station Name: A20, Lohapatti		Zone: Core		Category: Industrial	
SI. No.	SI. No. Dates of sampling		PM 2.5	so ₂	NO _X
1	09.10.18	95	56	14	32
2	24.10.18	118	67	14	33
	NAAQ Standard	100	60	80	80



☑ PM 10
☑ PM 2.5
⊞ SO2
■ NOx

Station Name: A21Kharkharee		Zone:	Zone: Buffer		Category: Industrial	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx	
1	04.10.18	91	54	13	31	
2	29.10.18	96	57	14	32	
	NAAQ Standards	100	60	80	80	






SHI HAT TOO Analysed By JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A32Telmaccho Bridge		Zone: Buffer		Category: Residential	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx
1	09.10.18	92	54	11	31
2	24.10.18	95	56	11	30
	NAAQ Standards	100	60	80	80




■ PM 10
☑ PM 2.5
⊞SO2
□NOx

Station Name: A33 Madhuband UGP		Zone: Buffer		Category: Industrial	
SI. No.	I. No. Dates of sampling		PM 2.5	SO2	NOx
1	05.10.18	88	54	13	29
2	29.10.18	97	57	13	31
	NAAQ Standards	100	60	80	80



- > All values are expressed in microgram per cubic meter.
- 24 hours duration





3.1 Location of sampling sites

(Refer Plate No. - II)

i) Mine Discharge of Block II (MW14)

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Khudia Nala.

3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis at the Environmental Laboratory of CMPDI RI-II, Dhanbad.

3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

WATER QUALITY DATA

(EFFLUENT WATER- FOUR PARAMETERS)

N	Name of the Cluster: Month:		Name of the Station: Mine Discharge of		
	Cluster -XIV	OCT, 2018	Lohapatti		
SI.		MW14	MW14	As per MOEF General	
No.	Parameters	First Fortnight	Second Fortnight	Standards for	
		10-10-2018	24-10-2018	schedule VI	
1	Total Suspended Solids	24	28	100 (Max)	
2	рН	8.04	8.06	5.5 - 9.0	
3	Oil & Grease	<2.0	<2.0	10 (Max)	
4	COD	36	44	250 (Max)	

All values are expressed in mg/lit unless specified.

Sur सीमेन, राद्र Analysed By

JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1Location of sampling sites

- i) Lohapatti (N20)
- ii) Kharkharee CISF Office (N21)
- iii) Telmacho Bridge (N32)
- iv) Madhuband UGP (N33)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Clu	uster -XIV	Month: OCT, 2018			
SI. No.	Station Name/Code	Category of area	Date Noise level dB(A)LEQ		*Permissible Limit of Noise level in dB(A)	
1	Lohapatti (N20)	Industrial area	09.10.18	59.1	75	
2	Lohapatti (N20)	Industrial area	24.10.18	57.3	75	
3	Kharkharee CISF Office (N21)	Industrial area	04.10.18	51.6	75	
4	Kharkharee CISF Office (N21)	Industrial area	29.10.18	52.4	75	
5	Telmacho Bridge (N32)	Residential area	09.10.18	52.2	55	
6	Telmacho Bridge (N32)	Residential area	24.10.18	54.8	55	
7	Madhuband UGP (N33)	Industrial area	05.10.18	57.2	75	
8	Madhuband UGP (N33)	Industrial area	29.10.18	58.1	75	

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

खुमन सीमेन, रुद्र

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XIV

(FOR THE MONTH NOVEMBER, 2018)




Cluster – XIV, Bharat Coking Coal Ltd Month: NOV, 2018 Year : 2018-19.

Station Name: A20, Lohapatti		Zone: Core		Category: Industrial	
SI. No.	SI. No. Dates of sampling		PM 2.5	so ₂	NO _X
1	08.11.18	109	65	14	32
2	30.11.18	117	75	14	33
	NAAQ Standard	100	60	80	80



☑ PM 10
☑ PM 2.5
⊞ SO2
■ NOx

Station Name: A21Kharkharee		Zone:	Zone: Buffer		Category: Industrial	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx	
1	14.11.18	95	55	13	33	
2	22.11.18	98	57	14	32	
	NAAQ Standards	100	60	80	80	









Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A32Telmaccho Bridge		Zone: Buffer		Category: Residential	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx
1	08.11.18	94	55	11	31
2	29.11.18	97	58	11	30
	NAAQ Standards	100	60	80	80



■ PM 10
☑ PM 2.5
⊞SO2
□NOx

Station Name: A33 Madhuband UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.11.18	93	53	13	33
2	22.11.18	98	57	14	32
	NAAQ Standards	100	60	80	80



- > All values are expressed in microgram per cubic meter.
- 24 hours duration







3.1 Location of sampling sites

(Refer Plate No. - II)

i) Mine Discharge of Block II (MW14)

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Khudia Nala.

3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis at the Environmental Laboratory of CMPDI RI-II, Dhanbad.

3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

WATER QUALITY DATA

(EFFLUENT WATER- FOUR PARAMETERS)

N	lame of the Cluster:	Month:	Name of the Station: Mine Discharge of	
	Cluster -XIV	NOV, 2018	Lohapatti	
SI.		MW14	MW14	As per MOEF General
No.	Parameters	First Fortnight	Second Fortnight	Standards for
		09/11/2018	29/11/2018	schedule VI
1	Total Suspended Solids	22	20	100 (Max)
2	рН	8.54	8.02	5.5 - 9.0
3	Oil & Grease	<2.0	<2.0	10 (Max)
4	COD	40	32	250 (Max)

All values are expressed in mg/lit unless specified.

Sम्म सीमेन, राद्र Analysed By

JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1Location of sampling sites

- i) Lohapatti (N20)
- ii) Kharkharee CISF Office (N21)
- iii) Telmacho Bridge (N32)
- iv) Madhuband UGP (N33)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Clu	uster -XIV		Month: NO\	/, 2018
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Lohapatti (N20)	Industrial area	08.11.18	60.2	75
2	Lohapatti (N20)	Industrial area	30.11.18	59.1	75
3	Kharkharee CISF Office (N21)	Industrial area	14.11.18	50.7	75
4	Kharkharee CISF Office (N21)	Industrial area	22.11.18	51.5	75
5	Telmacho Bridge (N32)	Residential area	08.11.18	50.2	55
6	Telmacho Bridge (N32)	Residential area	29.11.18	53.7	55
7	Madhuband UGP (N33)	Industrial area	14.11.18	52.8	75
8	Madhuband UGP (N33)	Industrial area	22.11.18	60.3	75

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

ड्यम्य सीमेन, रुद्

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XIV

(FOR THE MONTH DECEMBER, 2018)




Cluster – XIV, Bharat Coking Coal Ltd Month: DEC ,2018 Year : 2018-19.

Station Name: A20, Lohapatti		Zone: Core		Category: Industrial	
SI. No. Dates of sampling		PM 10	PM 2.5	so ₂	NO _X
1	06.12.18	111	69	14	30
2	19.12.18	107	67	10	29
	NAAQ Standard	100	60	80	80




☑ PM 10
☑ PM 2.5
⊞ SO2
□ NOx

Station Name: A21Kharkharee		Zone: Buffer		Category: Industrial	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx
1	10.12.18	93	52	11	35
2 28.12.18		91	50	15	28
	NAAQ Standards		60	80	80









Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A32Telmaccho Bridge		Zone: Buffer		Category: Residential	
SI. No.	Dates of sampling	Dates of sampling PM 10 PM 2.5		SO2	NOx
1	06.12.18	96	57	15	32
2 19.12.18		89	51	14	27
	NAAQ Standards	100	60	80	80




■ PM 10
☑ PM 2.5
⊞ SO2
□NOx

Station Name: A33 Madhuband UGP		Name: A33 Madhuband UGP Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.12.18	98	56	13	32
2	28.12.18	95	52	14	30
	NAAQ Standards	100	60	80	80



- > All values are expressed in microgram per cubic meter.
- 24 hours duration







3.1 Location of sampling sites

(Refer Plate No. - II)

i) Mine Discharge of Block II (MW14)

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Khudia Nala.

3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis at the Environmental Laboratory of CMPDI RI-II, Dhanbad.

3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

WATER QUALITY DATA

(EFFLUENT WATER- FOUR PARAMETERS)

N	lame of the Cluster:	Month:	Name of the Station: Mine Discharge o	
	Cluster -XIV	DEC, 2018	Lohapatti	
SI.		MW14	MW14	As per MOEF General
No.	Parameters	First Fortnight	Second Fortnight	Standards for
		07.12.18	29.12.18	schedule VI
1	Total Suspended Solids	30	20	100 (Max)
2	рН	8.38	8.11	5.5 - 9.0
3	Oil & Grease	<2.0	<2.0	10 (Max)
4	COD	32	36	250 (Max)

All values are expressed in mg/lit unless specified.

Sम्म सीमेन, राद्र Analysed By

JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1Location of sampling sites

- i) Lohapatti (N20)
- ii) Kharkharee CISF Office (N21)
- iii) Telmacho Bridge (N32)
- iv) Madhuband UGP (N33)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Clu	uster -XIV		Month: DEC	C, 2018
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Lohapatti (N20)	Industrial area	06.12.18	59.2	75
2	Lohapatti (N20)	Industrial area	19.12.18	61.7	75
3	Kharkharee CISF Office (N21)	Industrial area	10.12.18	51.7	75
4	Kharkharee CISF Office (N21)	Industrial area	28.12.18	53.1	75
5	Telmacho Bridge (N32)	Residential area	06.12.18	51.2	55
6	Telmacho Bridge (N32)	Residential area	19.12.18	52.3	55
7	Madhuband UGP (N33)	Industrial area	14.12.18	52.7	75
8	Madhuband UGP (N33)	Industrial area	28.12.18	51.4	75

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

ड्यम्म सीमेन, रुद्

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XIV

(FOR THE MONTH JANUARY, 2019)




Cluster – XIV, Bharat Coking Coal Ltd Month: JAN ,2019 Year : 2018-19.

Station Name: A20, Lohapatti		Zone: Core		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	03.01.19	98	57	13	33
2	21.01.19	95	53	12	33
	NAAQ Standard	100	60	80	80




☑ PM 10
☑ PM 2.5
⊞ SO2
□ NOx

Station Name: A21Kharkharee		Zone: Buffer		Category: Industrial	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx
1	09.01.19	94	57	13	32
2	24.01.19	92	54	12	33
	NAAQ Standards	100	60	80	80








Checked By Lab In Charge RI-2, CMPDI, Dhanbad


Approved By
HOD(Mining/Environment)
RI-2, CMPDI, Dhanbad

Station Name: A32Telmaccho Bridge		Zone: Buffer		Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	01.1.19	108	68	<10	28
2	21.01.19	97	58	11	29
	NAAQ Standards	100	60	80	80





Station Name: A33 Madhuband UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	09.01.19	95	57	12	30
2	24.01.19	92	51	13	31
	NAAQ Standards	100	60	80	80



- > All values are expressed in microgram per cubic meter.
- 24 hours duration







3.1 Location of sampling sites

(Refer Plate No. - II)

i) Mine Discharge of Block II (MW14)

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Khudia Nala.

3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis at the Environmental Laboratory of CMPDI RI-II, Dhanbad.

3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

WATER QUALITY DATA

(EFFLUENT WATER- FOUR PARAMETERS)

Name of the Cluster: Month:		Month:	Name of the Station: Mine Discharge of		
	Cluster -XIV	JAN, 2019	Lohapatti		
SI.		MW14	MW14	As per MOEF General	
No.	Parameters	First Fortnight	Second Fortnight	Standards for	
		04.01.19	22.01.19	schedule VI	
1	Total Suspended Solids	20	24	100 (Max)	
2	рН	8.12	7.95	5.5 - 9.0	
3	Oil & Grease	<2.0	<2.0	10 (Max)	
4	COD	40	48	250 (Max)	

All values are expressed in mg/lit unless specified.

SUHT सीमेन, राद्ध Analysed By

JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1Location of sampling sites

- i) Lohapatti (N20)
- ii) Kharkharee CISF Office (N21)
- iii) Telmacho Bridge (N32)
- iv) Madhuband UGP (N33)

4.2 Methodology of sampling and analysis

Noise level measurements in form of ${}^{\prime}L_{EQ}{}^{\prime}$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Clu	uster -XIV	Month: JAN, 2019			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)	
1	Lohapatti (N20)	Industrial area	03.01.19	60.1	75	
2	Lohapatti (N20)	Industrial area	21.01.19	62.3	75	
3	Kharkharee CISF Office (N21)	Industrial area	09.01.19	59.7	75	
4	Kharkharee CISF Office (N21)	Industrial area	24.01.19	51.8	75	
5	Telmacho Bridge (N32)	Residential area	01.1.19	65.4	55	
6	Telmacho Bridge (N32)	Residential area	21.01.19	61.8	55	
7	Madhuband UGP (N33)	Industrial area	09.01.19	53.4	75	
8	Madhuband UGP (N33)	Industrial area	24.01.19	52.5	75	

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

ड्यम्म सीमेन, रुद्

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XIV

(FOR THE MONTH FEBRUARY, 2019)




Cluster – XIV, Bharat Coking Coal Ltd Month: FEB ,2019 Year : 2018-19.

Station Name: A20, Lohapatti		Zone: Core		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	12.02.19	102	58	12	30
2	20.02.19	97	56	11	28
	NAAQ Standard	100	60	80	80



☑ PM 10
☑ PM 2.5
⊞ SO2
□ NOx

Station Name: A21Kharkharee		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	13.02.19	98	59	12	29
2	22.02.19	96	56	12	30
	NAAQ Standards	100	60	80	80






अमर सीमेन , रुद्र Analysed By

JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A32Telmaccho Bridge		Zone: Buffer		Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	07.02.19	106	65	11	28
2	20.02.19	99	62	11	28
	NAAQ Standards	100	60	80	80




■ PM 10
PM 2.5
■ SO2
■ NOx

Station Name: A33 Madhuband UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	04.02.19	98	59	12	31
2	22.02.19	96	51	12	29
	NAAQ Standards	100	60	80	80



- > All values are expressed in microgram per cubic meter.
- 24 hours duration





3.1 Location of sampling sites

(Refer Plate No. - II)

i) Mine Discharge of Block II (MW14)

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Khudia Nala.

3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis at the Environmental Laboratory of CMPDI RI-II, Dhanbad.

3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

WATER QUALITY DATA

(EFFLUENT WATER- FOUR PARAMETERS)

N	Name of the Cluster: Month:		Name of the Station: Mine Discharg		
	Cluster -XIV	FEB, 2019	Lohapatti		
SI.		MW14	MW14	As per MOEF General	
No.	Parameters	First Fortnight	Second Fortnight	Standards for	
		1ST	2ND	schedule VI	
1	Total Suspended Solids	13-02-2019	21-02-2019	100 (Max)	
2	рН	36	20	5.5 - 9.0	
3	Oil & Grease	7.9	7.81	10 (Max)	
4	COD	<2.0	<2.0	250 (Max)	

All values are expressed in mg/lit unless specified.

Sम्म सीमेन, राद्र Analysed By

JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1Location of sampling sites

- i) Lohapatti (N20)
- ii) Kharkharee CISF Office (N21)
- iii) Telmacho Bridge (N32)
- iv) Madhuband UGP (N33)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Clu	uster -XIV	Month: FEB, 2019		
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Lohapatti (N20)	Industrial area	12.02.19	63.2	75
2	Lohapatti (N20)	Industrial area	20.02.19	61.9	75
3	Kharkharee CISF Office (N21)	Industrial area	13.02.19	50.2	75
4	Kharkharee CISF Office (N21)	Industrial area	22.02.19	53.2	75
5	Telmacho Bridge (N32)	Residential area	07.02.19	50.2	55
6	Telmacho Bridge (N32)	Residential area	20.02.19	51.8	55
7	Madhuband UGP (N33)	Industrial area	04.02.19	52.8	75
8	Madhuband UGP (N33)	Industrial area	22.02.19	54.1	75

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

ड्यम्य सीमेन, रुद्

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL /GOVERNMENT.


ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XIV

(FOR THE MONTH MARCH, 2019)



Cluster – XIV, Bharat Coking Coal Ltd Month: MARCH ,2019 Year : 2018-19.

Station Name: A20, Lohapatti		Zone: Core		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	11.03.19	98	59	11	30
2	28.03.19	96	54	11	28
	NAAQ Standard	100	60	80	80




⊞ SO2	
□ NOx	

☑ PM 10

☑ PM 2.5

Station Name: A21 Kharkharee		Zone: Buffer		Category: Industrial	
SI. No. Dates of sampling		PM 10	PM 2.5	SO2	NOx
1	08.03.19	96	53	12	29
2	26.03.19	97	52	12	30
	NAAQ Standards		60	80	80






Analysed By JSA/SA/SSA


Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A32 Telmaccho Bridge		Zone: Buffer		Category: Residential	
SI. No.	SI. No. Dates of sampling		PM 2.5	SO2	NOx
1	14.03.19	124	69	13	31
2	27.03.19	119	67	11	29
	NAAQ Standards		60	80	80






Station Name: A33 Madhuband UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	07.03.19	95	56	12	35
2	26.03.19	93	52	12	31
	NAAQ Standards	100	60	80	80



- > All values are expressed in microgram per cubic meter.
- 24 hours duration





3.1 Location of sampling sites

(Refer Plate No. - II)

i) Mine Discharge of Block II (MW14)

A sampling point is fixed to assess the effluent quality of Mine discharge. This location is selected to monitor effluent discharge in to Khudia Nala.

3.2 Methodology of sampling and analysis

Water samples were collected as per standard practice. The effluent samples were collected and analysed for four parameters on fortnightly basis at the Environmental Laboratory of CMPDI RI-II, Dhanbad.

3.3 Results & Interpretations

The results are given in tabular form along with the applicable standards. Results are compared with Schedule - VI, effluent prescribed by MoEF&CC. Results show that most of the parameters are within the permissible limits.

WATER QUALITY DATA

(EFFLUENT WATER- FOUR PARAMETERS)

N	lame of the Cluster:	Month:	Name of the Static	n: Mine Discharge of
	Cluster -XIV	MARCH, 2019	9 Lohapatti	
SI.		MW14	MW14	As per MOEF General
No.	Parameters	First Fortnight	Second Fortnight	Standards for
		11.03.19	27.03.19	schedule VI
1	Total Suspended Solids	28	26	100 (Max)
2	рН	7.74	7.61	5.5 - 9.0
3	Oil & Grease	<2.0	<2.0	10 (Max)
4	COD	20	32	250 (Max)

All values are expressed in mg/lit unless specified.

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1Location of sampling sites

- i) Lohapatti (N20)
- ii) Kharkharee CISF Office (N21)
- iii) Telmacho Bridge (N32)
- iv) Madhuband UGP (N33)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Clu	uster -XIV	Month: MARCH, 2019		
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Lohapatti (N20)	Industrial area	11.03.19	60.1	75
2	Lohapatti (N20)	Industrial area	28.03.19	63.7	75
3	Kharkharee CISF Office (N21)	Industrial area	08.03.19	53.4	75
4	Kharkharee CISF Office (N21)	Industrial area	26.03.19	55.6	75
5	Telmacho Bridge (N32)	Residential area	14.03.19	50.5	55
6	Telmacho Bridge (N32)	Residential area	27.03.19	46.9	55
7	Madhuband UGP (N33)	Industrial area	07.03.19	59.7	75
8	Madhuband UGP (N33)	Industrial area	26.03.19	50.4	75

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

रामन सीमैन, राद

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

A. Training from Oct '18 to March'19

No of employees (Departmental & Contractual) received training in cluster XIV (Oct' 18 to March '19)		
Type of Training Number		
Refresher Training	17	

A. PME from Oct '18 to March'19

No of employees PME in cluster XIV (Oct' 18 to March '19)		
PME	Number	
Lohapatti colliery 19		