

Dairy No. 2618
Dairy No. 2618
Daire 0.01 11. 2019
WJAREA MOONIDIH

Bharat Coking Coal Limited (A Subsidiary of Coal India Limited) Office of the Project Officer Kapuria Project, Mahuda, Dhanbad.

Ref No :-BCCL/PO/KAPURIA/Env/2019/588

Date:- 06/11/2019

To the Director

Ministry of Environment, Forest & Climate Change

Regional Office (ECZ), Bungalow No. A-2

Shyamli Colony

Ranchi - 834002

Sub: Six monthly report for the period from 1St April 2019 to 30th September 2019 to on Compliance to Environmental Clearance from MoEF, Govt of India for Cluster – XII of Kapuria UG Project, M/s Bharat Coking Coal Limited.

Menn

Dear Sir

Enclosed herewith please find the six monthly report on Compliance to Environmental Clearance from MoEF, Govt of India vide letter no J-11015/184/2012-IA. II(M), dated 10th Dec 2014 for Cluster-XII of Kapuria UG of M/s Bharat Coking Coal Limited for your kind perusal and further needful action please. It is also to bring to your kind notice that the project has been delayed due to the delay in physical possession of land. The work has not started yet.

Project Officer

Kapuria Project

Encl: as above.

Copy to:

1. Director, IA, Monitor Cell, Paryavaran Bhawan, CGO Complex, New Delhi 110003.

2.GM W.J.A.BCCL

3.Dy GM (Env), BCCL

4.Office Copy

<u>Six Monthly Compliance Report of EC order of Cluster-XII for the period from 1st April 2019</u> to September 2019

SI No	Specific Condition	Action	
1	The maximum production from the mine at any given time shall not exceed the limit as prescribed in the EC.	Project has not started yet. Land acquisition is under process. This condition shall be complied as the production starts.	
II	A separate team for subsidence monitoring and surface mitigation measures be constituted and continuous monitoring and mitigation measures be carried out.	Shall be complied. Project is under construction phase.	
Ш	The validity of EC is for the life of the mine or as specified in the EIA notification, 2006, whichever is earlier.	Agreed.	
IV	The coal transportation from the mine to the siding shall be by conveyor belt and coal transportation from siding to washery shall be by rail.	Shall be complied.	
V	Piezometers be installed upto the depth of mining to facilitate monitoring of ground water.	The work of monitoring of ground water is being carried out by CMPDI.	
VI	Water sprinkler be used for coal dust suppression along the haul road.	Shall be complied.	
VII	Thick green belt shall be developed around proposed washery within the cluster-XII lease area and plantation shall be undertaken along NH-32.		
VIII	Subsidence study shall be taken up with reputed scientific agency as per stipulation of DGMS. Shall be complied.		
IX	Various CSR works that will be carried out shall include education, healthcare, water supply etc.	Shall be complied.	
Х	The project should have ecologist / social scientist to monitor the project.	BCCL is following the roadmap prepared by FRI, Dehradun to restore ecology in the region and conducting the work of ecological restoration in the mined out areas. BCCL has also got facilitated by the guidance of Prof. C R Babu, CEMDE, University of Delhi.	
ΧI	Coal produced from the mine will be directly loaded into a CHP at the incline top. From the CHP at incline top, coal will be transported to the proposed Kapuria coal washery linked to the mine by covered conveyor system of length 250m. Washed coal from the washery will be transported by conveyor to the railway siding and loaded into the wagons by CHP.	Shall be complied.	
XII	The production shall be within the same mining lease area.	Shall be complied.	

XIII	D. I.	
XIII	Regular monitoring of subsidence movement on	Shall be complied.
	the surface cover and around the working area	,
	and impact on natural drainage pattern, water	
	bodies, vegetation, structure, roads and	
	surroundings shall be continued till movement	7 8 2 2
	ceases completely. In case of observation of any	
	high rate of subsidence movement, appropriate	
	effective corrective measures shall be taken to	95
	avoid loss of life and material. Cracks shall be	
	effectively plugged with ballast and clay soil /	, and a second second
	suitable material.	
XIV	If subsidence is found exceeding the permitted	Shall be complied.
	limits, the land owners shall be adequately	
	compensated with mutual agreement of the	7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	land owners.	
XV	Mining shall be carried out as per statute at a	Mining shall be done as per DGMS
	safe distance from river / nallah falling adjacent	statute.
	to the lease boundary at the time of depillaring,	
	protective bunds and garland drains shall be	
	provided so that no water from the surface	x = 0
	enters the subsidence area and the shaft.	
XVI	Sufficient coal pillars shall be left unextracted	Shall be complied.
	around the air shaft (within the subsidence	
	influence area) to protect from any damage due	
	to subsidence, if any.	
XVII	Solid barriers shall be left below the roads	Shall be complied.
	falling within the blocks to any damage to the	
	roads.	
XVIII	Diversion of land shall be done with approval of	Shall be complied.
	the competent authority.	
XIX	Coal extraction shall be optimized in areas	It will be done as per the statute and
	where agriculture production is continuing.	DGMS guidelines.
	Some pillars shall be left below the agricultural	
	land. No depillaring and coal extraction shall be	
	carried out below habitation, HT lines &	
	beneath road, water bodies, railway track.	
XX	The mined out land should be used for	Shall be complied.
	agriculture purpose.	
XXI	Safety measures and health issues need to be	Shall be complied.
,,,,,	addressed for workers and surrounding	
	villagers.	
22	Proponent shall implement all the related safety	It will be done as per the statute and
22	measures with safety equipment	guidelines of DGMS.
	measures with safety equipment	Baracinies of Botto.

/

23	A AL	, and the second	
	At the time of establishing the CHP, it is proposed to establish mist spray arrangements and also enclosing the ground level bunkers up to the level of gantry.	Shall be complied.	
24	An afforestation plan to be prepared for implementation after stabilization of subsidence.	Shall be complied.	
25	Water spraying arrangements at loading points and mist spray arrangements are to be provided. Shall be complied.		
26	No additional land, manpower and equipment and water shall be used for the expansion project.	Shall be complied.	
27	Mine closure activity include sealing of incline mouth, dismantling of haulage system, cleaning and afforestation of coal stock area, plantation on barren land and old abandoned mine.	Mine closure plan will be formulated as per the guidelines of Ministry of Coal Gol.	
28	3-tier plantation should be developed 2 Km stretch of road from the mine using native species.	Shall be complied.	
29	Garland drains around the safety area such as mine shaft and low lying areas and sump capacity shall be designed keeping 50% safety margin over and above the peak sudden rainfall and maximum discharge in the area adjoining the mine site. Sump capacity shall also provide adequate retention period to allow proper setting of silt material.	It will be done as per EMP.	
30	Water sprinkling system shall be provided to check fugitive emissions from loading operations, conveyor system, haulage roads, transfer points etc. Major approach roads shall be black topped and properly maintained.	Shall be complied.	
31	A progressive afforestation plan shall be prepared and implemented over the mine lease area acquired and shall include areas under green belt development, areas along roads, infrastructure, along ML boundary and township etc. by planting native species in consultation with the local FDO / agriculture department.	Shall be done. EMP and mine closure plan will be followed.	
32	Regular monitoring of ground water level and quality shall be carried out by establishing a network of existing wells and construction of	It will be complied. At present CMPDI is working to establish a network of piezometer well.	

	new piezometers. The monitoring for quality shall be done four times a year, in May, August, November and January seasons and for quality in May.		
33		Shall be provided if acid water treatment is required.	
34	High root density tree species shall be selected and planted over areas likely to be affected by subsidence.	Shall be provided.	
35	out regularly.	Environmental parameters are being monitored by CMPDI, as per the MoEFCC standards.	
36	Sewage treatment plant shall be installed in the township. ETP shall also be provided for workshop and CHP effluents.	Shall be provided.	
37	For monitoring land use pattern and for post mining land use, a time series of land use maps, based on satellite imagery (on a scale of 1:5000) of the core zone and buffer zone, from the start of the project till the end of the mine life shall be prepared once in 3 years (for any particular season which is consistent in the time series), and the report submitted to MoEF& CC and its regional Office at Bangalore.	Presently a time series map of vegetation cover in the Jharia coal field is being carried out through CMPDI Ranchi using satellite imagery for every 3 years and is being uploaded on the official website of company. Further CMPDI has been requested to prepare time series of land use maps based on satellite imagery of the core zone and buffer zone in the scale 1:5000.	
38	If the water quality parameter such as F, pH, heavy metals etc. exceed the prescribed limits, suitable measures by the proponent be taken to ensure that the local communities are provided alternate source of water for their livelihood.	Shall be done.	
39	Medical camps should be organized in the area for regular checkup of workers / villagers / population. Detailed prevalent disease pattern in the area should be documented and detail of medical facilities provided for the same be made available to the MoEF&CC.	It is being done.	
40	Mine discharge water outside the ML shall be monitored, particularly for TDS and treated to confirm to prescribed levels before discharge into the natural environment.	Environmental parameters are being monitored by CMPDI, as per the MoEFCC standards.	
41	The Company shall put up artificial groundwater recharge measures for augmentation of	It will be provided and regular monitoring shall be done.	

	groundwater resource, in case water table	
	shows a decline trend, the project authorities	
	shall meet water requirement of nearby	
	village(s) in case the village wells go dry due to	, v
	dewatering of mine.	
42	Besides carrying out regular periodic health	It will be complied, however, BCCL has
	checkup of their workers, 10% of the workers	engaged NIOH for other cluster of BCCL
	identified from workforce engaged in active	to health checkup for occupational
	mining operations shall be subjected to health	diseases and hearing impairment and
	checkup for occupational diseases and hearing	work will be started shortly.
	impairment, if any, through an agency such as	
	NIOH, Ahmadabad within a period of one year	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	and the results reported to this ministry and to	1 1
	DGMS.	
43	The mining in the existing mines should be	Agreed, and shall be complied.
	phased out after expiry of of the current mining	
	lease and after reclamation of mined out area.	
	The operating mines may be analysed and	
	monitored for compliance of conditions, bearing	
-	with movement of wildlife and until such time	
44	they are closed / phased out.	
44	Project specific CSR for an amount of Rs 5 per	It will be done as per the CSR policy of
	tonne of coal production, as per the annual	organization.
	inflation, should be provided for the CSR activities undertaken and the progress made	
	thereon shall be uploaded annually on the	
	company website. Monitoring of the impact of	
	activities under CSR shall be carried out	
	periodically.	
45	A final Mine Closure Plan along with details of	Shall be complied.
	Corpus Fund shall be submitted to the Ministry	
	of Environment, Forest & Climate Change, 5	
	years in advance of final mine closure for	
	approval.	8
	Corporate Environment Responsibility :	
	a) The company shall have a well laid down	Bharat Coking Coal Ltd is a subsidiary of
	Environment policy approved by the	Coal India Ltd which is having a well laid
	Board of Directors.	down Environmental Policy.
	b) The Environment Policy shall prescribe	It is being complied.
	for standard operating procedures to	
	bring into focus any infringement /	
	deviation / violation of the	
	environmental or forest norms /	

A 1 . . .

. . .

	conditions. c) The hierarchical system or Administrative order of the company to deal with environmental issues and for ensuring compliance with the environmental clearance conditions shall be furnished. d) To have proper checks and balances, the company shall have a well laid down system of reporting of non – compliance / violations of environmental norms to the Board of Directors of the company and/or shareholders at law	It already exists within the company. It will be done, if any.	
	and/or shareholders at large. B. General Conditions:		
1	No change in mining technology and scope of working shall be made without prior approval of the MoEFCC.	Shall be complied.	
2	No change in the calendar plan of production for quantum of mineral / coal shall be made.	Shall be complied. However, production and calendar plan may vary due to land	
3	Four ambient air quality monitoring stations shall be established in the core zone as well as in the buffer zone for PM 10, PM2.5, SO2 and NOx monitoring. Location of the stations shall be decided based on the meteorological data, topographical features and environmentally and ecologically sensitive targets in consultation with the State Pollution Control Board. Monitoring of heavy metals such as Hg, As, Ni, Cd, Cr, etc. carried out at least once in six months.	acquisition problem. Shall be complied.	
4	Data on ambient air quality (PM10, PM2.5, SO2 and NOx) and heavy metals such as Hg, As, Ni, Cd, Cr and other monitoring data shall be regularly submitted to the Ministry including its regional office at Bhubaneshwar and to the state pollution control board once in six months. Random verification of samples through analysis from independent laboratory recognized under the EPA rules, 1986 shall be furnished as part of compliance report.	Shall be complied.	
5	Adequate measures shall be taken for control of noise levels below 85 dBA in the work	Shall be complied.	

	environment. Workers engaged in blasting and	
	arming operations, Operation of LEMANA at-	A street control of the street
	shall be provided with ear plug / muffe	
6	industrial wastewater (workshop and	Shall be complied.
	wastewater from the mine) shall be properly	shall be complied.
	collected, treated so as to confirm to the	
	standards prescribed under GSP 422 (E) detail	
	19 May 1993 and 31" December 1993 or as	
	amended from time to time before discharge.	
	Oil and grease trap shall be installed before	
	discharge of workshop effluents.	
7	Vehicular emissions shall be kept under control	Shall be complied.
	and regularly monitored. Vehicles used for	Shan be complied.
	transporting the mineral shall be covered with	
	tarpaulins and optimally loaded.	N N
8	Monitoring of environmental quality	Environmental parameters are being
	parameters shall be carried out through	monitored as per NAAQS standards which
	establishment of adequate number and type of	is having CSIR laboratory.
	pollution monitoring and analysis equipment in	Monitoring stations have been finalized
	consultation with the State Pollution Control	with Jharkhand State Pollution Control
	Board and data got analyzed through a	Board, Ranchi.
	laboratory recognized under EPA rules, 1986.	
9	Personnel working in dusty areas shall wear	Shall be complied.
	protective respiratory devices and they shall	,
	also be provided with adequate training and	N
10	information on safety and health aspects.	
10	Occupational health surveillance programme of	Shall be complied.
	the workers shall be undertaken periodically to	
	observe any contractions due to exposure to dust and to take corrective measures, if needed	
	and records maintained thereof. The quality of	
	environment due to outsourcing and the health	
	and safety issues should be addressed by the	
	company while outsourcing.	
11	A separate environmental management cell	A full-fledged environment department
	with suitable qualified personnel shall be set up	headed by a HoD (Environment) along
	under the control of a senior executive, who will	with a suitable qualified multidisciplinary
	report to the head of the company.	team of executives has been established
		in the headquarters. They are trained in
		ecological restoration, sustainable
		development, rainwater harvesting
		methods, etc.
12	The funds earmarked for environmental	Shall be complied.

	protection measures shall be kept in separate	
	account and shall not be diverted for other	
	purpose. Year wise expenditure shall be	
	reported to this ministry and it	
	reported to this ministry and its concerned regional office.	
13	The project authorities I. II.	
	The project authorities shall advertise at least in	It is complied.
	two local, newspapers widely circulated around	
	i - Jees Olle Ul Which chall ha !	70
	vernacular language of the locality concerned	R A
	I TO CLOSTON IN THE CLOSTON IN THE CO.	
	in a lind the project has been	
	The state of the s	
	and is available with the Ctate D. II.	
	and may also he seemed it	
14	The ministry of Environment of	
14	in a circ cirvii () nimental cleares in the	It is complied.
	The first to college nanchavat / -: !!	it is complied.
	and corporation or the process had a second	
	is sai 1100, il dily, from whom any suggestion	1.0
	representation has been received while	1.1
	processing the proposal. A conv of the classes	
	site site also be displayed on the company's	*
15	WEDSILE.	B. 73.
13	A copy of the environmental clearance letter	It is complied.
	shall also be displayed on the website of the	and somplica.
	concerned State Pollution Control Board, The EC	
	letter shall also be displayed at the regional	*
	office, district industry sector and collector's	
	office for 30 days.	
16	The clearance letter shall be uploaded on the	It is complied.
	company's website. The compliance status of	The monitoring data of environmental
	the stipulated environmental clearance	parameters to be displayed at project
	condition shall also be uploaded by the project	premises shall be complied once the
	authorities on their website and updated once	project starts.
	at least in every six months so as to bring the	
	same in public domain. The monitoring data of	
	environmental parameter (air, water, noise and	
	soil) and critical pollutants such as PM10,	¥ ¥
	PM2.5, SO2 and NOx (ambient) and critical	
	sector parameters shall also be displayed at the	4
	entrance of the project premises and mine	
	office and in corporate office and on company's	

17	The project proponent days	
1,	The project proponent shall submit six monthly	It is being complied.
	sompliance report on status of compliance of	= .0
	the supulated environmental clearance	
	conditions (both in hard copy and email) to the	
	Copective regional office of the ministry	
10	respective zonal office of CPCB and the SPCB	
18	The regional office of this ministry located at	It is being complied.
	briubaneswar shall monitor compliance of the	
	supulated conditions. The project authorities	
	shall extend full co-operation to the office(s) of	
	the regional office by furnishing the requisite	
	data / information /monitoring report.	
19	The Environment Statement for each financial	It is being complied.
	year ending 31 st March in Form – V is mandated	
	to be submitted by the project proponent for	e 8
	the concerned State Pollution Control Board as	
	prescribed under the Environment (Protection)	
	Rules, 1986, as amended subsequently, shall	
	also be uploaded on the company's website	,
	along with the status of compliance of EC	
	conditions and shall be sent to the respective	
	regional offices of the MoEF by email.	
	C. Other Conditions by MoEF:	
4	The proponent shall abide by all the	Agreed.
	commitments and recommendations made in	
	the EIA / EMP reports so also during their	
	presentation to the EAC.	
5	The commitment made by the proponent to the	Shall be implemented.
	issue raised during Public Hearing shall be	x - ®
-	implemented by the proponent.	
6	The proponent is required to obtain all	Agreed.
	necessary clearances / approvals that may be	per
	required before the start of the project. The	•
	ministry or any other competent authority may	
	stipulate any further condition for	
	environmental protection.	A man and
7	The ministry or any other competent authority	Agreed.
	may stipulate any further condition for	
	environmental protection.	It will be done
8	The proponent shall set up an Environment	It will be done.
	Audit cell with responsibility and accountability	
	to ensure implementation of all the EC	
	conditions.	

9	Concealing factual data or submission of false /	Agreed.
	fabricated data and failure to comply with any	
	of the conditions mentioned above may result	
	in withdrawal of this clearance and attract	, 191 411
	action under the provisions of Environment	. 47
	(Protection) Act, 1986.	
10	The above conditions will be enforced inter-alia,	Shall be complied.
	under the provisions of Water (Prevention &	
	Control of Pollution) Act, 1974, the Air	and the second second
	(Prevention & Control of Pollution) Act, 1981,	
	the Environment (Protection) Act, 1986 and the	
	Public Liability Insurance Act, 1991 along with	
	their amendments and Rules. The proponent	
	shall ensure to undertake and provide for the	1,000
	costs incurred for taking up remedial measures	
	in case of soil contamination, contamination of	200
	ground water and surface water, and	100
	occupational and other disease due to the	10 10 10 10 10 10 10 10 10 10 10 10 10 1
	mining operations.	
11	Any Appeal against this environmental	Agreed.
	clearance shall lie with the National Green	
	Tribunal, if preferred, within a period of 30 days	1 1 v 000 (50)
	as prescribed under Section 16 of the National	
	Green Tribunal Act, 2010.	

9 06.11. 2019 Project Officer

Kapuria Project

BCCL

STRICTLY RESTRICTED FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH APRIL, 2019)


E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



AMBIENT AIR QUALITY DATA


Cluster–XII, Bharat Coking Coal limited Month: APRIL, 2019 Year : 2019-20.

Station Name: A18, Rudhi Basti		Zone: Core		Category: Residential ¹	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	10.04.19	91	48	11	27
2	22.04.19	95	51	11	28
	NAAQ Standard	100	60	80	80



■ PM 10
☑ PM 2.5
⊞ SO2
□NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	05.04.19	96	55	17	35
2	16.04.19	109	64	18	38
	NAAQ Standard	100	60	80	80






2100/9


¹ AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial ²	
SI. No.	SI. No. Dates of sampling		PM 2.5	SO2	NOx
1	11.04.19	107	61	13	29
2	29.04.19	97	54	14	31
	NAAQ Standards	100	60	80	80





Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10 PM 2.5		SO2	NOx
1	11.04.19	92	53	14	32
2	23.04.19	96	54	13	31
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration

² AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,



DATED 22.06.19

NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	Name of the Project: Cluster -XII			Month: APRIL , 2019 ³			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)		
1	Moonidih UGP (N17)	Industrial area	11.04.19	65.4	75		
2	Moonidih UGP	Industrial area	29.04.19	58.3	75		
3	Rudhi Basti (N18)	Residential area	10.04.19	43.2	55		
4	Rudhi Basti	Residential area	22.04.19	44.6	55		
5	Murlidih 20/21(N19)	Industrial area	11.04.19	50.8	75		
6	Murlidih 20/21(N19)	Industrial area	23.04.19	56.4	75		
7	Block IV (N6)	Industrial area	05.04.19	59.1	75		
8	Block IV	Industrial area	16.04.19	60.1	75		

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

2100/9

DATED 22.06.19

-

^{*} Day Time: 6.00 AM to 10.00 PM,

STRICTLY RESTRICTED FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH MAY, 2019)


E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



AMBIENT AIR QUALITY DATA


Cluster–XII, Bharat Coking Coal limited Month: MAY, 2019 Year : 2019-20.

Station Name: A18, Rudhi Basti		Zone: Core		Category: Residential ¹	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	06.05.19	96	54	11.88	27
2	30.05.19	93	52	7.60	28
	NAAQ Standard	100	60	80	80



■ PM 10
☑ PM 2.5
□ SO2
□NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10 PM 2.5		so ₂	NO _X
1	15.05.19	97	58	14.84	34.13
2	24.05.19	95	52	14.02	31.49
	NAAQ Standard	100	60	80	80






2100/4


 $^{^{1}\,}$ AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial ²	
SI. No.	Dates of sampling	ling PM 10 PM 2.5		SO2	NOx
1	09.05.19	114	65	13.85	34.62
2	23.05.19	96	55	8.18	30.50
	NAAQ Standards	100	60	80	80



☑ PM 10
☑ PM 2.5
⊞ SO2
□NOx

Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	06.05.19	95	51	11.07	32.46
2	29.05.19	89	48	18.73	35.43
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration

² AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,



DATED 29.07.19

NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	Name of the Project: Cluster -XII			Month: MAY , 2019 ³			
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)		
1	Moonidih UGP (N17)	Industrial area	09.05.19	67.7	75		
2	Moonidih UGP	Industrial area	23.05.19	57.4	75		
3	Rudhi Basti (N18)	Residential area	06.05.19	53.6	55		
4	Rudhi Basti	Residential area	30.05.19	48.2	55		
5	Murlidih 20/21(N19)	Industrial area	06.05.19	54.3	75		
6	Murlidih 20/21(N19)	Industrial area	29.05.19	54.9	75		
7	Block IV (N6)	Industrial area	15.05.19	57.2	75		
8	Block IV	Industrial area	24.05.19	55.8	75		

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

2100/9

DATED 29.07.19

_

STRICTLY RESTRICTED FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH JUNE, 2019)


E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



AMBIENT AIR QUALITY DATA


Cluster–XII, Bharat Coking Coal limited Month: JUNE, 2019 Year : 2019-20.

Station Name: A18, Rudhi Basti		Zone	e: Core	Category: Residential ¹	
SI. No. Dates of sampling		PM 10	PM 2.5	so ₂	NO _X
1	06.06.19	94	53	13.51	32.20
2	26.06.19	97	58	11.93	29.96
	NAAQ Standard	100	60	80	80



■ PM 10
☑ PM 2.5
⊞ SO2
□NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	I. No. Dates of sampling		PM 2.5	SO ₂	NO _X
1	13.06.19	94	52	10.53	27.11
2	21.06.19	91	48	12.65	28.22
	NAAQ Standard	100	60	80	80






2100/9


 $^{^{1}\,}$ AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial ²	
SI. No.	SI. No. Dates of sampling		PM 2.5	SO2	NOx
1	13.06.19	91	52	10.36	27.20
2	21.06.19	98	56	11.37	28.39
	NAAQ Standards	100	60	80	80





Station Name: A19 – Murlidih 20/21		Zone:	Zone: Buffer		Industrial
SI. No.	Dates of sampling	PM 10 PM 2.5		SO2	NOx
1	03.06.19	95	52	13.71	31.51
2	27.06.19	90	51	12.50	32.16
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration

² AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,



NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nam	ne of the Project: Cl	uster -XII	N	fonth: JUNE , 2	2019 ³
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	13.06.19	65.3	75
2	Moonidih UGP	Industrial area	21.06.19	64.2	75
3	Rudhi Basti (N18)	Residential area	06.06.19	47.5	55
4	Rudhi Basti	Residential area	26.06.19	46.7	55
5	Murlidih 20/21(N19)	Industrial area	03.06.19	56.2	75
6	Murlidih 20/21(N19)	Industrial area	27.06.19	55.1	75
7	Block IV (N6)	Industrial area	13.06.19	57.1	75
8	Block IV	Industrial area	21.06.19	53.6	<i>7</i> 5

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

2100/9

DATED 20.08.19

^{*} Day Time: 6.00 AM to 10.00 PM,

STRICTLY RESTRICTED FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH JULY, 2019)


E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



AMBIENT AIR QUALITY DATA


Cluster–XII, Bharat Coking Coal limited Month: JULY, 2019 Year : 2019-20.

Station Name: A18, Rudhi Basti		Zone	e: Core	Category: Residential ¹	
SI. No.	Dates of sampling	PM 10 PM 2.5		so ₂	NO _X
1	09.07.19	93	51	12.90	20.56
2	26.07.19	87	46	10.95	19.54
	NAAQ Standard	100	60	80	80



■ PM 10
☑ PM 2.5
□ SO2
□NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	04.07.19	92	53	10.37	22.25
2	19.07.19	86	47	12.72	20.17
	NAAQ Standard	100	60	80	80






2100/4


¹ AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,

Station Name: A17 Moonidih UGP		Zone:	Buffer	Category: Industrial ²	
SI. No.	Dates of sampling	g PM 10 PM 2.5		SO2	NOx
1	05.07.19	86	52	11.25	23.61
2	28.09.19	84	47	12.84	25.05
	NAAQ Standards	100	60	80	80





Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	10.07.19	85	51	11.38	18.65
2	22.07.19	82	49	11.46	16.71
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration

² AUTHORISED FOR RELEASE BY HOD (ENV), CMPDI, RL-2, DHANBAD,



DATED 28.09.19

NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Cl	uster -XII		Month: JULY	′ , 2019³
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	05.07.19	60.4	75
2	Moonidih UGP	Industrial area	28.09.19	64.8	75
3	Rudhi Basti (N18)	Residential area	09.07.19	47.6	55
4	Rudhi Basti	Residential area	26.07.19	45.8	55
5	Murlidih 20/21(N19)	Industrial area	10.07.19	56.3	75
6	Murlidih 20/21(N19)	Industrial area	22.07.19	57.1	75
7	Block IV (N6)	Industrial area	04.07.19	54.7	75
8	Block IV	Industrial area	19.07.19	55.8	75

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

2160/9

DATED 28.09.19

_

STRICTLY RESTRICTED FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH AUGUST, 2019)


E. C. no. J-11015/184/2012-IA.II (M) dated 10.12.2014.



AMBIENT AIR QUALITY DATA


Cluster–XII, Bharat Coking Coal limited Month: AUGUST, 2019 Year : 2019-20.

Station Name: A18, Rudhi Basti		Zone	e: Core	Category: Residential ¹	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO ₂	NO _X
1	12.08.19	87	43	11.33	25.33
2	29.08.19	91	54	13.75	26.18
	NAAQ Standard	100	60	80	80



■ PM 10
☑ PM 2.5
■ SO2
□NOx

Station Name: A6, Block IV		Zone: E	Buffer	Category:	Industrial
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	07.08.19	86	43	10.36	25.14
2	20.08.19	94	54	11.14	26.08
	NAAQ Standard	100	60	80	80













Statio	Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial ²	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx	
1	08.08.19	86	45	11.86	23.35	
2	19.08.19	91	47	11.07	23.9	
	NAAQ Standards	100	60	80	80	





Station	Station Name: A19 – Murlidih 20/21 Zone: Buf		Buffer	Category:	Industrial
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	12.08.19	86	53	11.13	24.23
2	23.08.19	91	54	12.13	23.39
	NAAQ Standards	100	60	80	80





- > All values are expressed in microgram per cubic meter.
- 24 hours duration







NOISE LEVEL QUALITY MONITORING

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Cl	uster -XII		Month: AUGUS	ST, 2019 ³
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	08.08.19	65.6	75
2	Moonidih UGP	Industrial area	19.08.19	67.4	75
3	Rudhi Basti (N18)	Residential area	12.08.19	46.5	55
4	Rudhi Basti	Residential area	29.08.19	47.8	55
5	Murlidih 20/21(N19)	Industrial area	12.08.19	55.4	75
6	Murlidih 20/21(N19)	Industrial area	23.08.19	55.5	75
7	Block IV (N6)	Industrial area	07.08.19	55.7	75
8	Block IV	Industrial area	20.08.19	53.7	75

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad Approved By HOD(Mining/Environment) RI-2, CMPDI, Dhanbad भारत कोकिंग कोल लिमिटेड

(महार्श्त कम्पनी कोल इंडिया का एक उपक्रम) पंजीकृत कार्यालव : कोयला भवन, कोयला नगर,

धनवाद-826005 सीआइएन : U10101JH1972GOI000918

महाप्रबंधक का कार्यालय

पश्चिमी झरिया क्षेत्र पो. मुनीडीह, जिलाः धनबाद (झारखण्ड)-828129

फोन र्न. 0326 2273483; फेक्स: 0326 2273445, ई-मेल: cgmwj@bccl.gov.in

Coal India

Bharat Coking Coal Limited

A Mini Ratna Company

(A Subsidiary of Coal India Limited: A Maharatna Company) Regd. Off.: Koyla Bhawan, Koyla Nagar Dhanbad - 826005

Dhanbad - 826005 CIN: U10101JH1972G01000918

OFFICE OF THE GENERAL MANAGER WESTERN JHARIA AREA

PO: MOONIDIH, DISTT: DHANBAD (JHARKHAND) - 828129
PHONE NO: 0326 2273483, FAX NO: 0326 2273445, e-mail · cgmwj@bccl gov in

Ref:- BCCL/WJA/MND/2019/ 1141(日)

Date: 29 08 2019

To,
The Member Secretary,
Jharkhand State Pollution Control Board
T.A. Division Building, HEC Dhurwa,
Ranchi – 834004

Sub: Environmental Statement for the year ending 31st March 2019 in respect of Kapuria U/G Project, W.J. Area, BCCL.

Dear Sir,

Please find enclosed herewith the Environmental Statement of Kapuria U/G/ Project, Western Jharia, BCCL (Dhanbad) for the year ending 31st March 2019 which is not started yet.

Thanking You,

You're faithfully

Project Officer Kapuria u/g Project

Copy to:-

- 1. Regional Officer, JSPCB, HIG-1, Housing colony, Bartand Dhanbad, Pin-826015(By Speed Post)
- 2. GM, W.J. Area, Moonidih
- 3. Dy GM (Env.), BCCL Koyla Bhawan, Dhanbad

4. AM (Env.), W.J. Area, Moonidih

FORM- V

ENVIRONMENTAL STATEMENT

For the Financial year ending 31st March 2019

KAPURIA PEOJECT WESTERN JHARIA AREA BHARAT COKING COAL LIMITED

¹[FORM - V]

(See rule 14)

Environmental Statement for the financial year ending the 31st March 2019

PART-A

(*)	NY 1 11 C1	MANCE C'Delevel Verson
(i)	Name and address of the	NAME :- Sri Rakesh Kumar
	owner/occupier of the industry operation	Designation:- Director (Tech) P&P,
	or process	Bharat Coking Coal Limited
		Address:-KOYLA BHAWAN, P.O
		KOYLA NAGAR
		DISTT- DHANBAD
		(JHARKHAND)
		PIN:- 826005
		Telephone:- 0326 2230163
(ii)	Industry category Primary(STC	KAPURIA UG PROJECT
	code) Secondary(SIC Code)	
(iii)	Production capacityUnits	2.0 MTY
(iv)	Year of establishment	Project not started yet
(v)	Date of the last environmental statement	04.09.2018
	submitted	

PART – B

Water and Raw Material Consumption:

- (i) Water consumption m³/d:
 - a. Process:
 - b. Cooling:
 - c. Domestic:

	Name of Products	Process water consumption per unit of product output.	
		During the previous financial	During current financial
		Year	Year
1	Coal	Nil	Nil

¹. Substituted by Rule 2 (b) of the Environment (Protection) Amendment Rules, 1993 notified vide G.S.R 3'6 (E) dated 22.04.1993.

ii) Raw Material Consumption - (NIL) Project not started yet

*Name of raw	Name of products	Consumption of raw material per Unit of outp	
materials		During the previous financial year	During the current financial year
Not Application	Coal	NIL	NIL

^{*}Industry may use codes if disclosing details of raw material would violate contractual obligations, otherwise all industries have to name the raw materials used.

PART - C

Pollution discharged to environment/unit of output: (Parameter as specified in the consent issued)

1) Pollutants	Quantity of pollutants	Concentrations of pollutants in	Percentage of variation
	discharged (mass/day)	discharges (mass/volume)	from prescribed standards
			with reasons
a) Water		Not Applicable (Project not started	d yet)
b) Air			

Enclosed: - (i) Monitoring report done by CMPDI.

(ii) Water Analysis Report

PART - D

Hazardous Wastes

(As specified under Hazardous Waste Management and Handling Rules, 1989) \

Hazardous Wastes	Total Quantity (Kg.)		
	During the previous Financial year	During the current Financial Year	
	(2017-18)	(2018-19)	
a). From Process			
b). From pollution control facilities			

PART – E Solid Wastes

Solid Wastes	Total Quantity (Kg.)		
	During the previous Financial year	During the current Financial Year	
m) From Process	NIL	NIL	
n) From pollution control facilities	NIL	NIL	
o) (i) Quantity recycled or re-utilized within the unit	NIL	NIL	
(ii) Soil	NIL	NIL	
(iii) Disposed	NIL	NIL	

PART - F

Please specify the characterizations (in terms of composition of quantum) of Hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Project is not started due to non-acquirement of land so there is no hazardous & also solid waste.

PART - G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

PART - H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

PART - I

Any other particulars for improving the quality of the environment: ---Nil

26.08 2019 Project Officer

Kapuria u/g project

Western Jharia Area

Bharat Coking Coal Limited

STRICTLY RESTRICTED

FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH JANUARY, 2019)




Cluster-XII, Bharat Coking Coal limited

Month: JAN, 2019


Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone	: Core	Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	31.12.18	88	52	13	32
2	23.01.19	84	49	12	30
	NAAQ Standard	100	60	80	80



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X
1	08.01.19	93	54	13	32
2	29.01.19	91	50	13	30
	NAAQ Standard	100	60	80	80




□ PM 10
□ PM 2.5
□ SO2
□ NOx

चुमार सीभीन, रुद्


Analysed By JSA/SA/SSA Checked By Lab in Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone:	Buffer	Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.01.19	94	55	12	31
2	24.01.19	92	54	12	30
	NAAQ Standards	100	60	80	80



□ PM 10
□ PM 2.5
□ SO2
□ NOx

Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	02.01.19	104	63	12	32
2	22.01.19	97	55	12	31
	NAAQ Standards	100	60	80	80



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

- > All values are expressed in microgram per cubic meter.
- > 24 hours duration

Analysed By
JSANANSA

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of 'LEO' were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EO} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Cli	uster -XII		Month: JAN	, 2019
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	14.01.19	67.6	75
2	Moonidih UGP	Industrial area	24.01.19	61.7	75
3	Rudhi Basti (N18)	Residential area	31.12.18	51.6	55
4	Rudhi Basti	Residential area	23.01.19	48.9	55
5	Murlidih 20/21(N19)	Industrial area	02.01.19	54.9	75
6	Murlidih 20/21(N19)	Industrial area	22.01.19	58.2	75
7	Block IV (N6)	Industrial area	08.01.19	53.2	75
8	Block IV	Industrial area	29.01.19	54.6	75

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By JSA/SA/SSA

Checked By
Lab In Charge
RI-2, CMPDI, Dhanbad

Approved By HOD(Mining/Environment) RI-2, CMPDI, Dhanbad

न्यम्य सीमेन राख

STRICTLY RESTRICTED

FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH FEBRUARY, 2019)




Cluster-XII, Bharat Coking Coal limited

Month: FEB, 2019


Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone: Core		Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO ₂	NO _X
1	01.02.19	90	48	11	27
2	21.02.19	88	52	11	29
	NAAQ Standard	100	60	80	80



☐ PM 10 ☐ PM 2.5 ☐ SO2 ☐ NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO ₂	NO _X
1	14.02.19	95	56	14	30
2	26.02.19	94	55	14	31
	NAAQ Standard	100	60	80	80




□ PM 10 □ PM 2.5 □ SO2

□ NOx

जुम्म सीभैन, राद्र


Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	07.02.19	96	56	12	31
2	22.02.19	96	53	13	33
	NAAQ Standards	100	60	80	80



☑ PM 10
☑ PM 2.5
☑ SO2
TI NOV

Station Name: A19 - Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	01.02.19	101	65	11	28
2	21.02.19	99	54	13	32
	NAAQ Standards	100	60	80	80



☐ PM 10 ☑ PM 2.5 ☐ SO2 ☐ NOx

- > All values are expressed in microgram per cubic meter.
- 24 hours duration

Analysed By JSANANSA

Checked By Lub In Churge R1-2, CMPDI, Dhanbad

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of 'LEO' were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

	NOISE ELVEE DATA							
Nan	ne of the Project: Cli	uster -XII		Month: FEB				
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)			
1	Moonidih UGP (N17)	Industrial area	07.02.19	68.2	<i>75</i>			
2	Moonidih UGP	Industrial area	22.02.19	60.8	<i>75</i>			
3	Rudhi Basti (N18)	Residential area	01.02.19	46.2	55			
4	Rudhi Basti	Residential area	21.02.19	46.8	55			
5	Murlidih 20/21(N19)	Industrial area	01.02.19	56.2	75			
6	Murlidih 20/21(N19)	Industrial area	21.02.19	56.7	75			
7	Block IV (N6)	Industrial area	14.02.19	58.4	75			
8	Block IV	Industrial area	26.02.19	57.3	75			

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

Analysed By

Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Approved By HOD(Mining/Environment) RI-2, CMPDI, Dhanbad

च्याय सीमेन राद

STRICTLY RESTRICTED

FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH MARCH, 2019)




Cluster-XII, Bharat Coking Coal limited

Month: MARCH, 2019


Year : 2018-19.

Station Name: A18, Rudhi Basti		Zone: Core		Category: Residential	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NOX
1	11.03.19	88	58	11	28
2	19.03.19	83	49	11	29
	NAAQ Standard	100	60	80	80



☐ PM 10 ☑ PM 2.5 □ SO2 □ NOx

Station Name: A6, Block IV		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO ₂	NOX
1	08.03.19	97	56	13	33
2	25.03.19	94	52	14	35
	NAAQ Standard	100	60	80	80



☐ PM 10 ☑ PM 2.5 □ SO2

□ NOx


ल्याय मोनेन

JANA SSA

Lab in Charge RI-2, CMPDI, Dhanbad


RI-2. CMPDI, Dhanbad.

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	08.03.19	94	57	12	32
2	22.03.19	92	52	14	33
	NAAQ Standards	100	60	80	80



•	PM	10
	PM	2.5
B	SO2	
	NO	•

Station Name: A19 - Murlidih 20/21		Zone:	Buffer	Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	14.03.19	97	56	14	32
2	28.03.19	92	53	15	34
	NAAQ Standards	100	60	80	80



□ PM 10 □ PM 2.5 □ SO2 □ NOx

- > All values are expressed in microgram per cubic meter.
- 24 hours duration

स्प्राय सोमैन, रुद्र

Analysed By JSA/SA/SSA Checked By Lub In Charge RI-2, CMPDI, Dhanbad

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of 'L_{EO}' were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EO} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

		IOL LLVL			
Nan	ne of the Project: Cl	uster -XII		Month: MARC	CH, 2019
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	08.03.19	66.2	75
2	Moonidih UGP	Industrial area	22.03.19	65.3	75
3	Rudhi Basti (N18)	Residential area	11.03.19	41.3	55
4	Rudhi Basti	Residential area	19.03.19	45.8	55
5	Murlidih 20/21(N19)	Industrial area	14.03.19	52.4	75
6	Murlidih 20/21(N19)	Industrial area	28.03.19	58.3	75
7	Block IV (N6)	Industrial area	08.03.19	57.3	75
8	Block IV	Industrial area	25.03.19	59.1	75

^{*}Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.
* Day Time: 6.00 AM to 10.00 PM,

न्युमय सीभीन , राद्ध

Analysed By JSA/SA/SSA Checked By
Lab In Charge
RI-2, CMPDI, Dhanbad

STRICTLY RESTRICTED FOR COMPANY USE ONLY RESTRICTED

The information given in this report is not to be communicated either directly or indirectly to the press or to any person not holding an official position in the CIL/GOVERNMENT.

ENVIRONMENTAL MONITORING REPORT OF BHARAT COKING COAL LIMITED, CLUSTER – XII

(FOR THE MONTH SEPTEMBER, 2019)



AMBIENT AIR QUALITY MONITORING

2.1 Location of sampling station and their rationale:

(As per G.S.R. 742 (E) dt. 25th December, 2000)

2.1.1 Ambient Air Quality Sampling Locations

I. CORE ZONE Monitoring Location

i) Rudhi basti (A18): Industrial Area

The location of the sampling station is 23° 45'26.60" N & 86°18'39.90" E.The samplers were placed at a height of approx. 1.5m above ground level at Rudhi basti.

II. BUFFER ZONE Monitoring Location

i) Block IV (A6): Industrial area

The location of the sampling station is 23° 47′ 54.00″ N & 86°16′ 20.00″ E The samplers were placed at a height of approx. 1.5m above ground level at Safety Office.

ii) Moonidih UGP (A17): Industrial area


The location of the sampling station is 23° 44′ 30.00″ N & 86° 20′56.00″ E. The samplers were placed at a height of approx. 1.5m above ground level at project office.

iii) Murlidih 20/21 Pit(A19): Industrial Area

The location of the sampling station is 23° 43′ 51.82″ N & 86° 16′21.87″ E. The samplers were placed at a height of approx. 1.5m above ground level at project office.


Cluster–XII, Bharat Coking Coal limited Month: SEPT, 2019 Year : 2019-20.

Station Name: A18, Rudhi Basti		8, Rudhi Basti Zone: Core			Category: Residential ¹	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X	
1	10.09.19	54	25	12.20	22.35	
2	25.09.19	52	23	11.65	23.95	
	NAAQ Standard	100	60	80	80	



PM 10
☑ PM 2.5
■ SO2
□ NOx

Station Name: A6, Block IV		Zone:	Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	so ₂	NO _X	
1	05.09.19	64	27	10.47	23.76	
2	19.09.19	63	34	11.38	24.24	
	NAAQ Standard	100	60	80	80	




□ PM 10
□ PM 2.5
□ SO2
□ NOx




Checked By Lab In Charge RI-2, CMPDI, Dhanbad

Station Name: A17 Moonidih UGP		Zone: Buffer		Category: Industrial ²	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	05.09.19	65	29	12.26	21.79
2	16.09.19	69	32	13.28	23.94
	NAAQ Standards	100	60	80	80





Station Name: A19 – Murlidih 20/21		Zone: Buffer		Category: Industrial	
SI. No.	Dates of sampling	PM 10	PM 2.5	SO2	NOx
1	12.09.19	68	34	11.38	20.96
2	30.09.19	63	32	12.57	21.92
	NAAQ Standards	100	60	80	80



☑ PM 10☑ PM 2.5☑ SO2☑ NOx

- > All values are expressed in microgram per cubic meter.
- 24 hours duration

Analysed By JSA/SA/SSA Checked By Lab In Charge RI-2, CMPDI, Dhanbad

4.1 Location of sampling sites

- i) Rudhi basti (N18)
- ii) Block IV(N6)
- iii) Moonidih UGP(N17)
- iv) Murlidih 20/21 (N19)

4.2 Methodology of sampling and analysis

Noise level measurements in form of $'L_{EQ}'$ were taken using Integrated Data Logging Sound Level Meter (NL-52 OF RION CO. Ltd. Make) during day time. Noise levels were measured for about one hour time in day time. Noise levels were measured in Decibels, 'A' weighted average, i.e. dB (A).

4.3 Results & Interpretations

Ambient noise levels were recorded during day time and the observed values were compared with standards prescribed by MoEFCC. The results of Noise levels recorded during day time on fortnightly basis are presented in tabular form along with the applicable standard permissible limits. The observed values in terms of L_{EQ} are presented. The observed values at all the monitoring locations are found to be within permissible limits.

NOISE LEVEL DATA

Nan	ne of the Project: Cl	uster -XII		Month: SEPT	., 2019 ³
SI. No.	Station Name/Code	Category of area	Date	Noise level dB(A)LEQ	*Permissible Limit of Noise level in dB(A)
1	Moonidih UGP (N17)	Industrial area	05.09.19	61	75
2	Moonidih UGP	Industrial area	16.09.19	62.3	75
3	Rudhi Basti (N18)	Residential area	10.09.19	50.6	55
4	Rudhi Basti	Residential area	25.09.19	48.3	55
5	Murlidih 20/21(N19)	Industrial area	12.09.19	72.6	75
6	Murlidih 20/21(N19)	Industrial area	30.09.19	57.1	75
7	Block IV (N6)	Industrial area	05.09.19	50.1	75
8	Block IV	Industrial area	19.09.19	52.4	75

*Permissible limits of Noise Level as per MOEF Gazette Notification No. GSR 742(E) dt. 25.09.2000 Standards for Coal Mines and Noise Pollution (Regulation and Control) Rules, 2000.

* Day Time: 6.00 AM to 10.00 PM,

· 100

Analysed By JSA/SA/SSA

2747

Checked By Lab In Charge RI-2, CMPDI, Dhanbad