

## Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687781565946

Generated Date | अनुबंध तिथि: 22-Mar-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3008609](#)

Schedule Name | अनुसूची नाम: Schedule 1, Schedule 2, Schedule 3, Schedule 4

Organisation Details   संगठन विवरण	Buyer Details   खरीदार विवरण
Type   प्ररूप: Central PSU Ministry   मंत्रालय: Ministry of Coal Department   विभाग: Materials Management Organisation Name   संगठन का नाम: Bharat Coking Coal Limited Office Zone   कार्यालय क्षेत्र: Bccl Dhanbad	Designation   पद: Manager I Contact No.   संपर्क नंबर: 94705-95938- Email ID   ईमेल आईडी: sonu.gupta@nic.in GSTIN   जीएसटीआईएन: 20AAACB7934MFZB Address   पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail   वित्तीय स्वीकृति विवरण	Paying Authority Details   भुगतान प्राधिकरण विवरण
IFD Concurrence   आईएफडी सहमति: Yes Designation of Administrative Approval   प्रशासनिक अनुमोदन का पदनाम: GM MM Designation of Financial Approval   वित्तीय अनुमोदन का पदनाम: HOD(F)MM	Role: PAO Payment Mode   भुगतान का तरीका: Offline Designation   पद: HOD Purchase Finance Email ID   ईमेल आईडी: pao5.bccl.jh@gembuyer.in GSTIN   जीएसटीआईएन: N Address   पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India Payments shall be made to the seller within 21 days of issue Payment Timelines   भुगतान समयसीमा: भुगतान of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days time as provided in clause 12 of GeM GTC)

Seller Details   विक्रेता विवरण	
GeM Seller ID   जेम विक्रेता आईडी: FB53190000720242 Company Name   कंपनी का नाम: GEMSCAB INDUSTRIES LIMITED Contact No.   संपर्क नंबर: 08800952005 Email ID   ईमेल आईडी: sonia@gemscab.com Address   पता: 704-707, VIKRANT TOWER, 4, RAJENDRA PLACE, Central Delhi, DELHI-110008, - MSME verified   एमएसएमई सत्यापित: No MSME Registration number   एमएसएमई पंजीकरण संख्या: - GSTIN   जीएसटीआईएन: 08AAACG5260H1ZQ	

\*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

#	Item Description   आइटम विवरण	Ordered Quantity   आइटम विवरण	Unit   इकाई	Unit Price (INR)   इकाई मूल्य (INR)	Tax Bifurcation (INR)   कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)   मूल्य (INR में सभी शुल्क और कर सहित)
1	<b>Product Name</b>   उत्पाद का नाम: GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv <b>Brand</b>   ब्रांड: GEMSCAB <b>Brand Type</b>   ब्रांड प्रकार: Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: OEM verified catalogue <b>Selling As</b>   कैसे बेचा जा रहा है: OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश: XLPE Cables for Working Voltages from 3.3 kv up to and Including 33 kv as per IS:7098 Part 2 (Q3) <b>Model</b>   मॉडल: GEMSCAB <b>HSN Code</b>   एचएसएन कोड: 85446090	1,000	meter	640	NA	640,000
2	<b>Product Name</b>   उत्पाद का नाम: GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv <b>Brand</b>   ब्रांड: GEMSCAB <b>Brand Type</b>   ब्रांड प्रकार: Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: OEM verified catalogue <b>Selling As</b>   कैसे बेचा जा रहा है: OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश: XLPE Cables for Working Voltages from 3.3 kv up to and Including 33 kv as per IS:7098 Part 2 (Q3) <b>Model</b>   मॉडल: GEMSCAB <b>HSN Code</b>   एचएसएन कोड: 85446090	4,000	meter	804	NA	3,216,000

3	<b>Product Name</b>   जयाद का नाम : GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv <b>Brand</b>   ब्रांड : GEMSCAB <b>Brand Type</b>   ब्रांड प्रकार : Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: OEM verified catalogue <b>Selling As</b>   कैसे बेचा जा रहा है : OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : XLPE Cables for Working Voltages from 3.3 kv up to and Including 33 kv as per IS:7098 Part 2 (Q3) <b>Model</b>   मॉडल: GEMSCAB <b>HSN Code</b>   एचएसएन कोड: 85446090	1,700	meter	1,053	NA	1,790,100
4	<b>Product Name</b>   जयाद का नाम : GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv <b>Brand</b>   ब्रांड : GEMSCAB <b>Brand Type</b>   ब्रांड प्रकार : Registered Brand <b>Catalogue Status</b>   कैटलॉग की स्थिति: OEM verified catalogue <b>Selling As</b>   कैसे बेचा जा रहा है : OEM <b>Category Name &amp; Quadrant</b>   श्रेणी का नाम और चतुर्थांश : XLPE Cables for Working Voltages from 3.3 kv up to and Including 33 kv as per IS:7098 Part 2 (Q3) <b>Model</b>   मॉडल: GEMSCAB <b>HSN Code</b>   एचएसएन कोड: 85446090	4,400	meter	1,247	NA	5,486,800

Total Order Value | कुल ऑर्डर मूल्य (in INR) 11,132,900

**Consignee Detail | परेषिती विवरण**

S.No   क्र.सं.	Consignee   परेषिती	Item   वस्तु	Lot No.   लॉट नंबर	Quantity   मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By   वितरण पूरा कब तक करना है
1	Designation   पद : - Email ID   ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact   संपर्क : 62876-95727- GSTIN   जीएसटीआईएन : 20AAACB7934MFZB Address   पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv	-	1,000	22-Mar-2023	21-May-2023
		GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv	-	4,000	22-Mar-2023	21-May-2023
		GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv	-	1,700	22-Mar-2023	21-May-2023
		GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv	-	4,400	22-Mar-2023	21-May-2023

**Product Specification for GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv**

Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	BIS Marked	Yes
	BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )	Yes
	Low temperature appplication (If "Yes" manufacturer shall have valid BIS License for the same )	No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC

	"Nominal Area of Conductor (in Sq.mm)	70
CONSTRUCTIONAL	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	100-181126-41
	Report date - Must declare	29.12.2018
	Name of lab - Must declare	GTL LABS PVT LTD
	Address of lab - Must declare	Ghaziabad-201001
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes
<b>Buyer Defined Additional Specification for  खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv</b>		
<b>Specification   विनिर्देश</b>	<b>Value   मूल्य</b>	
BIS License	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098, Part-2 for cables shall be uploaded with bid submission	
Test Certificate	(b)Copy of Type Test Certificate for same or higher rating cables(both voltage and size) from NABL accredited labs/Govt test house as per IS 7098 Part-2 with latest amendments	
Self declaration	(c) A self-declaration to submit Valid BIS License, routine test report for offered cables along with supply.	
<b>Product Specification for GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv</b>		
<b>Specification   विनिर्देश</b>	<b>Sub-Spec   उप-विनिर्देश</b>	<b>Value   मूल्य</b>
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	BIS Marked	Yes
	BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )	Yes
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same )	No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Area of Conductor (in Sq.mm)	120
CONSTRUCTIONAL	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	TC507322000001061F
	Report date - Must declare	21/07/2022

Name of lab - Must declare	RTRC
Address of lab - Must declare	GURUGRAM-122050
All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

**Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv**

Specification   विनिर्देश	Value   मूल्य
BIS License	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098, Part-2 for cables shall be uploaded with bid submission
Test Certificate	(b) Copy of Type Test Certificate for same or higher rating cables (both voltage and size) from NABL accredited labs/Govt test house as per IS 7098 Part-2 with latest amendments
Self declaration	(c) A self-declaration to submit Valid BIS License, routine test report for offered cables along with supply.

**Product Specification for GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv**

Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	BIS Marked	Yes
	BIS Marked if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )	Yes
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same )	Yes
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Area of Conductor (in Sq.mm)	185
CONSTRUCTIONAL	Insulation (conforming to the requirement as per Table.1 of IS:7098 (Part 2):2011 latest	cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification	Yes
	Test report number - Must declare	TC6170-191209-20
	Report date - Must declare	21/01/2020
	Name of lab - Must declare	GTL LABS PVT LTD
	Address of lab - Must declare	Ghaziabad-201001
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

**Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv**

Specification   विनिर्देश	Value   मूल्य
BIS License	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098, Part-2 for cables shall be uploaded with bid submission.
Test Certificate	(b) Copy of Type Test Certificate for same or higher rating cables (both voltage and size) from NABL accredited labs/Govt test house as per IS 7098 Part-2 with

	latest amendments.	
Self declaration	(c) A self-declaration to submit Valid BIS License, routine test report for offered cables along with supply	
<b>Product Specification for GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv</b>		
Specification   विनिर्देश	Sub-Spec   उप-विनिर्देश	Value   मूल्य
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	BIS Marked	Yes
	BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same )	Yes
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same )	No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Area of Conductor (in Sq.mm)	240
CONSTRUCTIONAL	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	TC6170-210705-1287
	Report date - Must declare	26/07/2021
	Name of lab - Must declare	GTL LABS PVT LTD
	Address of lab - Must declare	Ghaziabad-201001
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes
<b>Buyer Defined Additional Specification for   खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए GEMSCAB Three-core armoured, screened Xlpe Cables For Working Voltages From 3.3 Kv Up To And Including 33 Kv</b>		
Specification   विनिर्देश	Value   मूल्य	
BIS License	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098, Part-2 for cables shall be uploaded with bid submission.	
Test Certificate	(b)Copy of Type Test Certificate for same or higher rating cables(both voltage and size) from NABL accredited labs/Govt test house as per IS 7098 Part-2 with latest amendments.	
Self declaration	(c) A self-declaration to submit Valid BIS License, routine test report for offered cables along with supply	
<b>ePBG Detail   ईपीबीजी विवरण</b>		
Advisory Bank   सलाहकार बैंक :	State Bank of India	
ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :	10.00	
The bidder shall furnish ePBG as applicable as per bid's terms and conditions   बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा		

## Terms and Conditions | नियम और शर्तें

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

### 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 2.3 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

#### 2.4 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 2.5 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 2.6 Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 2.7 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 2.8 Inspection:

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Central Mine Planning & Design Institute Ltd (CMPDIL) Ranchi (DETAILS IN BUYER uploaded ATC)

Post Receipt Inspection at consignee site before acceptance of stores:  
GM(E&M) I/C or his authorized representative

#### 2.9 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

#### 2.10 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 2.11 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 2.12 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1) Pre-dispatch Inspection shall be done by nominated agency of BCCL i.e. Central Mine Planning & Design Institute Ltd (CMPDIL) Ranchi / their Regional Office (for details visit [www.cmpdi.co.in](http://www.cmpdi.co.in)). Inspection fee @ 1% of total consignment billing (plus statutory levies like GST etc. as applicable on inspection fee) is to be paid to CMPDIL along with inspection cost all letter payable by SBI Collect by seller. The price is to be quoted by the seller inclusive of inspection fees. Minimum 7 calendar days notice shall be given by the manufacturer to CMPDIL for arranging inspection within valid delivery period as per contract. (The clause is already attached in the Buyer uploaded ATC document of ATC section of the Bid )

2.13 *Buyer Added Bid Specific ATC:*

Buyer uploaded ATC document [Click here to view the file.](#)

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।