# अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687762023490

अनुबंध तिथि | Generated Date : 02-Jul-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2023/B/4341875</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry: Ministry of Coal COAL INDIA LIMITED विभाग | Department : संगठन का नाम|Organisation Name : **Bharat Coking Coal Limited** कार्यालय क्षेत्र|Office Zone: BCCL Dhanbad Jharkhand

खरीदार विवरण|Buyer Details पद | Designation : Assistant Manager8

संपर्क नंबर|Contact No. : 62872-42898 ईमेल आईडी|Email ID : buyer8.bccl.dhn@gembuyer.in

जीएसटीआईएन|GSTIN: 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

पता|Address: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

D(T) OP, BCCL

GM(MM)/HOD-MM(P), BCCL

भुगतान प्राधिकरण विवरण | Paying Authority Details PAO

भुगतान का तरीका| Offline

Payment Mode:

पद|Designation : Senior Manager ईमेल आईडी|Email ID : pay8.bccl.dhn@gembuyer.in

जीएसटीआईएन|GSTIN: 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

पता|Address: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

Payments shall be made to the seller within 21 days of issue

Timelines:

भुगतान समयसीमा|Payment of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days

time as provided in clause 12 of GeM GTC)

विक्रैता विवरण|Seller Details

पता| Address :

जेम विक्रैता आईडी|GeM Seller ID : 9251180000408248

कंपनी का नाम|Company Name : KHOSLA SCIENTIFIC INSTRUMENTS

संपर्क नंबर|Contact No.: 09811028260

ईमेल आईडी|Email ID: khoslascientificinstrument25@gmail.com

 $\hbox{C-39, SWAMI DAYANAND COLONY\,, sarai \, rohilla, khosla \, scientific \, instruments, c-39, \, swami \, dayanand \, colony\,, \, sarai \, rohilla\,, \, colony\,, \, colony\,,$ 

delhi, NEAR POLICE STATION, SARAI ROHILLA,

Delhi, DELHI-110007, -एमएसएमर्ड सत्यापित | MSME verified :

No

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-DL-04-0012831 एमएसई सामाजिक श्रेणी|MSE Social Category : General

एमएसई लिंग श्रेणी|MSE Gender: Male

07BCGPK6172A1ZV (B), (R), (M), (M) जीएसटीआईएन|GSTIN:

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

# उत्पाद विवरण | Product Details

| #  | आइटम विवरण Item Description  | आइटम<br>विवरण <br>Ordered<br>Quantity | इकाई  <br>Unit | इकाई मूल्य<br>(INR) <br>Unit Price<br>(INR) | कर विभाजन<br>(INR) <br>Tax<br>Bifurcation<br>(INR) | मूल्य<br>(INR में सभी<br>शुल्क और कर<br>सहित) <br>Price<br>(Inclusive of<br>all Duties and<br>Taxes in INR) |
|----|--|---------------------------------------|----------------|---|--|---|
| 1  | उत्पाद का नाम  Product Name : khosla scientific instruments (KSI) LED display Humidity Chamber, Range +10 % RH to 95 % RH ज्ञांड  Brand : khosla scientific instruments (KSI)   ज्ञांड प्रकार  Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है  Selling As : OEM श्रेणी का नाम और चतुर्थाश  Category Name & Quadrant : Humidity Chamber (Q3) मॉडल  Model: KSI HM5201   एचएसएन कोड  HSN Code: HSN not specified by seller | 6                                     | pieces         | 70,900                                      | NA   | 425,400   |
| कु | कुल ऑर्डर मूल्य   Total Order Value (in INR)   |                                       |                |   |  | 425,400   |

परेषिती विवरण|Consignee Detail

वितरण पुरा कब दिनांक के बाद

तक करना है|

| क्र.सं. S.No | परेषिती Consignee  | वस्तु Item  | लॉट नंबर <br>Lot No. | मात्रा Quantity | डिलीवरी शुरू<br>करना है <br>Delivery Start<br>After | Delivery To<br>Be<br>Completed<br>By |
|--------------|--|---|----------------------|-----------------|---|--------------------------------------|
| 1            | पद  Designation : -<br>ईमेल आईडी Email ID : con1.bccl.jh@gembuyer.in<br>संपर्क Contact : 62876-95727-<br>जीएसटीआईएन GSTIN : 20AAACB7934MFZB<br>पता Address : Depot Officer, Central Store, Ekra, BCCL, Post Office-<br>BANSJORA, Dhanbad, Jharkhand-828101.,<br>DHANBAD, JHARKHAND-828101, India | khosla scientific<br>instruments (KSI) LED<br>display Humidity<br>Chamber, Range +10 %<br>RH to 95 % RH | -                    | 6               | 02-Jul-2024   | 31-Aug-2024                          |

# Product Specification for khosla scientific instruments (KSI) LED display Humidity Chamber, Range +10 % RH to 95 % RH

| विनिर्देश Specification  | उप-विनिर्देश Sub-Spec                           | मूल्य Value  |
|--------------------------|---|--|
|                          | Exterior Dimension,(w x d x h) (mm)             | Others   |
|                          | Exterior Dimension,(w x d x h), (If Others)     | 615x890x970  |
|                          | Volume of Chamber                               | 120 liter  |
| Dimensions and Size      | Interior Dimension,(w x d x h) (mm)             | 450 x 400 x 500  |
|                          | Exterior Material                               | Power Coated   |
|                          | Interior Material                               | high grade stainless steel (S.S.304)   |
|                          | Interior Dimension,(w x d x h), (If Others)     | 450x450x500  |
|                          | Heating & Cooling System                        | Long lasting SS tubular heaters used as heating element  |
|                          | Insulation                                      | 70mm polyurethane insulation PUF or fiberboard to ensure better insulation and less leakage of temperature or R from inner body to the surroundings  |
| Fechnical Specifications | Humidity  | Humidity created by steam injection method, The boiler tank is fitted in the back side of the chamber for better servicing, Electromagnetic switch for controlling the wet heater from burning off if water level is not adequate, Floa valve provided to control water level in the boiler tank |
|                          | Air Circulation                                 | Temperature is maintained by a quiet running blower circulation air throughout the chamber,Forced air circulated vertically down and re circulated throughout the chamber for uniform temperature and humidity   |
|                          | distance between trays                          | 15 centimeter  |
| T 6 15 11                | Cabinet Tray Material                           | Strong Stainless steel rods strong enough to with stand heavy load   |
| Trays Specifications     | Samples Tray Material                           | Removable perforated trays are part made of S.S. wire mesh   |
|                          | No.of Trays,(Shelves)                           | 3  |
|                          | Accuracy  | +/- 2 % RH   |
| Control Considerations   | Control Type                                    | Microprocessor - PID, with RTD sensor  |
| Control Specifications   | Temperature Range                               | +10 deg C to 70 deg C  |
|                          | Humidity Range                                  | +10 % RH to 95 % RH  |
|                          | LCD Smart Graphic Controller<br>Temp Accuracy   | =+/- 0.1 deg C</td   |
|                          | LCD Smart Graphic Controller<br>Features        | Cuts off system operation,Two independent PID loops for Temperature and Humidity Control   |
|                          | Display   | 4.3" Graphics LCD display  |
|                          | LCD Type  | LED display  |
| LCD Smart Graphic        | LCD Smart Graphic Controller<br>Accuracy        | +/- 3% Rh  |
| Controller               | Enclosure                                       | Open frame flush mount type  |
| Specifications           | LCD Smart Graphic Controller<br>Humidity        | 40% to 95% Rh  |
|                          | LCD Smart Graphic Controller<br>Temperature     | + 5.0 deg C to 70 deg C  |
|                          | Power consumption                               | 220-240 V ;15-950 W; 50-60 Hz  |
|                          | Туре  | Multi channel Process controller   |
|                          | LCD Smart Graphic Controller<br>Temp Resolution | +/- 0.1 deg C  |
|                          | Applications                                    | Cosmetics Industry,Plant or Insect Growth,Packaging Industry   |

| Accessories Included   | LCD Smart Graphic Controller,Push Buttons,Switches,Individual Lamps,Other controlling accessories,Electrical wiring as per CE Compliances,Fluorescent light with door switch,Electric Motor of blower,Unit mounted on castor wheels,Voltage stabiliser,Software 21 CFR PART 11 Compliance,2 doors support with inner full length transparent door   |
|--|---|
| Safety Feature   | High temperature safety cut off,Low water level boiler cut off,Electrical overload cut off,Time delay for compressor switch ON,Electrical circuit breaker   |
| Warranty, (Select 0 if NA)   | 1 year  |
| Additional Information   | NA  |
| Features   | Double Wall Construction,User friendly and locking mechanism,New unique design concept,Unbreakable,Unscratchable,High temperature resistant,Robust,Air tight and Transparent,Aesthetic outer appearance and high quality  |
| Calibration Report   | Yes   |
| Availability of Test Report from<br>Central Govt/NABL/ILAC<br>accredited lab to prove conformity<br>to specification | Yes   |
| Name and Address of the lab<br>(Please write NA if not applicable)   | KSI DELHI   |
| Certification  | CE  |
| Test Report Date and Numbers<br>(Please write NA if not applicable)  | NA NA   |
| Test Report To Be Submitted To<br>The Buyer On Demand  | NA NA   |
|  | Safety Feature  Warranty, (Select 0 if NA)  Additional Information  Features  Calibration Report  Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification  Name and Address of the lab (Please write NA if not applicable)  Certification  Test Report Date and Numbers (Please write NA if not applicable)  Test Report To Be Submitted To |

# ईपीबीजी विवरण | ePBG Detail

| सलाहकार बैंक   Advisory Bank :            | State Bank of India |
|---|---------------------|
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%): | 10.00               |

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

# नियम और शर्तें|Terms and Conditions

# 1. General Terms and Conditions-

- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-

# 2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components): Supply Installation Testing and Commissioning of Goods

# 2.2 Generio

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

# 2.3 Generio

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form / Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

# 2 A Conorio

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

# 2.5 *Generic*.

- $1. The Seller shall \ not \ assign \ the \ Contract \ in \ whole \ or \ part \ without \ obtaining \ the \ prior \ written \ consent \ of \ buyer.$
- 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

# 2.6 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

### 2.7 Inspection.

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

N/A

Post Receipt Inspection at consignee site before acceptance of stores:

GM(QC) or his authorized representative

#### 2.8 Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document. ATC and Corrigendum if any.

#### 2 9 Cartificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 2.10 Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 2.11 Past Proiect Experience:

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

#### 2.12 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

#### BHARAT COKING COAL LIMITED

payable at

DHANBAD

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

### 2.13 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

# BHARAT COKING COAL LIMITED

Account No.

10976596836

IFSC Code

SBIN000066

Bank Name

State Bank of India

Branch address

Bank More, Dhanbad

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

# 2.14 Buyer Added Bid Specific ATC:

**Buyer Added text based ATC clauses** 

(A) Satisfactory performance certificate of the offered item with same or higher specification, for at least 1 year from the date of commissioning, issued by respective Buyer Organization for the above Orders shall be uploaded with bid. Conside ring the practical difficulties in obtaining the Performance Reports in case s w here proven-ness of the offered product is being ascertained on the basis of supply made in other subsidiaries of CIL or other PSUs/Govt Department/Private Organiz ations, the bidder shall submit a self certificate in the following format along with proof of payment against the Purchase Order/ Rate Contract and com missioning certificates (in case of equipment, P&M etc. where erection & commissioning is required):

"The items covered in the purchase order/ rate contract(s) copies enclosed with our offer have been fully executed and have performed satisfactorily as per the provisions of the respective purchase order/ rate contract(s) and all the complaints lodged by the purchaser, if any, have been attended to and no complaints/ claims are pending."

# (B) Exemption from Experience Criteria/Performance criteria

If bidders have submitted documents to prove the Startup/MSE status for the tendered item and their products are ISI ma rked/DGMS approved/Proven in CIL or its Subsidiary companies/Proven product of the ancillary unit of a Subsidiary Company of CIL, they will be required to submit the following applicable related documents, for relaxation from the criteria of prior experience and prior turnover:

• a valid BIS Marking License for the quoted items

or

• Rate contract issued by CIL/its Subsidiary Companies for the quoted items

or

• a valid DGMS Approval certificate for the quoted items

or

• Proven Ancillary certificate issued by BCCL for the quoted items.

OI

if bidders have submitted documents to prove the Startup/MSE status for the tendered item without certificate towards q uality, assurance and capability from some authority like MSME, NSIC, etc, the bidder needs to submit Proforma for Equip ment and Quality Control' (as per Annexure-1) duly filled along with

the bid for assessing the techno-commercial capability of the vendors to manufacture and deliver goods a s per the prescribed quality and technical specification.

The document(s) / certificate(s) furnished by the bidders for ISI markings or DGMS approval for any relaxation should be valid on the date of tender opening and a copy of such document(s)/certificate(s) valid on the date of supply, must accompany their bill(s).(Proforma attached in buyer added bid specific ATC document)

# (C) DOCUMENTS TO BE SUBMITTED BY BIDDERS WHO HAVE SUBMITTED EMD IN FORM OF DD/RTGS / INTERNET BANKING

Bidders submitting EMD in the form of DD/RTGS / internet banking shall also submit the following documents along with the heir bid for Vendor Code Creation to return the EMD amount post finalization of tender:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.15 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document Click here to view the file.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भूगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.