# अनुबंध|Contract



**अनुबंध क्रमांक|Contract No:** GEMC-511687794388712

अनुबंध तिथि | Generated Date : 28-Sep-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4507238</u>

संगठन विवरण|Organisation Details

प्ररूप|Type : Central PSU
मंत्रालय|Ministry : Ministry of Coal
विभाग|Department : COAL INDIA LIMITED
संगठन का नाम|Organisation Name : Bharat Coking Coal Limited
कार्यालय क्षेत्र|Office Zone: BCCL Dhanbad Jharkhand

खरीदार विवरण|Buyer Details

पद|Designation : Manager I संपर्क नंबर|Contact No. : 94705-95938-ईमेल आईडी|Email ID : sonu.gupta@nic.in जीएसटीआईएन|GSTIN : 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

पता|Address: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence : Yes
प्रशासनिक अनुमोदन का पदनाम|
DT(OP)

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: PAO भुगतान का तरीका| Payment Mode: Offline

पद|Designation : Senior Manager ईमेल आईडी|Email ID : pay8.bccl.dhn@g

ईमेल आईडी|Email ID : pay8.bccl.dhn@gembuyer.in जीएसटीआईएन|GSTIN : 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla पता|Address: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

विक्रैता विवरण|Seller Details

जेम विक्रेता आईडी|GeM Seller ID : D78E190000824066

कंपनी का नाम|Company Name : M.S.INTROPOWER PRIVATE LIMITED

संपर्क नंबर|Contact No. : 09811389975 ईमेल आईडी|Email ID : msip2000@yahoo.com

NE 111A VISHNU GARDEN,M S INTROPOWER PVT. LTD,C/O M S INTROPOWER PRIVATE LIMITED, NE-111A G/F GALI NO-4

पता| Address : VISHNU GARDEN,VISHNU GARDEN

West Delhi, DELHI-110018, -

Verified

GMMM

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-DL-10-0004146 जीएसटीआईएन|GSTIN: 07AAFCM3774R12P (R) , (M)

खरीदार द्वारा सत्यापित एमएसएमई स्थिति |MSME Status as verified by buyer :

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

## उत्पाद विवरण|Product Details

#	# आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहिते)  Price (Inclusive of all Duties and Taxes in INR)
1	उराद का नाम  Product Name: MSIP-UPS Online UPS of Rating 3.0 KVA With Battery Of Backup Time 120 Minutes ब्रांड Brand: MSIP-UPS ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant: Online UPS (V2) (Q2) मॉडल Model: 3 KVA UPS एचएसएन कोड HSN Code: 8504	2	pieces	110,000	NA	220,000
कु	कुल ऑर्डर मूल्य  Total Order Value (in INR)					

परेषिती विवरण	Consignee Detail

	, ,					
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start	वितरण पूरा कब तक करना है  Delivery To Be Completed

						After	Ву		
1	संपर्क Conta जीएसटीआईए पता Addres BANSJORA,	ation : - imail ID : con1.bccl.jh@gembuyer.in ct : 90316-66224- t GSTIN : 20AAACB7934MFZB s : Depot Officer, Central Store, Ekra, BCCL, Post Office- Dhanbad, Jharkhand-828101., HARKHAND-828101, India	MSIP-UPS Online UPS of Rating 3.0 KVA With Battery Of Backup Time 120 Minutes	-	2	28-Sep-2024	27-Dec-2024		
Product S	pecificat	ion for MSIP-UPS Online UPS of Rating 3.0 KVA	A With Battery Of Backı	up Time 12	0 Minutes				
विनिर्देश Spe	cification	उप-विनिर्देश Sub-Spec		मूल्य Valu	ıe				
		Rating in KVA			3.0 KVA				
		Switching Technology			IGBT-PWM				
Generic		Input Voltage			AC Single phase 160V - 260V 50Hz				
		Output Voltage			AC Single phase 230V +/-1% 50 Hz				
		Warranty for UPS (Years)							
			vided with Online UPS ( Hint: In case the UPS is supplied with re compliance to the GST Rates as per recommendations made ST council dated 17th Sep 2021 )			With Battery			
		Type of Battery (hint: NA in case Battery not provided)			SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest				
		Backup time (Minutes) (hint: NA in case battery not provid	ed)	120 Minute	es				
		Battery Make		EXIDE/HBL	-				
Battery/Backı	up Bank	Battery Model Number			AS PER AVAILIBILITY				
		Battery capacity (Ah)			100				
		Weight of the Battery (kg)			29.5				
		Number of Batteries			8				
		Minimum Guaranteed VAH			1600 X Per KVA X Per hour of backup time				
		Warranty for battery (Years) by Battery Manufucaturer/Brand hint: NA in case battery not provided		3					
		Accessories with Battery			NA				
		Installation and Commissioning ( Covered in the Scope of	Supply)	Provided					
Installation ar		After sales service ( Turn Around Time)		Within 24 hours					
Service	ing oi	Preventive Maintenance ( Hint: Mention Timeline if provided, NA if not provided)			Half Yearly				
		Other Services provided			PAN India service support on 24 x 7 basis				
		Inbuilt isolation transformer		With					
		Overall Efficiency (%)			>/=90% & <94% without Inbuilt isolation transformer				
		Power Factor Load Supported			0.8 or better				
Performance Functional	/	Overload limit		20% Overload for minimum 10 minute,20% Overload for minimum 5 minute,50% Overload for minimum 1 minute,50% Overload for minimum 3 seconds					
		Total Harmonic Distortion(THD) (%)		3% Maximum @ 100% Linear Load					
		Other Functional Features		Crest factor on full non-linear load is not less than 3:1					
Accessories		Accessories		Rack for Ba	atteries				
		Protection		Protection for under voltage at battery terminal					
		Metering			Input Voltage				
Salient Featur	res	Alarms and Indications			Indicator for Mains presence				
		Additional Features			Pure Sinewave AC Output				
		Type of Design / Construction		Floor Standing					
		Form factor of UPS		NA (for Floor Standing)					
Design / Cons	esign / Construction	Enclosure (mm)		1.2 mm Minimum Thickness of M.S. Sheet duly powder coated					
		Degree of Protection			IP21				
		DC Bus Voltage (In Volts)			96				

	Other Constructional Features	Mains ON/OFF MCB
	Minimum Operating Temperature	0 degree Celsius
Operating Conditions	Maximum Operating Temperature	50 degree Celsius
	Relative Humidity Non Condensing at 40 deg C	90 percent
	Environmental Test Report Requirements	NA
Buyer Specific	Battery Test Report	NA
Requirement	Intended Applications	Critical Infrastructure
	Other Requirements	ROHS compliance
	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
Reports And Certification	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 81002038

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए |Buyer Defined Additional Specification for MSIP-UPS Online UPS of Rating 3.0 KVA With Battery Of Backup Time 120 Minutes

विनिर्देश Specification	मूल्य Value				
Warranty for battery (Years) by Battery Manufucaturer/Brand hint: NA in case battery not provided	Any value has been selected but 3 or Higher shall be considered as bid allowed values.				
Overall Efficiency (%)	Only >/=80% & <90% with Inbuilt isolation transformer shall be considered as bid allowed values.				
Overload limit	Any value has been selected but 50% Overload for minimum 3 seconds shall be considered as bid allowed values.				

# ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

## नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 06-07-2022
- 1.1 In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS (Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 3. Buyer Added Bid Specific Terms and Conditions-
- 3.1 Scope of Supply:

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3.2 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form / Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 3.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document Click here to view the file.

### 3.4 Purchase Preference (Centre).

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

#### 3.5 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 3.6 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

### 3.7 Buyer Added Bid Specific ATC:

**Buyer Added text based ATC clauses** 

For relaxation under MSE criteria Bidder may submit Annexure-1 attached in ATC.

•

1."TReDS: Trade Receivables Discounting System (TReDS) is an initiative of Reserve bank of India (RBI) to facilitate MSME receivable payments from corporates. BCCL has on boar ded TReDS platform through Receivables Exchange of India Ltd (RXIL) (URL- https://www.rxil.in/Home/Index). MSE bidders willing to get payment through this systemmay get reg istered on TReDS platform and confirm the member code of RXIL in their offer. The bidder may contact Mr. Avinil Dey, Assistant Relationship Manager-Business Development, RXIL, Mob: +91 9875460974, (email-avinil.dey@rxil.in) for help in registration."

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.