

Contract



Contract No: GEMC-511687707297526

Generated Date: 18-Feb-2022

Bid/RA/PR No: [GEM/2021/B/1488316](#)

Schedule Name: Schedule 2, Schedule 3, Schedule 4

Organisation Details	Buyer Details
Type: Central PSU Ministry: Ministry of Coal Department: Materials Management Organisation Name: Bharat Coking Coal Limited Office Zone: Bccl Dhanbad	Designation: Assistant Manager Contact No.: 62876-95937- Email ID: buyer9.bccl.dhn@gembuyer.in GSTIN: 20AAACB7934MFZB Address: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail	Paying Authority Details
IFD Concurrence: Yes Designation of Administrative Approval: D(T)OP, BCCL. Designation of Financial Approval: GM(MM)/HOD, BCCL.	Payment Mode: Offline Designation: HOD Purchase Finance Email ID: pao5.bccl.jh@gembuyer.in GSTIN: N Address: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
GeM Seller ID: FB53190000720242 Company Name: GEMSCAB INDUSTRIES LIMITED Contact No.: 09810011305 Email ID: skgupta@gemscab.com Address: 704-707,VIKRANT TOWER,4,RAJENDRA PLACE, Central Delhi, DELHI-110008, - MSME verified: No MSME Registration number: - GSTIN: 08AAACG5260H1ZQ , 08AAACG5260H1ZQ , 08AAACG5260H1ZQ	

*GST / Tax invoice to be raised in the name of - Consignee

Product Details						
#	Item Description	Ordered Quantity	Unit	Unit Price (INR)	Tax Bifurcation (INR)	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV Brand : GEMSCAB Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV as per IS:7098 Part 2 (Q3) GEMSCAB&A2XFY 85446090	3,100	meter	820.1	NA	2,542,310
2	Product Name : GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV Brand : GEMSCAB Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV as per IS:7098 Part 2 (Q3) GEMSCAB&A2XFY 85446090	2,000	meter	1,106.68	NA	2,213,360
3	Product Name : GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV Brand : GEMSCAB Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV as per IS:7098 Part 2 (Q3)	3,000	meter	1,292.41	NA	3,877,230

GEMSCAB & A2XFY
85446090

Total Order Value (in INR)

8,632,900

Consignee Detail

S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: con1.bccl.jh@gembuyer.in Contact: 62876-95727- GSTIN: 20AAACB7934MFZB Address: Depot Officer, Central Store, Ekra, BCCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV	-	3,100	18-Feb-2022	19-Apr-2022
		GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV	-	2,000	18-Feb-2022	19-Apr-2022
		GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV	-	3,000	18-Feb-2022	19-Apr-2022

Product Specification for GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV

Specification	Sub-Spec	Value
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	ISI Marked	Yes
	ISI Marked if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Category of cable with Improved fire performance	C2 - FR-LSH
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
"Nominal Cross Sectional Area of Conductor	120	
CONSTRUCTIONAL	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	Cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report with improved fire performance category from Central government/NABL/ILAC accredited laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	100-180427-01
	Report date - Must declare	06.06.2018
	Name of lab - Must declare	GTL
	Address of lab - Must declare	GAZIABAD
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

Buyer Defined Additional Specification for GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV

Specification	Value
1. Furnish BIS License No. against IS: 7098 (Part-2): 2011 with latest amendment:	Yes, Copy of Valid BIS License.
2. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 (Part-2): 2011 with latest amendment.

Product Specification for GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV

Specification	Sub-Spec	Value
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	ISI Marked	Yes
	ISI Marked if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Category of cable with Improved fire performance	C2 - FR-LSH
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Cross Sectional Area of Conductor	185
CONSTRUCTIONAL	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	Cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report with improved fire performance category from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	CPRIRTL2016T229
	Report date - Must declare	18.04.2017
	Name of lab - Must declare	CPRI
	Address of lab - Must declare	NOIDA
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

Buyer Defined Additional Specification for GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV

Specification	Value
1. Furnish BIS License No. against IS: 7098 (Part-2): 2011 with latest amendment:	Yes, Copy of Valid BIS License.
2. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 (Part-2): 2011 with latest amendment.

Product Specification for GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV

Specification	Sub-Spec	Value
GENERIC	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	ISI Marked	Yes
	ISI Marked if "Yes" BIS License Number (CM/L Number) - Must declare	3078759
	Category of cable with Improved fire performance	C2 - FR-LSH
	Types of cable	Three-core armoured, screened
	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Cross Sectional Area of Conductor	240
CONSTRUCTIONAL	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	Cross linked polyethylene
	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
CERTIFICATIONS	Availability of Type test report with improved fire performance category from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	CPRIRTLCL2016T024
	Report date - Must declare	05.12.2016
	Name of lab - Must declare	CPRI
	Address of lab - Must declare	NOIDA
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes

Buyer Defined Additional Specification for GEMSCAB Three-core armoured, screened XLPE Cables, Category: C2-FR-LSH, for Working Voltages from 3.3 kV up to and Including 33 kV

Specification	Value
1. Furnish BIS License No. against IS: 7098 (Part-2): 2011 with latest amendment:	Yes, Copy of Valid BIS License.
2. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 (Part-2): 2011 with latest amendment.

Terms and Conditions

1. Special terms and conditions- Version:1 effective from 19-05-2021

1.1

2. General Terms and Conditions-

2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance

with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

2.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

2.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

2.6 Octroi Duty and / or other local taxes:Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

2.10 Financial Certificate:

2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Scope of supply (Bid price to include all cost components) : Only supply of Goods

3.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

3.3 The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

3.4 Buyer Added text based ATC clauses

Pre-dispatch Inspection shall be done by nominated agency of BCCL i.e. Central Mine Planning & Design Institute Ltd (CMPDIL) Ranchi / their Regional Office (for details visit www.cmpdi.co.in). Inspection fee @ 1% of total consignment billing (plus statutory levis like GST etc. as applicable on inspection fee) is to be paid to CMPDIL along with inspection call letter payable by SBI Collect by seller. The price is to be quoted by the seller inclusive of inspection fees. Minimum 7 calendar days notice shall be given by the manufacturer to CMPDIL for arranging inspection within valid delivery period as per contract. (The clause is already attached in the Buyer uploaded ATC document of ATC section of the Bid.

3.5 Buyer uploaded ATC document [Click here to view the file.](#)

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.



BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd.)

भारत कोकिंग कोल लिमिटेड
OFFICE OF CHAIRMAN-CUM-MANAGING-DIRECTOR
Bharat Coking Coal Limited,,



P.O - BCCL Township, Dist.-Dhanbad, Jharkhand, India-826005

Coal India Limited

A Maharatna Company
www.coalindia.in

Phone No:

Fax :

Website :

Email :

CIN : U10101JH1972GOI000918

GSTN : 20AAACB7934MFZB

Purchase Order No: 5100002535

PURCHASE ORDER

Document Date: Feb 18, 2022

To,

GEMSCAB INDUSTRIES LIMITED

-

ALWAR, RAJASTHAN, 301019

SP-1192L, PHASE IV, RIICO INDUSTRIAL
AREA, BHIWADI,
ALWAR

301019

Rajasthan

India

Department : MM

MSE Status : NON-MSE

PCC BY REGD. POST/MAIL

E-Mail Address : SKGUPTA@GEMSCAB.COM

Telephone : 9810011305

GST No : 08AAACG5260H1ZQ

Vendor Code : 10053489

Supply of XLPE Aluminium cable 11KV 3 core 120 Sq mm, XLPE Aluminium cable 11KV 3 core 185 Sq mm and XLPE Aluminium cable 11KV 3 core 240 Sq mm as per GeM contract no. GEMC-511687707297526 dated 18-02-2022.

Item No	Material No.	Short Text	HSN/SAC	UOM	Quantity	Unit Price	Price (Rs)
10	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	450.000	695.00 INR	369045.00
Manufacturer Part No :					Gross Price		312750.00
Material Description :					IGST%(18.00)		56295.00
Batch :							
Batch Description :							
20	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	600.000	695.00 INR	492060.00
Manufacturer Part No :					Gross Price		417000.00
Material Description :					IGST%(18.00)		75060.00
Batch :							
Batch Description :							
30	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	400.000	695.00 INR	328040.00
Manufacturer Part No :					Gross Price		278000.00
Material Description :					IGST%(18.00)		50040.00
Batch :							
Batch Description :							
40	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	200.000	695.00 INR	164020.00
Manufacturer Part No :					Gross Price		139000.00
Material Description :					IGST%(18.00)		25020.00
Batch :							
Batch Description :							

50	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	200.000	695.00 INR	164020.00
Manufacturer Part No :					Gross Price		139000.00
Material Description :					IGST%(18.00)		25020.00
Batch :							
Batch Description :							
60	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	200.000	695.00 INR	164020.00
Manufacturer Part No :					Gross Price		139000.00
Material Description :					IGST%(18.00)		25020.00
Batch :							
Batch Description :							
70	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	400.000	695.00 INR	328040.00
Manufacturer Part No :					Gross Price		278000.00
Material Description :					IGST%(18.00)		50040.00
Batch :							
Batch Description :							
80	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	400.000	695.00 INR	328040.00
Manufacturer Part No :					Gross Price		278000.00
Material Description :					IGST%(18.00)		50040.00
Batch :							
Batch Description :							
90	4600013918	CABLE;11KV,3C,AL,XLPE,1 20MM2,PWR		M	250.000	695.00 INR	205025.00
Manufacturer Part No :					Gross Price		173750.00
Material Description :					IGST%(18.00)		31275.00
Batch :							
Batch Description :							
100	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	300.000	937.87 INR	332005.98
Manufacturer Part No :					Gross Price		281361.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		50644.98
Batch :							
Batch Description :							
110	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	400.000	937.87 INR	442674.64
Manufacturer Part No :					Gross Price		375148.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		67526.64
Batch :							
Batch Description :							
120	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	100.000	937.87 INR	110668.66
Manufacturer Part No :					Gross Price		93787.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		16881.66
Batch :							
Batch Description :							
130	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	200.000	937.87 INR	221337.32
Manufacturer Part No :					Gross Price		187574.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		33763.32
Batch :							

Batch Description :							
140	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	300.000	937.87 INR	332005.98
Manufacturer Part No :					Gross Price		281361.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		50644.98
Batch :							
Batch Description :							
150	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	450.000	937.87 INR	498008.97
Manufacturer Part No :					Gross Price		422041.50
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		75967.47
Batch :							
Batch Description :							
160	4600013913	CABLE;11KV,3C,AL,XLPE,1 85MM2,PWR		M	250.000	937.87 INR	276671.65
Manufacturer Part No :					Gross Price		234467.50
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		42204.15
Batch :							
Batch Description :							
170	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	400.000	1095.27 INR	516967.44
Manufacturer Part No :					Gross Price		438108.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		78859.44
Batch :							
Batch Description :							
180	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	700.000	1095.27 INR	904693.02
Manufacturer Part No :					Gross Price		766689.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		138004.02
Batch :							
Batch Description :							
200	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	100.000	1095.27 INR	129241.86
Manufacturer Part No :					Gross Price		109527.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		19714.86
Batch :							
Batch Description :							
210	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	500.000	1095.27 INR	646209.30
Manufacturer Part No :					Gross Price		547635.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		98574.30
Batch :							
Batch Description :							
220	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	250.000	1095.27 INR	323104.65
Manufacturer Part No :					Gross Price		273817.50
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		49287.15
Batch :							
Batch Description :							

230	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	200.000	1095.27 INR	258483.72
Manufacturer Part No :					Gross Price		219054.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		39429.72
Batch :							
Batch Description :							
240	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	450.000	1095.27 INR	581588.37
Manufacturer Part No :					Gross Price		492871.50
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		88716.87
Batch :							
Batch Description :							
250	4600013914	CABLE;11KV,3C,AL,XLPE,2 40MM2,PWR		M	400.000	1095.27 INR	516967.44
Manufacturer Part No :					Gross Price		438108.00
Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 11 KV, CONDUCTOR QUANTITY: (3) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: XLPE, CO					IGST%(18.00)		78859.44
Batch :							
Batch Description :							
Total Net Value Exclusive of Tax						INR	7316050.00
Total Net Value Inclusive of Tax						INR	8632939.00
Amount in words:	Eighty Six Lakh Thirty Two Thousand Nine Hundred Thirty Nine Rupees Only						

General Terms and Conditions

As per GeM contract no. GEMC-511687707297526 dated 18-02-2022.