



SR No (26)

Contract

Contract No: GEMC-511687758780258

Generated Date: 25-May-2021

Bid/RA/PR No: [GEM/2021/B/1039519](#)

| Organisation Details |                            | Buyer Details |  |
|----------------------|----------------------------|---------------|--|
| Type:                | Central PSU                | Designation:  | deputy manager MM  |
| Ministry:            | Ministry of Coal           | Contact No.:  | -  |
| Department:          | Materials Management       | Email ID:     | sonu.gupta@nic.in  |
| Organisation Name:   | Bharat Coking Coal Limited | GSTIN:        | 20AAACB7934MFZB  |
| Office Zone:         | Bccl Dhanbad               | Address:      | MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India |

| Financial Approval Detail               |        | Paying Authority Details |  |
|---|--------|--------------------------|--|
| IFD Concurrence:                        | Yes    | Payment Mode:            | Offline  |
| Designation of Administrative Approval: | DT P&P | Designation:             | HOD Purchase Finance   |
| Designation of Financial Approval:      | DT P&P | Email ID:                | pao5.bccl.jh@gembuyer.in   |
|   |        | GSTIN:                   | N  |
|   |        | Address:                 | MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India |

| Seller Details       |  |
|----------------------|--|
| GeM Seller ID:       | 096D18000093861  |
| Company Name:        | MINESOURCE INDIA PRIVATE LIMITED   |
| Contact No.:         | 09334000314  |
| Email ID:            | msical.india@gmail.com   |
| Address:             | 13C,JABAKUSUM HOUSE,34, C.R.AVENUE,NEAR YOGAYOG BHAWAN, Kolkata, WEST BENGAL-700012, - |
| MSME verified:       | Yes  |
| MSE Social Category: | General  |
| GSTIN:               | 23AADCM3464E1ZT , 19AADCM3464E1ZI  |

\*GST / Tax invoice to be raised in the name of - Consignee

| Product Details            |  |                            |  |                             |                  |        |  |
|----------------------------|--|----------------------------|--|-----------------------------|------------------|--------|--|
| #                          | Item Description   | Category Name              | Model  | HSN Code                    | Ordered Quantity | Unit   | Price (Inclusive of all Duties and Taxes in INR) |
| 1                          | <b>Product Name</b> : acer AMD Ryzen 5 3500 8 GB/ 1000 GB HDD/ Windows 10 Professional<br><b>Brand</b> : acer<br><b>Brand Type</b> : Registered Brand<br><b>Catalogue Status</b> : OEM verified catalogue<br><b>Selling As</b> : OEM verified Reseller             | Desktop Computers          | Veriton M200-B350  | HSN not specified by seller | 67               | pieces | 3,684,933  |
| 2                          | <b>Product Name</b> :Dell 1000 @7200 rpm GB HDD 64 2 Processor with Standard Display All in one pc<br><b>Brand</b> : Dell<br><b>Brand Type</b> : Registered Brand<br><b>Catalogue Status</b> : OEM verified catalogue<br><b>Selling As</b> : OEM verified Reseller | All in One PC              | Dell OptiPlex 5480 AIO   | HSN not specified by seller | 60               | pieces | 4,903,200  |
| 3                          | <b>Product Name</b> : Canon Multifunction Machines Mfm, On Site OEM Warranty 5 Year<br><b>Brand</b> : Canon<br><b>Brand Type</b> : Registered Brand<br><b>Catalogue Status</b> : OEM verified catalogue<br><b>Selling As</b> : OEM verified Reseller               | Multifunction Machines MFM | Canon iR 2006N with Duplex, DADF & Toner   | HSN not specified by seller | 14               | pieces | 1,626,800  |
| 4                          | <b>Product Name</b> : Canon Laser Mono Computer Printers for A4 paper size<br><b>Brand</b> : Canon<br><b>Brand Type</b> : Registered Brand<br><b>Catalogue Status</b> : Catalogue not verified by OEM<br><b>Selling As</b> : OEM verified Reseller                 | Computer Printers          | Canon LBP 162dw with 1 year Standard Warranty and 4 Years Additional Warranty Support - (Upto 1200dpi) | HSN not specified by seller | 72               | pieces | 1,319,004  |
| Total Order Value (in INR) |  |                            |  |                             |                  |        | <b>11,533,937</b>                                |

## Consignee Detail

| S.No | Consignee  | Item  | Lot No. | Quantity | Delivery Start After | Delivery To Be Completed By |
|------|--|---|---------|----------|----------------------|-----------------------------|
| 1    | Designation: -<br>Email ID: shadab.ahmad@nic.in<br>Contact: 62876-95258-<br>GSTIN: 20AAACB7934MFZB<br>Address: Office of General Manager, Barora Area (Area-I),<br>BCCL, P.O. Nawagarh, Dhanbad, Pin code-828306.,<br>DHANBAD, JHARKHAND-828306, India | acer AMD Ryzen 5 3500 8 GB/ 1000 GB HDD/ Windows 10 Professional              | -       | 14       | 25-May-2021          | 09-Jul-2021                 |
|      |  | Dell 1000 @7200 rpm GB HDD 64 2 Processor with Standard Display All in one pc | -       | 8        | 25-May-2021          | 09-Jul-2021                 |
|      |  | Canon Multifunction Machines Mfm, On Site OEM Warranty 5 Year                 | -       | 3        | 25-May-2021          | 09-Jul-2021                 |
|      |  | Canon Laser Mono Computer Printers for A4 paper size                          | -       | 18       | 25-May-2021          | 09-Jul-2021                 |
| 2    | Designation: -<br>Email ID: anand.kumar@coalindia.in<br>Contact: 0326-2206167-234<br>GSTIN: 20AAACB7934MFZB<br>Address: Chief Of Medical Services, Central Hospital , PO-<br>Jagjivan Nagar.,<br>DHANBAD, JHARKHAND-826003, India                      | acer AMD Ryzen 5 3500 8 GB/ 1000 GB HDD/ Windows 10 Professional              | -       | 53       | 25-May-2021          | 09-Jul-2021                 |
|      |  | Dell 1000 @7200 rpm GB HDD 64 2 Processor with Standard Display All in one pc | -       | 52       | 25-May-2021          | 09-Jul-2021                 |
|      |  | Canon Multifunction Machines Mfm, On Site OEM Warranty 5 Year                 | -       | 11       | 25-May-2021          | 09-Jul-2021                 |
|      |  | Canon Laser Mono Computer Printers for A4 paper size                          | -       | 54       | 25-May-2021          | 09-Jul-2021                 |

### Product Specification for acer AMD Ryzen 5 3500 8 GB/ 1000 GB HDD/ Windows 10 Professional

| Specification    | Sub-Spec  | Value                   |
|------------------|---|-------------------------|
| Motherboard      | Chipset Series  | AMD B Series            |
|                  | Expansion Slots (PCIe x 1) (Number)                   | 1                       |
|                  | Chipset Number  | AMD B350                |
|                  | Expansion Slots (PCIe x 4) (Number)                   | 0                       |
|                  | Expansion Slots (PCIe x 16) (Number)                  | 2                       |
|                  | Expansion Slots (PCI) (Number)                        | 1                       |
|                  | Expansion Slots (M Dot 2)                             | 2                       |
| Processor        | Processor Make  | AMD                     |
|                  | Processor Generation                                  | 10                      |
|                  | Number of Cores per Processor                         | 6                       |
|                  | Processor Base Frequency (GHz)                        | 3.6                     |
|                  | Processor Description                                 | AMD Ryzen 5             |
|                  | Processor Number                                      | AMD Ryzen 5 3500        |
|                  | Out of Band Management                                | NA                      |
|                  | Cache (MB)  | 16                      |
| Graphics         | Graphics Type   | Dedicated/Discrete      |
|                  | Graphic Card Description                              | n/a                     |
|                  | Size of Memory in Case of Dedicated Graphic Card (GB) | 1                       |
|                  | Size of VRAM in case of Integrated Graphics (MB)      | 0                       |
| Operating System | Operating System (Factory Pre-Loaded)                 | Windows 10 Professional |
|                  | Recovery Image Media                                  | NA                      |
|                  | OS Certification                                      | Windows                 |
| Memory           | Type of RAM   | DDR4                    |
|                  | RAM Size (GB)   | 8                       |
|                  | RAM Speed (MHz)                                       | 2666                    |
|                  | Total Numbers of DIMM Slots Available                 | 4                       |
|                  | Number of DIMM Slots populated                        | 1                       |

|                    |  |  |
|--------------------|--|--|
|                    | RAM Expandability up to( using spare DIMM Slots in GB)   | 128  |
| Storage            | Total Number of Internal Bays available                  | 2  |
|                    | Number of 2 point 5 inches internal Bays                 | 1  |
|                    | Number of 3 point 5 inches Internal Bays                 | 1  |
|                    | Number of 2 point 5 Inches Internal Bays Populated       | 0  |
|                    | Number of 3 point 5 Inches Internal Bays Populated       | 0  |
|                    | Type of Drives used to populate the Internal Bays        | HDD  |
|                    | Number of Internal Bays populated with HDD               | 1  |
|                    | Capacity of each HDD (GB)                                | 1000 @7200 rpm                               |
|                    | Total HDD Capacity (GB)                                  | 1000   |
|                    | Number of Internal Bays populated with SSD               | 0  |
|                    | Capacity of each SSD (GB)                                | 0  |
|                    | Total SSD Capacity (GB)                                  | 0  |
|                    | Number of Internal Bays populated with SSHD              | 0  |
|                    | Capacity of each SSHD (GB)                               | NA   |
|                    | Total SSHD Capacity in addition to 8 GB Flash (GB)       | 0  |
|                    | Number of Internal Bays populated with SSED              | 0  |
|                    | Capacity of each SSED (GB)                               | 0  |
|                    | Total SSED Capacity (GB)                                 | 0  |
| Optane Memory (GB) | 0  |  |
| Cabinet            | Cabinet Form Factor                                      | Tower (13.1 to 26 Litres)                    |
|                    | Cabinet Volume (Litres)                                  | 26   |
|                    | External Bays (Number)                                   | 2  |
|                    | Optical Drive  | DVD R/W                                      |
|                    | Internal Speaker   | No   |
|                    | Audio-in   | Yes  |
|                    | Audio-out  | Yes  |
|                    | Headphone out  | Yes  |
|                    | Microphone-in  | Yes  |
| Connectivity       | Wireless Connectivity                                    | No   |
|                    | If Yes, Type of Wireless Connectivity                    | NA   |
|                    | Number of Ethernet Ports                                 | 1  |
|                    | Type of Ethernet Ports                                   | 10/100/1000 on board Integrated Gigabit Port |
|                    | Bluetooth Connectivity                                   | No   |
|                    | If Yes, Version of Bluetooth Available                   | 0  |
| Ports              | Number of USB Version 2 Point 0 Ports                    | 0  |
|                    | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 4  |
|                    | Number of USB Version 3 point 1, Gen 2 Ports             | 5  |
|                    | Number of USB Type C Ports                               | 0  |
|                    | Number of Serial Ports                                   | 1  |
|                    | Number of Parallel Ports                                 | 0  |
|                    | Number of VGA Ports                                      | 1  |
|                    | Number of HDMI Ports                                     | 1  |
|                    | Number of DP Ports                                       | 1  |
|                    | Model of the Monitor                                     | Not Applicable                               |
|                    | Monitor Technology                                       | IPS  |
|                    | LED Backlit Monitor Size (INCHES)                        | 21.5   |
|                    | Monitor Resolution (PIXELS)                              | 1920x1080                                    |

|                      |  |                |
|----------------------|--|----------------|
| Monitor              | TCO Certification for Monitor                    | 7.0            |
|                      | Number of VGA Ports in the Monitor               | 1              |
|                      | Number of HDMI Ports in the Monitor              | 1              |
|                      | Number of Display Ports in the Monitor           | 0              |
|                      | Availability of Webcam integrated with Monitor   | No             |
|                      | If Yes, Resolution of Webcam                     | NA             |
|                      | Availability of Speakers integrated with Monitor | Yes            |
| Power                | If Yes, Number of Speakers available             | 2              |
|                      | Power Supply Capacity (Watt)                     | 250            |
| Certification        | Minimum Power Efficiency Range (%)               | 85 - 89        |
|                      | ROHS Compliance                                  | Yes            |
| Input Devices        | BEE / Energy Star for the given Model            | Yes            |
|                      | Mouse Connectivity                               | Wired          |
|                      | Type of Mouse                                    | Optical Scroll |
|                      | Keyboard Connectivity                            | Wired          |
| Operating Conditions | Type of Keyboard                                 | Standard       |
|                      | Minimum Operating Temperature                    | 10             |
|                      | Maximum Operating Temperature                    | 40             |
|                      | Minimum Operating Humidity (%RH)                 | 10             |
| Warranty             | Maximum Operating Humidity (%RH)                 | 90             |
|                      | On Site OEM Warranty (Year)                      | 5              |

**Product Specification for Dell 1000 @7200 rpm GB HDD 64 2 Processor with Standard Display All in one pc**

| Specification    | Sub-Spec  | Value  |
|------------------|---|--|
| Motherboard      | Chipset Series  | Intel Q Series   |
|                  | Chipset Number  | Intel Q470   |
|                  | Expansion Slots (M Dot 2)                             | 2  |
| Processor        | Processor Make  | Intel  |
|                  | Processor Generation                                  | 10   |
|                  | Number of Cores per Processor                         | 6  |
|                  | Processor Base Frequency (GHz)                        | 2.4  |
|                  | Processor Description                                 | Intel Core i5  |
|                  | Processor Number                                      | Intel Core i5 10600T   |
|                  | Out of Band Management                                | NA   |
|                  | Cache (MB)  | 12   |
| Graphics         | Graphics Type   | Integrated   |
|                  | Graphic Card Description                              | Intel HD   |
|                  | Size of Memory in Case of Dedicated Graphic Card (GB) | 0  |
|                  | Size of VRAM in case of Integrated Graphics (MB)      | 0  |
| Operating System | Operating System (Factory Pre-Loaded)                 | Windows 10 Professional  |
|                  | Recovery Image Media                                  | CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud, |
|                  | OS Certification                                      | Windows  |
| Memory           | Type of RAM   | DDR4   |
|                  | RAM Size (GB)   | 8  |
|                  | RAM Speed (MHz)                                       | 2666   |
|                  | Total Numbers of DIMM Slots Available                 | 2  |

|               |  |  |
|---------------|--|--|
|               | Number of DIMM Slots populated                           | 1  |
|               | RAM Expandability up to( using spare DIMM Slots in GB)   | 64   |
| Storage       | Type of Drives used to populate the Internal Bays        | HDD  |
|               | Number of Internal Bays populated with HDD               | 1  |
|               | Capacity of each HDD (GB)                                | 1000 @7200 rpm                               |
|               | Total HDD Capacity (GB)                                  | 1000   |
|               | Number of Internal Bays populated with SSD               | 0  |
|               | Capacity of each SSD (GB)                                | 0  |
|               | Total SSD Capacity (GB)                                  | 0  |
|               | Optane Memory (GB)                                       | 0  |
| Display       | Display Size (INCHES)                                    | 23.8   |
|               | Display Type   | Touch  |
|               | Panel Technology   | IPS  |
|               | Display Resolution (PIXELS)                              | 1920x1080                                    |
|               | Availability of Webcam integrated with Display           | Yes  |
|               | If yes, Resolution of Webcam                             | HD   |
|               | Availability of Speakers integrated with Display         | Yes  |
|               | If Yes, Number of Speakers available                     | 2  |
| Connectivity  | Wireless Connectivity                                    | No   |
|               | If Yes, Type of Wireless Connectivity                    | NA   |
|               | Number of Ethernet Ports                                 | 1  |
|               | Type of Ethernet Ports                                   | 10/100/1000 on board Integrated Gigabit Port |
|               | Bluetooth Connectivity                                   | No   |
|               | If Yes, Version of Bluetooth Available                   | 0  |
| Ports         | Number of USB Version 2 Point 0 Ports                    | 2  |
|               | Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports | 1  |
|               | Number of USB Version 3 point 1, Gen 2 Ports             | 2  |
|               | Number of USB Type C Ports                               | 1  |
|               | Number of Serial Ports                                   | 0  |
|               | Number of VGA Ports                                      | 0  |
|               | Number of HDMI Ports                                     | 0  |
|               | Number of DP Ports                                       | 1  |
| Generic       | Optical Drive  | N/A  |
|               | Audio-in   | No   |
|               | Audio-out  | No   |
|               | Headphone out  | Yes  |
|               | Microphone-in  | Yes  |
|               | Stand  | Standard                                     |
| Power         | Power Supply   | Integrated                                   |
|               | Power Supply Capacity (Watt)                             | 155  |
|               | Minimum Power Efficiency Range (%)                       | 85 - 90                                      |
| Certification | BIS Registration under CRS of Meity                      | Yes  |
|               | BIS Registration Number and its Validity                 | R-67000108                                   |
|               | ROHS Compliance  | Yes  |
|               | BEE / Energy Star for the given Model                    | Yes  |
|               | Other Certification Available                            | UL,CE,FCC                                    |
|               | Mouse Connectivity                                       | Wired  |

|                      |                                  |                            |
|----------------------|----------------------------------|----------------------------|
| Input Devices        | Type of Mouse                    | Optical Scroll             |
|                      | Keyboard Connectivity            | Wired                      |
|                      | Type of Keyboard                 | Standard with Rupee Symbol |
| Operating Conditions | Minimum Operating Temperature    | 5                          |
|                      | Maximum Operating Temperature    | 35                         |
|                      | Minimum Operating Humidity (%RH) | 20                         |
|                      | Maximum Operating Humidity (%RH) | 80                         |
| Warranty             | On Site OEM Warranty (Year)      | 5                          |

**Product Specification for Canon Multifunction Machines Mfm, On Site OEM Warranty 5 Year**

| Specification   | Sub-Spec   | Value                                    |
|---|--|--|
| Ungrouped   | Type of Machine  | Multifunction Machine                    |
|   | Print Technology   | Laser                                    |
|   | Type of Printing   | Mono                                     |
|   | Cartridge Technology   | Separate Drum and Toner (Mono Component) |
|   | Developer Unit   | Yes                                      |
|   | Platen/Flatbed Size  | A3                                       |
|   | Paper Size (Original/Image)  | A3/A3                                    |
|   | RAM size (MB)  | 512                                      |
|   | Hard Disk Capacity(GB)   | 0  |
|   | Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Mono  | 20                                       |
|   | Minimum Speed per Minute as per ISO/IEC 24734 in A4 Size-Colour  | 0  |
|   | Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Mono  | 10                                       |
|   | Minimum Speed per Minute as per ISO/IEC 24734 in A3 Size-Colour  | 0  |
|   | Scanning Feature Availability  | Yes                                      |
|   | Duplexing Feature Availability   | Yes                                      |
|   | Faxing Feature Availability  | No                                       |
|   | Speed of Fax, If Fax Feature is available  | NA                                       |
|   | Networking Feature Availability  | Yes                                      |
|   | If yes, Type of Network Interface  | Ethernet 10/100                          |
|   | Wi-Fi Availability   | Yes                                      |
|   | If yes,Wi-Fi Type  | Wi fi 802.11 b/g/n                       |
|   | Original Document Feeder Type  | DADF/RADF                                |
|   | Feeder Capacity (Number)   | 50                                       |
|   | Number of Main Paper Tray  | 1  |
|   | Each Main Paper Tray Capacity (Number)   | 250                                      |
|   | Bypass Facility  | Yes                                      |
|   | If Yes, Bypass Tray Capacity   | 75                                       |
|   | Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)    | 0  |
|   | Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)  | 0  |
|   | Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints) | 0  |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)   | 10200  |  |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Cyan (Number of Prints) | 0  |  |

|  |                    |
|--|--------------------|
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow (Number of Prints)  | 0                  |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta (Number of Prints) | 0                  |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black (Number of Prints)   | 63700              |
| Duty Cycle (No of Prints/month)  | 60000              |
| Minimum Operating Temperature (Degree C)   | 0                  |
| Maximum Operating Temperature (Degree C)   | 35                 |
| Minimum Operating Humidity (%RH)   | 20                 |
| Maximum Operating Humidity (%RH)   | 80                 |
| BIS Registration under CRS of Meity  | Yes                |
| BIS Registration Number  | R-41001201         |
| Other Certifications Available   | RoHS               |
| Dimension (mm x mm x mm)   | 607 x 622 x 589 mm |
| Weight (Kg)  | 35.5               |
| On Site OEM Warranty (Year)  | 5                  |

### Product Specification for Canon Laser Mono Computer Printers for A4 paper size

| Specification  | Sub-Spec  | Value                   |
|--|---|-------------------------|
| Specifications   | Cartridge Technology  | separate toner and drum |
|  | Printing Technology   | Laser                   |
|  | Type of Printing  | Mono                    |
|  | Paper Size  | A4                      |
|  | Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono   | 28                      |
|  | Print Speed per minute as per ISO/IEC 24734 in (A4) - Color   | 0                       |
|  | Resolution (Dpi)  | 1200x1200               |
|  | Memory (MB)   | 256                     |
|  | Hard Disk Capacity (GB)   | 0                       |
|  | Processor Speed   | 400 MHz                 |
|  | Duplexing Feature   | Yes                     |
|  | Duplex Print Speed ( IPM)   | 18                      |
|  | Network Connectivity  | Yes                     |
|  | Network Interface, if available   | Ethernet 10/100         |
|  | Wireless Connectivity   | Yes                     |
|  | If Yes, Type of Wireless Connectivity   | Wi Fi Direct            |
|  | USB Port  | Yes                     |
|  | Number of Main Paper Trays  | 1                       |
|  | Each Main Paper Tray Capacity   | 250                     |
|  | Bypass Tray Facility  | Yes                     |
|  | If Yes, Bypass Tray Capacity  | 1                       |
|  | Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)   | 0                       |
|  | Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints) | 0                       |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints) | 0   |                         |
| Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)          | 1000  |                         |

|   |                 |
|---|-----------------|
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan     | 0               |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow  | 0               |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta | 0               |
| Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black   | 23000           |
| Duty Cycle (No of Prints/month)   | 30000           |
| Minimum Operating Temperature (Degree C)  | 10              |
| Maximum Operating Temperature (Degree C)  | 30              |
| Minimum Operating Humidity (%RH)  | 20              |
| Maximum Operating Humidity (% RH)   | 80              |
| BIS Registration under CRS of Meity   | Yes             |
| BIS Registration no   | 41077801        |
| Other Certifications Available  | RoHS            |
| Dimensions(In mm x mm x mm )  | 371 x 404 x 225 |
| Weight (In kg)  | 7               |
| On site OEM warranty (Years)  | 5               |

**Note:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### Corrigendum

- 1. All in One Desktop:1)Display Size (INCHES)-23.8 inch or more is required2)Panel Technology-IPS Or higher is required3)Processor Number- Intel Core i5-8500 processor or higher OR AMD Ryzen 5 2400GE or higher is required 2:DesktopProcessor Number-Intel Core i5-8500 processor or higher OR AMD Ryzen 5 2400G or higher is required3:Multifunction Machines MFM1) Paper Size (Original/Image)-minimum A3/A3 or more is required2) RAM size (MB)- minimum 256 or more is required**
- 2. Extended Upto : 2021-03-05 12:00:00**
- 3. Extended Upto : 2021-03-09 10:00:00**

#### Terms and Conditions

##### 1. Special terms and conditions- Version:1 effective from 04-05-2020 to 09-04-2021

**1.1 As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.**

##### 2. General Terms and Conditions-

**2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable**

**2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.**

**2.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.**

**2.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.**

**2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.**

**2.4 Performance Security: If the Seller fails or neglects toÂ observe or performÂ any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, theÂ Performance SecurityÂ furnished by the Seller.**

**2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made**



there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

**2.6 Octroi Duty and / or other local taxes:**Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

**2.7 Limitation of Liability:**The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

**2.8 Resolution of disputes:** The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

**2.9 Liquidated Damages:** If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

**2.10 Financial Certificate:**

**2.10.1** The expenditure involved for this purpose has received the Sanction of the competent financial authority.

**2.10.2** The funds are available under the proper head in the sanction budget allotment for the concern financial year.

**2.10.3** I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

**2.11** The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

### **3. Additional Terms and conditions-**

**3.1** Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 5 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

**3.2** Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**3.3**

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

a. Copy of PAN Card.

b. Copy of GSTIN.

c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

**3.4** Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**3.5** Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have a Dedicated/toll Free Telephone No. for Service Support.

**3.6** Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

**3.7** Escalation Matrix For Service Support : Bidder/OEM must provide a Escalation Matrix of Telephone Numbers for Service Support.

**3.8** Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

**3.9** Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

**3.10 1.** The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.

**2.** The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.

**3.** The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

**3.11** Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

**3.12** Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.

ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.

iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.

iv) The Seller becomes bankrupt or goes into liquidation.

v) The Seller makes a general assignment for the benefit of creditors.

vi) A receiver is appointed for any substantial property owned by the Seller.

vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

**Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.**