



SR No : - (35) Contract

Contract No: GEMC-511687718753378

Generated Date: 25-May-2021

Bid/RA/PR No: [GEM/2021/B/1023891](#)

Organisation Details		Buyer Details	
Type:	Central PSU	Designation:	deputy manager MM
Ministry:	Ministry of Coal	Contact No.:	-
Department:	Materials Management	Email ID:	sonu.gupta@nic.in
Organisation Name:	Bharat Coking Coal Limited	GSTIN:	20AAACB7934MFZB
Office Zone:	Bccl Dhanbad	Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail		Paying Authority Details	
IFD Concurrence:	Yes	Payment Mode:	Offline
Designation of Administrative Approval:	DT P&P	Designation:	HOD Purchase Finance
Designation of Financial Approval:	DT P&P	Email ID:	pao5.bccl.jh@gembuyer.in
		GSTIN:	N
		Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
GeM Seller ID:	FAA2180000435546
Company Name:	M/S PANCHAVATI
Contact No.:	09431362912
Email ID:	panchavati.ranchi@gmail.com
Address:	S/O KRISHNA DAS AGARWAL,PANCHWATI,Kataruka Building, Near Bank of Baroda,715 MAIN ROAD, Ranchi, Jharkhand-834001, -
MSME verified:	Yes
MSE Social Category:	General
MSE Gender:	Male
GSTIN:	20ACWPA8371N1Z6

*GST / Tax invoice to be raised in the name of - Consignee

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : Panchavati STEEL TABLE WITH STORAGE ON one side 900 millimeter 600 millimeter 760 millimeter Brand : Panchavati Brand Type : Registered Brand Catalogue Status : Catalogue not verified by OEM Selling As : Reseller not verified by OEM	Steel Tables-IS-8126	PVST-3624	9403	116	pieces	254,736
2	Product Name : Panchavati REVOLVING CHAIR With ARM central tilt Brand : Panchavati Brand Type : Registered Brand Catalogue Status : Catalogue not verified by OEM Selling As : Reseller not verified by OEM	Revolving Chair	PVRC-3719	9403	109	pieces	269,884
Total Order Value (in INR)							524,620

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: shadab.ahmad@nic.in Contact: 62876-95258- GSTIN: 20AAACB7934MFZB Address: Office of General Manager, Barora Area (Area-I), BCCL, P.O. Nawagarh, Dhanbad, Pin code-828306., DHANBAD, JHARKHAND-828306, India	Panchavati STEEL TABLE WITH STORAGE ON one side 900 millimeter 600 millimeter 760 millimeter	-	7	25-May-2021	09-Jun-2021
	Designation: -	Panchavati STEEL TABLE WITH STORAGE ON one	-	109	25-May-	09-Jun-2021

2	Email ID: anand.kumar@coalindia.in Contact: 0326-2206167-234 GSTIN: 20AAACB7934MFZB Address: Chief Of Medical Services, Central Hospital , PO- Jagjivan Nagar., DHANBAD, JHARKHAND-826003, India	side 900 millimeter 600 millimeter 760 millimeter		2021	
	Panchavati REVOLVING CHAIR With ARM central tilt	-	109	25-May-2021	09-Jun-2021

Product Specification for Panchavati STEEL TABLE WITH STORAGE ON one side 900 millimeter 600 millimeter 760 millimeter

Specification	Sub-Spec	Value
GENERIC	Conformity to Indian Standard IS: 8126 Latest	No
	Storage	one side
	Total Number of Storage Units	single storage
	Cup Board / Locker type Storage Units	N.A
	Type of Storage Units	OTHER DESIGNS
	Lock on all storage units	Provided
	Loading capacity of table top in KG (+/-5 Kg)	100 KG
	Table Top Material and Thickness (+/-2 mm)	18 mm thick prelaminated Particle Board (Not as per IS 8126)
	Padestal (Under structure)	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)
	Table Top Length +/-10(mm)	900
	Table Top Width +/-10(mm)	600
	Table Height +/-5(mm)	760
MATERIAL	Foot Rest Material	Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)
	Handles Material	Plastic (Not as per IS 8126)
	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)	2.0 mm
	Storage Unit and Drawer Units Material	0.8 mm M S sheet
	Shoes Material	Rubber
DIMENSION	Width of Storage Unit +/-5(mm)	355
	Depth of Storage Unit +/-10(mm)	355
	Overall Height of Storage Units +/- 10 mm	460 mm
	Height of smallest Storage Compartment / Drawer +/-3 mm	140 mm
	Height of medium size Storage Compartment / Drawer +/-5 mm	N.A
	Height of Largest Storage Compartment / Drawer +/-5 mm	N.A
	Width of Locker / Cupboard type Storage unit	N.A
	Depth of Locker / Cupboard type Storage unit	N.A
MISC	Foot Rest Provided	YES
	Colour of Lamination	AS PER BUYER CHOICE
COLOUR & FINISH	Paint	Stove enameled Paint
	Colour of Paint	AS PER BUYER CHOICE
CERTIFICATION	ISI Marked	No
	BIS Licence No	NA
	Test reports to be furnished to buyer on demand	YES
	BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	NO
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007 certified	NO
Green guard certification	NO	
WARANTEE	WARRANTY PERIOD IN NUMBER OF YEARS	2

Product Specification for Panchavati REVOLVING CHAIR With ARM central tilt

Specification	Sub-Spec	Value
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proppylene
	seat material	PU foam covered with mesh fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	35
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	35
	Material of Fabric Back Cover / Material for Backrest	mesh fabric
	Material of Fabric of Seat Cover	Mesh Fabrics
	GSM/Thickness of fabric $\hat{A}\pm 5\%$ (Gram/Square meter)	220 gram
GENERAL	Chair Type	central tilt
	Tilt Tension Adjustment	Yes
	Height Adjustment $\hat{A}\pm 5$ (mm)	up to 100 mm
	Arm	With
	Type of backrest support	Backrest With Adjustable Lumber Support
	Arm Type	Fixed
	Colour of Fabric for Seat and Backrest	As per Buyer's choice
	Ergonomic Seat Design	Yes
	Back type	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	upright locking
	DIMENSION	Overall Chair Height $\hat{A}\pm 15$ mm
Backrest Height $\hat{A}\pm 15$ mm		500
Backrest Width $\hat{A}\pm 10$ mm		440
Seat Height $\hat{A}\pm 15$ mm		450
Seat Width $\hat{A}\pm 10$ mm		480
Seat Depth $\hat{A}\pm 10$ mm		400
Thickness of MS Plate Joining the under structure with Seat		0.2
Thickness of Plywood used in Seat $\hat{A}\pm 1$ (mm)		12 mm
Thickness of Plywood used in Backrest $\hat{A}\pm 1$ (mm)		N.A
Padestal Size (Diameter in mm) +/- 10 mm		580
Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)		30 mm
Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)		30 mm
WARANTEE		Warrantee period in number of years
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES

OEM of offered product is ISO 18001:2007 certified	YES
Green guard certification	NO
Aiota	NO

Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Terms and Conditions

1. General Terms and Conditions-

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

1.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions-

2.1 Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.2

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.3 Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.4 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have a Dedicated/toll Free Telephone No. for Service Support.

2.5 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.6 Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

2.7 Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.**
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.**
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.**
- iv) The Seller becomes bankrupt or goes into liquidation.**
- v) The Seller makes a general assignment for the benefit of creditors.**
- vi) A receiver is appointed for any substantial property owned by the Seller.**
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.**

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.