

**SR No: - (62) Contract****Contract No:** GEMC-511687793563330**Generated Date:** 22-Jul-2021**Bid/RA/PR No:** [GEM/2021/B/1016735](#)

Organisation Details		Buyer Details	
Type:	Central PSU	Designation:	Assistant Manager6
Ministry:	Ministry of Coal	Contact No.:	62876-95241-
Department:	Materials Management	Email ID:	mayank.shekar@nic.in
Organisation Name:	Bharat Coking Coal Limited	GSTIN:	20AAACB7934MFZB
Office Zone:	Bccl Dhanbad	Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail		Paying Authority Details	
IFD Concurrence:	Yes	Payment Mode:	Offline
Designation of Administrative Approval:	D (T) P&P	Designation:	HOD Purchase Finance
Designation of Financial Approval:	D (T) P&P	Email ID:	pao5.bccl.jh@gembuyer.in
		GSTIN:	N
		Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
GeM Seller ID:	2EA6190000759215
Company Name:	VAANSARI MARKETING SERVICES
Contact No.:	09841078994
Email ID:	vaansarimarketing@gmail.com
Address:	18, LAKSHMI STREET,VMS,3B, LAKSHMI STREET, THIRUMANGALAM ROAD, VILLIVAKKAM, CHENNAI,CHENNAI, Chennai, Tamil Nadu-600049, -
MSME verified:	No
GSTIN:	33AADPN5542K1ZO , 33AADPN5542K1ZO

*GST / Tax invoice to be raised in the name of - Consignee

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : VMS ENT Workstation With Battery Type Leather up-holstered Headlamp Brand : VMS Brand Type : Registered Brand Catalogue Status : Catalogue not verified by OEM Selling As : Reseller not verified by OEM	ENT (Ear nose throat) Workstation	COMPACTA JAMILA	HSN not specified by seller	1	pieces	895,999
Total Order Value (in INR)							895,999

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: anand.kumar@coalindia.in Contact: 0326-2206167-234 GSTIN: 20AAACB7934MFZB Address: Chief Of Medical Services, Central Hospital , PO- Jagjivan Nagar., DHANBAD, JHARKHAND-826003, India	VMS ENT Workstation With Battery Type Leather up-holstered Headlamp	-	1	22-Jul-2021	21-Aug-2021

Product Specification for VMS ENT Workstation With Battery Type Leather up-holstered Headlamp		
Specification	Sub-Spec	Value
	Material of main unit of ENT Unit	High Quality Steel, Non Rusting
	Coating of anti fungal and antibacterial and easy to clean and disinfect	Yes
	Storage Drawers Provided	4

Main Unit Configuration	Number of drawers with UV sterilisation	2
	Provision of Dust Protection Cover for the unit	Yes
	Provision of heating system to heat the instruments , laryngeal mirrors endoscopes	Yes
	Provision of Pull Out writing desk	Stainless Steel 304
	Autoclavable Instrument trays PROVIDED	Stainless Steel 304
	Tray for USED Instruments	Stainless Steel 304
	Warranty for the Work Station excluding Accessories such as Camera System, Microscope and CAUTERY System etc (If any other accessories not included with unit these shall be excluded) in years	5
Endoscope Storage in Main Unit	Storage facility for rigid endoscope (Heated) , Autoclavable and removable provided in the unit	4
	Storage for rigid used endoscope Autoclavable and removable provided with unit	3
	Storage for Flexible FNL scope, Autoclavable and removable provided with unit	3
Compressed air system in main unit	Provision of Inbuilt compressed air system for medicament sprays-atomisers with Regulation valve and manometer display	Yes
	Maximum Range of Compressed air system	0.1 bar to 4 bar
	Quantity of Atomisers provided at time of supplies	2 Liquid, 2 Powder
	Material of medication reservoir	Glass
Suction system in main unit	Provision of Inbuilt Noiseless Suction system	Yes
	Maximum Capacity of inbuilt suction motor in (Litre/Min)	60
	Additional suction system for spit bowl/rinsing funnel	Yes
	Provision of regulation valve and vacuum gauge for suction adjustment for use in children	Yes
	Provision of , bacterial filters, 1500 milliliters or more suction reservoir and effective alarm to prevent overflow attached to main unit	Yes
	Availability of automatic ON/OFF for suction when the handle is lifted	Yes
Ear Syringing/Rinsing System in Main Unit	Facility of Warm water rinsing system at 37 deg temp for Ear Syringing	Yes
	Facility of autoclavable and reusable canulas for fine spray	Yes
	Facility of Separate stainless steel tank to prevent mineral build up and heat up to 38 degree temperature	Yes
Light Source & Headlamp in Main Unit	Light Source Provided	LED Light with intensity equal to 150 watt halogen lamp
	Lamp Life in hours	50000
	Number of Light source with separate universal outlet	2
	Availability of Leather up-holstered Headlamp with adjustable spot	Battery Type
	Power supply of main unit	220-240 V / 50 Hz Single phase
Additional parameters	Gallery/ Upper shelf for keeping Devices Provided	Yes
	Dispenser for cotton and Tongue Holding paper provided	Yes
	Unit Equipped with foot operated waste container	Yes
	Number of Integrated Power outlets for connecting additional/ Inbuilt devices	4
	Mirror Heater Block for 50 or more mirrors provided	Yes
	SS Tongue Depressor Holder Provided	Yes
	SS Ear Speculum Holder Provided	Yes
	Storage Cabinet with drawers attached to the main unit Provided	Yes
	Automatic liquid container discharge system	Yes
	X ray viewer with on-off switch	Yes
	Facility for acoustic analysis / recording of voice signal (multi dimensional voice profile software) , archiving & recording device	No

	& taking report	
	Otoscope	Provided with fiberoptic illumination with all size ear speculum including seigel's pneumatic speculum, 3.5 volt halogen bulb with 5 spare bulbs, heavy duty handles with charger and chargeable battery along with a spare battery
	Facility of Stroboscopy , integrated with the unit	No
Cautery System	Cautey sytem Provided with ENT Work Station	Yes
	Details of Cautery System Provided	80 to 100 W Mono and Bipolar cautery system with set of Reusable cables & probes/forceps for ENT Procedures
	Make of Cautery System Provided	Others
	If others please indicate Make and if not provided put NA	VMS MAKE
	Warranty for cautery if provided with work station in years	5
Microscope System	Microscope Syatem Provided with ENT Work station	Yes
	Details of Microscopic System Provided with ENT Work Station	Binocular ENT Microscope with 12.5 X Zoom Focal 250mm with fine focussing with inbuilt LED Light source
	Magnification Changer Range for Microscope System	3 Step
	Integrated Green Filter for Microscope system	Yes
	Eyeiece for spectacle wearers provided with microscope system	Yes
	Mounting type in case of Microscope	Floor mountable
	Adjustible Handle for Microscope	Yes
	Beam Splitter with camera head adapter for Microscope	Yes
	Make of Microscope System Provided	Labomed
	If others indicated for make of microscope please indicate Make Name and if Microscope not provided put NA	LABOMED
	Warranty For Microscope if provided with work station in years	5
ENDOSCOPY CAMERA SYSTEM and MONITOR	Camera System Provided	Single Chip
	Type of Chip	CCD/CMOS
	Resolution	HD Camera with DVI/HDMI O/P
	HD Monitor Medical Grade	24 inch
	Mounting of Monitor	Unit Mounted
	Make of Camera System Provided	Others
	If others indicated as Make for Camera please indicate make if not provided put NA	VMS MAKE
	Warranty for Camera System if provided with work Station in years	5
	Compatible system for easy recording of images and videos in HD digital formats, easily transferable to external hard disk drive, USB pendrive and data cards without losing resolution	Yes
PATIENT EXAMINATION CHAIR	Patient Chair Provided with Work Station	Yes
	Type of Patient Chair	Motorized only
	ENT Patient Examination Chair must have lifting mechanism and height adjustment	Yes
	Backrest adjustable and can be made to incline 10 degree forward to vertical position and backward completely to a horizontal position and can be rolled back	Yes
	Synchronized motion of Back rest and leg rest	Yes
Doctors chair	Doctor Chair Provided with work station	Yes
	Doctor's Chair/ Stool should have back rest and Wide base, 360 deg rotataion, should have rolling casters with brakes for easy movement	Yes
	ENT Endoscopes Provided with Work Station	Yes
	Nasal Endoscope, Wide View, Diameter 4 mm, Working Length 175-180 mm, Autoclavable provided	0Å°
	Rigid Nasal Endoscope	NA if endoscope not provided
	EAR Endoscope	30Å°
	Rigid ear telescope, Wide view, Size 3 mm diameter, 6 cm length, Autoclavable provided	NA if endoscope not provided

ENT ENDOSCOPES	Laryngoscope, Wide View, Diameter 8 mm, Working Length 190 mm, Autoclavable provided	70°
	Laryngoscope, Wide View, Diameter 11 mm, Working Length 190 mm, Autoclavable provided	NA if laryngoscope not provided
	Flexible Laryngoscope	NA if laryngoscope not provided
	Make of endoscope provided with ENT work station put NA if not provided	VMS MAKE
	Warranty for Endoscope if provided with work station in years	5
Power supply	Power Supply for ENT Work Station	220-240 Volt/50 HZ Single Phase
	Power Back Up Provided	Online UPS System, 2 KVA
	Back up time	15 Minutes
	Number of Fibro-optic light cable	2
Certifications	Certification of the Product	CE
	Certification number and date with name of Certification	165006 dt.04.11.2019 AGQR CERTIFICATION PVT LTD
	Certifications of Manufacturer	ISO 13485
	The work station to be installed, and demonstration and training to be provided by seller before acceptance	Yes
	Copies of all certifications to be furnished to buyer when demanded	Yes

Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Terms and Conditions

1. Special terms and conditions- Version:1 effective from 03-09-2020

1.1 1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within and outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation and commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee representatives for operating and maintaining the equipment and Supplying required number of operation and maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

2.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

2.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

2.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

2.10 Financial Certificate:

2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

3. Additional Terms and conditions-

3.1 Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

3.3 Preference to Make In India products (For bids less than 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference

shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3.4 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.5 The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.