

**SR NO: - (64) Contract****Contract No:** GEMC-511687720502920**Generated Date:** 29-Jul-2021**Bid/RA/PR No:** [GEM/2021/B/1151569](#)

Organisation Details		Buyer Details	
Type:	Central PSU	Designation:	Assistant Manager6
Ministry:	Ministry of Coal	Contact No.:	62876-95241-
Department:	Materials Management	Email ID:	mayank.shekhar@nic.in
Organisation Name:	Bharat Coking Coal Limited	GSTIN:	20AAACB7934MFZB
Office Zone:	Bccl Dhanbad	Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail		Paying Authority Details	
IFD Concurrence:	Yes	Payment Mode:	Offline
Designation of Administrative Approval:	D (T) P&P	Designation:	HOD Purchase Finance
Designation of Financial Approval:	D (T) P&P	Email ID:	pao5.bccl.jh@gembuyer.in
		GSTIN:	N
		Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
GeM Seller ID:	3F16180000607718
Company Name:	ADONIS MEDICAL SYSTEMS PRIVATE LIMITED
Contact No.:	09872003273
Email ID:	support@adonismedical.com
Address:	E 70,PHASE VIII, Mohali, PUNJAB-160055, -
MSME verified:	Yes
GSTIN:	03AACCA9866F1ZO

*GST / Tax invoice to be raised in the name of - Consignee

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name :ADONIS Floating table top 300 mA X Ray Machine with High frequency generator Brand : ADONIS Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM	X Ray Machine (300 mA)	AE-300 HF	HSN not specified by seller	1	pieces	1,293,600
Total Order Value (in INR)							1,293,600

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: anand.kumar@coalindia.in Contact: 0326-2206167-234 GSTIN: 20AAACB7934MFZB Address: Chief Of Medical Services, Central Hospital , PO- Jagjivan Nagar., DHANBAD, JHARKHAND-826003, India	ADONIS Floating table top 300 mA X Ray Machine with High frequency generator	-	1	29-Jul-2021	12-Sep-2021

Product Specification for ADONIS Floating table top 300 mA X Ray Machine with High frequency generator		
Specification	Sub-Spec	Value
Standards	Conformity to Certification	CDSCO/AERB
	Certification number and date	99-TA-620 dated 10/01/2019
	Type test approval from AREB required	Yes

	AREB approval certificate number of Particular Model	99-TA-620
	Conformity to manufacturing standards	ISO 13485
	Conformity to safety standards	IEC 60601-2-54 or BIS equivalents
Performance Parameters	Purpose	For Radiographic examinations
	Type of frequency generator	High frequency generator
	Frequency generator output in kW	32
	KVP range in KV	40 -125
	Current output	300 mA or more at 100 kV
	Provision of Anatomical programming radiography	Yes
	Over loading protection	Yes
	X-ray tube positioning	Floor Mount Tube stand
	X ray tube should be high speed rotating anode and must have dual focus	Yes
	Tube rotation in degree	120
	Size of large focal spot in mm	Upto 2 mm
	Size of small focal spot in mm	Upto 1 mm
	Anode Rotation Speed (minimal) per minute	2800
	Permanent Filtration	0.9 mm Al / 75 kV
	Anode heat storage capacity (min)	140 kHU or more
	Heat dissipation rate in HU/Sec	670
	Automatic exposure control device provided	Yes
	Maximum Exposure time in milli second	upto 15
	Digital display for KVP & mAs provided	Yes
	Range of tube movements in vertical planes in cm	150
	Range of tube movements in longitudinal in cm	150
	Range of tube movements in lateral planes in cm	150
	Electromagnetic brakes with fully counter balanced mechanism for tube movement	Yes
	Facility to display tube angulation	Yes
	Centering devices to be provided	Yes
	Maximum source to image distance (SID) in vertical position in cm	150
	Maximum source to image distance (SID) in horizontal position in cm	100
	Collimeter rotation in degree	±180
	Multileaf collimator having halogen lamp/bright light source, with auto shut off provision of the light, should be available	Yes
	Minimum intensity of light field lamp	≥150 lux
	Full coverage size at a 100 cm SID(collimeter size) with ± 5 percent tolerances	430 x 430
	Type of table provided	Floating table top
	Table top material with low attenuation and scratch resistant surface	Carbon fiber
	Table Length in mm with ± 1 percent tolerances	1800
	Table Width in mm with ± 1 percent tolerances	600
	Table Height in mm with ± 1 percent tolerances	650
	System should have longitudinal and horizontal table top movements	Yes
	Table should have provision for lateral imaging, without patient movement	Yes
	Range of movements for the table	Transverse movements of + 10cm or more & Longitudinal movements+ 40 cm with electromagnetic brakes
	Facilities of height adjustments	Yes
Maximum Patient weight supported by table in kg	200	
Foot switches for adjusting longitudinal/side to side movements, locking, and light adjustment	Yes	
Movable Grid with grid ratio	10:1 or more	
Anti-collision and safety devices provided	Yes	

	Counterbalanced, adjustable height, wall and floor mounted, vertical Bucky	Yes
	SID range of radiographic application including chest radiography in mm	1000 to 1800
	Provision of doing chest radiography without grid	Yes
	Power supply	Three Phase AC (380-440 V,50/60 Hz)
	Lead lining for doors	Yes
	Number of installations of the X- ray machines in Central /State/PSU Govt Hospitals (Note: Seller should furnish a performance certificate of the device to the buyer if demanded after placement of order)	>3
	OEM and Reseller (if supplier is re-seller) shall ensure uninterrupted availability of all spares for 10 years	Yes
	Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Demonstration of equipment and training to be provided after completing supplies before acceptance	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	5
Additional Parameters	Patient fixing belts and compression device (for performing excretory urography, etc)	Yes
	Voltage stabilizer servo controlled in KVA	50
	Light weight "zero lead" radiation protection aprons provided	Yes
	Lead Aprons - Full body and Skirt type	2 No each (0.5pb)
	Thyroid shields supplied	4
	Gonad sheet Male supplied	2
	Gonad sheet Female supplied	2
	Wall mounted stand for radiation protection aprons supplied	Yes
	Lead glass window Supplied	Yes
	Footsteps for the table supplied	Yes
	Lateral cassette holder provided	Yes
Reports	The Principal Manufacturer must have direct Presence/approved service center In India	Yes
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM	Yes
	Copies of all calibration and test reports to be submitted at the time of Supply of Machine	Yes

Corrigendum

1. **Extended Upto** : 2021-04-17 11:00:00

Terms and Conditions

1. General Terms and Conditions-

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

1.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions-

2.1 Scope of supply (Bid price to include all cost components) :Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

2.3 Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

2.4 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.5 The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.6 Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.7 Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 10 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

2.8 Buyer Added text based ATC clauses

5 Years AMC is required. The offered price should be inclusive of 5 years AMC charges.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.