

SR NO (150)

Contract



Contract No: GEMC-511687774579036

Generated Date: 18-Feb-2022

Bid/RA/PR No: [GEM/2021/B/1488264](#)

Schedule Name: Schedule 2, Schedule 4, Schedule 9, Schedule 10

Organisation Details		Buyer Details	
Type:	Central PSU	Designation:	Assistant Manager
Ministry:	Ministry of Coal	Contact No.:	62876-95937-
Department:	Materials Management	Email ID:	buyer9.bcl.dhn@gembuyer.in
Organisation Name:	Bharat Coking Coal Limited	GSTIN:	20AAACB7934MFZB
Office Zone:	Bccl Dhanbad	Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail		Paying Authority Details	
IFD Concurrence:	Yes	Payment Mode:	Offline
Designation of Administrative Approval:	D(T)OP, BCCL.	Designation:	HOD Purchase Finance
Designation of Financial Approval:	GM(MM)/HOD, BCCL.	Email ID:	pao5.bcl.jh@gembuyer.in
		GSTIN:	N
		Address:	MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
GeM Seller ID:	7F8C180000110906
Company Name:	PRESTIGE CABLE INDUSTRIES
Contact No.:	09350581279
Email ID:	prestigecable@gmail.com
Address:	M-15, Badli Industrial Estate, Phase-I, Badli, New Delhi, DELHI-110042, -
MSME verified:	Yes
MSME Registration number:	UDYAM-DL-06-0003524
MSE Social Category:	General
MSE Gender:	Male
GSTIN:	07AAGFP3968E1Z2 , 07AAGFP3968E1Z2 , 07AAGFP3968E1Z2 , 07AAGFP3968E1Z2

*GST / Tax invoice to be raised in the name of - Consignee

Product Details						
#	Item Description	Ordered Quantity	Unit	Unit Price (INR)	Tax Bifurcation (INR)	Price (Inclusive of all Duties and Taxes in INR)
1	Product Name : 1.1 KV 3 CORE X 185 SQ. MM ALUMINIUM XLPE ARMoured CABLE Brand : prestige Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (Q3) PRESTIGE MAKE-1.1 KV 3 CORE X 185 SQ.MM ALUMINIUM XLPE ARMoured CABLE HSN not specified by seller	1,200	meter	568	NA	681,600
2	Product Name : 3.5 C x 240 Sqmm XLPE AL Power Cable Brand : prestige Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (Q3) Prestige Make-3.5 C x 240 Sqmm XLPE AL Power Cable 85446020	1,200	meter	815	NA	978,000
3	Product Name : 4 CORE X 240 SQ. MM 1.1 KV ALUMINIUM XLPE ARMoured CABLE Brand : prestige Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : Power Cable For Direct Burial Xlpe Ugac Cable-IS:	550	meter	918	NA	504,900

	10418 (Q3) PRESTIGE MAKE 1.1 KV 4 C X 240 SQ.MM ALUMINIUM XLPE ARMOURED CABLE HSN not specified by seller					
4	Product Name : 1.1 KV 4 C X 400 SQ. MM ALUMINIUM XLPE ARMOURED CABLE Brand : prestige Brand Type : Registered Brand Catalogue Status : OEM verified catalogue Selling As : OEM Category Name & Quadrant : Power Cable For Direct Burial Xlpe Ugac Cable-IS: 10418 (Q3) PRESTIGE MAKE 1.1 KV 4 C X 400 SQ.MM ALUMINIUM XLPE ARMOURED CABLE HSN not specified by seller	1,000	meter	1,469	NA	1,469,000

Total Order Value (in INR) **3,633,500**

Consignee Detail

S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Designation: - Email ID: con1.bccl.jh@gembuyer.in Contact: 62876-95727- GSTIN: 20AAACB7934MFZB Address: Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	1.1 KV 3 CORE X 185 SQ. MM ALUMINIUM XLPE ARMOURED CABLE	-	1,200	18-Feb-2022	19-Apr-2022
		3.5 C x 240 Sqmm XLPE AL Power Cable	-	1,200	18-Feb-2022	19-Apr-2022
		4 CORE X 240 SQ. MM 1.1 KV ALUMINIUM XLPE ARMOURED CABLE	-	550	18-Feb-2022	19-Apr-2022
		1.1 KV 4 C X 400 SQ. MM ALUMINIUM XLPE ARMOURED CABLE	-	1,000	18-Feb-2022	19-Apr-2022

Product Specification for 1.1 KV 3 CORE X 185 SQ. MM ALUMINIUM XLPE ARMOURED CABLE

Specification	Sub-Spec	Value
GENERIC	Mode of Buying	Through bidding only
	Size of Cable (in Sq.mm)	185.0
	Number of cores (nos)	3
	Cable Type	Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with amendment number 1 and 2 and 3 Reaffirmed 2005
	BIS marked	yes
	BIS certificate number	3043942
	Armouring	Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded and Shaped
CONSTRUCTIONAL	Number of armouring strip/wire for each size of cable	18
	size of armouring strip/wire for each size of cable	4.00 x 0.80 +/- 10%
	Material of conductor	Aluminium EC Grade
	Weight of finished cable per meter	2.20 Kg.
	In addition to marking requirements as per relevant specification, sequential marking for length, Size of the cable, Type of the cable and Drum Number shall be embossed on every metre of the cable	yes
	standard cable length on a drum(+/-5%)	500 meter for cable size up to and including 185 sqmm.
	Part length which can be supplied by seller (meter)	300 meter
	cable to be supplied on wooden drums conforming to IS: 10418/82 with latest amendments.	yes
	Quantity supplied shall not be more than the ordered quantity.	yes
Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes	
Type Test Certificate No.	ATCC2015021211	

CERTIFICATIONS	Type Test Certificate date	12.02.2015
	Name of Lab	ATCC
	Address of Lab	Sarai Rohilla, Delhi
	Test Report to be furnished to the buyer on demand	yes

Buyer Defined Additional Specification for 1.1 KV 3 CORE X 185 SQ. MM ALUMINIUM XLPE ARMOURED CABLE

Specification	Value
1. Furnish BIS License No. against IS: 7098 Part-1 1988 with latest amendment:	Yes, Copy of Valid BIS License.
2. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 Part-1 1988 with latest amendment.

Product Specification for 3.5 C x 240 Sqmm XLPE AL Power Cable

Specification	Sub-Spec	Value
GENERIC	Mode of Buying	Through bidding only
	Size of Cable (in Sq.mm)	240.0
	Number of cores (nos)	3.5
	Cable Type	Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with amendment number 1 and 2 and 3 Reaffirmed 2005
	BIS marked	yes
	BIS certificate number	3043942
	Armouring	Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded and Shaped
CONSTRUCTIONAL	Number of armouring strip/wire for each size of cable	27 +/-2
	size of armouring strip/wire for each size of cable	4.0 mm x 0.80 mm
	Material of conductor	Aluminium EC Grade
	Weight of finished cable per meter	3.65
	In addition to marking requirements as per relevant specification, sequential marking for length, Size of the cable, Type of the cable and Drum Number shall be embossed on every metre of the cable	yes
	standard cable length on a drum(+/-5%)	250 meter for size 240sqmm and above.
	Part length which can be supplied by seller (meter)	50
	cable to be supplied on wooden drums conforming to IS: 10418/82 with latest amendments.	yes
Quantity supplied shall not be more than the ordered quantity.	yes	
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes
	Type Test Certificate No.	ATCC2015021211
	Type Test Certificate date	12.02.2015
	Name of Lab	ATCC Delhi
	Address of Lab	Sarai Rohilla Delhi
Test Report to be furnished to the buyer on demand	yes	

Buyer Defined Additional Specification for 3.5 C x 240 Sqmm XLPE AL Power Cable

Specification	Value
1. Number of cores:	3.5
2. Furnish BIS License No. against IS: 7098 Part-1 1988 with latest amendment:	Yes, Copy of Valid BIS License.
3. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 Part-1 1988 with latest amendment.

Product Specification for 4 CORE X 240 SQ. MM 1.1 KV ALUMINIUM XLPE ARMoured CABLE

Specification	Sub-Spec	Value
GENERIC	Mode of Buying	Through bidding only
	Size of Cable (in Sq.mm)	240.0
	Number of cores (nos)	4
	Cable Type	Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with amendment number 1 and 2 and 3 Reaffirmed 2005
	BIS marked	yes
	BIS certificate number	3043942
	Armouring	Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded and Shaped
CONSTRUCTIONAL	Number of armouring strip/wire for each size of cable	24
	size of armouring strip/wire for each size of cable	4.00 x 0.80 +/- 10%
	Material of conductor	Aluminium EC Grade
	Weight of finished cable per meter	3.90 Kg.
	In addition to marking requirements as per relevant specification, sequential marking for length, Size of the cable, Type of the cable and Drum Number shall be embossed on every metre of the cable	yes
	standard cable length on a drum(+/-5%)	500 meter for cable size up to and including 185 sqmm.
	Part length which can be supplied by seller (meter)	250 meter
	cable to be supplied on wooden drums conforming to IS: 10418/82 with latest amendments.	yes
	Quantity supplied shall not be more than the ordered quantity.	yes
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes
	Type Test Certificate No.	ATCC2015021211
	Type Test Certificate date	12.02.2015
	Name of Lab	ATCC
	Address of Lab	Sarai Rohilla, Delhi
	Test Report to be furnished to the buyer on demand	yes

Buyer Defined Additional Specification for 4 CORE X 240 SQ. MM 1.1 KV ALUMINIUM XLPE ARMoured CABLE

Specification	Value
1. Number of cores:	4
2. Furnish BIS License No. against IS: 7098 Part-1 1988 with latest amendment:	Yes, Copy of Valid BIS License.

3. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 Part-1 1988 with latest amendment.
---	---

Product Specification for 1.1 KV 4 C X 400 SQ. MM ALUMINIUM XLPE ARMoured CABLE

Specification	Sub-Spec	Value
GENERIC	Mode of Buying	Through bidding only
	Size of Cable (in Sq.mm)	400.0
	Number of cores (nos)	4
	Cable Type	Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with amendment number 1 and 2 and 3 Reaffirmed 2005
	BIS marked	yes
	BIS certificate number	3043942
	Armouring	Galvanised steel Strip armoured
	Armouring Type	single wire or strip armouring
	shape of conductor	Stranded and Shaped
CONSTRUCTIONAL	Number of armouring strip/wire for each size of cable	32
	size of armouring strip/wire for each size of cable	4.00 x 0.80 +/- 10%
	Material of conductor	Aluminium EC Grade
	Weight of finished cable per meter	5.90 Kg.
	In addition to marking requirements as per relevant specification, sequential marking for length, Size of the cable, Type of the cable and Drum Number shall be embossed on every metre of the cable	yes
	standard cable length on a drum(+/-5%)	250 meter for size 240sqmm and above.
	Part length which can be supplied by seller (meter)	150 meter
	cable to be supplied on wooden drums conforming to IS: 10418/82 with latest amendments.	yes
	Quantity supplied shall not be more than the ordered quantity.	yes
CERTIFICATIONS	Availability of Type test report from Central government/NABL/ILAC accredited laboratory to prove conformity to the specification for minimum and maximum ratings.	yes
	Type Test Certificate No.	ATCC2015021211
	Type Test Certificate date	12.02.2015
	Name of Lab	ATCC
	Address of Lab	Sarai Rohilla, Delhi
	Test Report to be furnished to the buyer on demand	yes

Buyer Defined Additional Specification for 1.1 KV 4 C X 400 SQ. MM ALUMINIUM XLPE ARMoured CABLE

Specification	Value
1. Number of cores:	4
2. Furnish BIS License No. against IS: 7098 Part-1 1988 with latest amendment:	Yes, Copy of Valid BIS License.
3. Documents to be uploaded with bid on GeM portal:	Copy of type test report from NABL accredited lab/Govt. test house for same or higher rating (both voltage and size) corresponding to IS: 7098 Part-1 1988 with latest amendment.

Terms and Conditions

1. Special terms and conditions- Version:1 effective from 04-05-2020

1.1 Specification for Cross linked Polyethylene insulated thermoplastic sheathed cables" is as per IS:7098 (Part 1):1988 with latest amendments including amendment no.5. Manufacturer shall furnish calculation sheet as per Appendix-C of IS:7098 (Part 1):1988 amdt., no.5 to buyer/consignee on demand. (Gem Category: Cross linked polyethylene and XLPE insulated PVC outer sheathed cable with aluminum conductor suitable for rated voltage at 1100 volts grade and conforming to IS: 7098 Part-1 1988 with latest amendment including amendment no.5)

2. General Terms and Conditions-

2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

2.2.1 Contracted goods should be delivered at the consignee or designated delivery location as per the working time of the buying organisation. Seller may get the same confirmed from consignee before scheduling delivery.

2.2.2 A copy of the contract should be available with the messenger / dispatching agency that delivers the Goods at consignee / delivery location (preferably pasted / attached outside the consignment / package) for easy reference and ease in delivery acceptance.

2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

2.6 Octroi Duty and / or other local taxes:Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

2.10 Financial Certificate:

2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Scope of supply (Bid price to include all cost components) : Only supply of Goods

3.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

3.3 The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

3.4 Buyer Added text based ATC clauses

Pre-dispatch Inspection shall be done by nominated agency of BCCL i.e. Central Mine Planning & Design Institute Ltd (CMPDIL) Ranchi / their Regional Office (for details visit www.cmpdi.co.in). Inspection fee @ 1% of total consignment billing (plus statutory levies like GST etc. as applicable on inspection fee) is to be paid to CMPDIL along with inspection call letter payable by SBI Collect by seller. The price is to be quoted by the seller inclusive of inspection fees. Minimum 7 calendar days notice shall be given by the manufacturer to CMPDIL for arranging inspection within valid delivery period as per contract. (The clause is already attached in the Buyer uploaded ATC document of ATC section of the Bid.

3.5 Buyer uploaded ATC document [Click here to view the file.](#)

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.



BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Ltd.)

भारत कोकिंग कोल लिमिटेड
OFFICE OF CHAIRMAN-CUM-MANAGING-DIRECTOR
Bharat Coking Coal Limited,,



P.O - BCCL Township, Dist.-Dhanbad, Jharkhand, India-826005

Coal India Limited

A Maharatna Company
www.coalindia.in

Phone No:

Fax :

Website :

CIN : U10101JH1972GOI000918

Email :

GSTN : 20AAACB7934MFZB

Purchase Order No: 5100002515

PURCHASE ORDER

Document Date: Feb 18, 2022

To,

PRESTIGE CABLE INDUSTRIES

PHASE-I M-15, BADLI INDUSTRIAL ESTATE
NORTH WEST DELHI

110042

Delhi

India

Department : MM

MSE Status : MSE- GENERAL

PCC BY REGD. POST/MAIL

E-Mail Address : PRESTIGECABLE@GMAIL.COM

Telephone : 9910531931

GST No : 07AAGFP3968E1Z2

Vendor Code : 10000259

Supply of PVC Armoured Al Cable 1.1KV Grade 3 core 185 Sq mm, PVC Armoured Al Cable 1.1KV Grade 3.5 core 240 Sq mm, PVC Armoured Al Cable 1.1KV Grade 4 core 240 Sq mm and PVC Armoured Al Cable 1.1KV Grade 4 core 400 Sq mm as per GeM contract no. GEMC-511687774579036 dated 18-02-2022.

Item No	Material No.	Short Text	HSN/SAC	UOM	Quantity	Unit Price	Price (Rs)
10	4600029829	CABLE;1.1KV,3C,AL,185MM2		M	450.000	481.36 INR	255602.16
Manufacturer Part No :					Gross Price		216612.00
Material Description :					IGST%(18.00)		38990.16
Batch :							
Batch Description :							
20	4600029829	CABLE;1.1KV,3C,AL,185MM2		M	450.000	481.36 INR	255602.16
Manufacturer Part No :					Gross Price		216612.00
Material Description :					IGST%(18.00)		38990.16
Batch :							
Batch Description :							
30	4600029829	CABLE;1.1KV,3C,AL,185MM2		M	300.000	481.36 INR	170401.44
Manufacturer Part No :					Gross Price		144408.00
Material Description :					IGST%(18.00)		25993.44
Batch :							
Batch Description :							
40	4600014119	CABLE;1.1KV,3.5C,AL,PVC ,240MM2		M	1200.000	690.68 INR	978002.88
Manufacturer Part No :					Gross Price		828816.00
Material Description :CABLE, ELECTRICAL; VOLTAGE RATING: 1.1 KV, CONDUCTOR QUANTITY: (3.5) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: PVC,					IGST%(18.00)		149186.88

Batch :							
Batch Description :							
50	4600014094	CABLE;1.1KV,4C,AL,240MM2		M	250.000	777.97 INR	229501.15
Manufacturer Part No : Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 1.1 KV, CONDUCTOR QUANTITY: (4) CORE, CONDUCTOR MATERIAL: ALUMINIUM, CONDUCTOR DIAMETER: 240 MM2 Batch : Batch Description :					Gross Price 194492.50 IGST%(18.00) 35008.65		
60	4600014094	CABLE;1.1KV,4C,AL,240MM2		M	200.000	777.97 INR	183600.92
Manufacturer Part No : Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 1.1 KV, CONDUCTOR QUANTITY: (4) CORE, CONDUCTOR MATERIAL: ALUMINIUM, CONDUCTOR DIAMETER: 240 MM2 Batch : Batch Description :					Gross Price 155594.00 IGST%(18.00) 28006.92		
70	4600014094	CABLE;1.1KV,4C,AL,240MM2		M	100.000	777.97 INR	91800.46
Manufacturer Part No : Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 1.1 KV, CONDUCTOR QUANTITY: (4) CORE, CONDUCTOR MATERIAL: ALUMINIUM, CONDUCTOR DIAMETER: 240 MM2 Batch : Batch Description :					Gross Price 77797.00 IGST%(18.00) 14003.46		
80	4600014081	CABLE;1.1KV,4C,AL,PVC,400MM2		M	700.000	1244.92 INR	1028303.92
Manufacturer Part No : Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 1.1 KV, CONDUCTOR QUANTITY: (4) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: PVC, CO Batch : Batch Description :					Gross Price 871444.00 IGST%(18.00) 156859.92		
90	4600014081	CABLE;1.1KV,4C,AL,PVC,400MM2		M	300.000	1244.92 INR	440701.68
Manufacturer Part No : Material Description : CABLE, ELECTRICAL; VOLTAGE RATING: 1.1 KV, CONDUCTOR QUANTITY: (4) CORE, CONDUCTOR MATERIAL: ALUMINIUM, INSULATION MATERIAL: PVC, CO Batch : Batch Description :					Gross Price 373476.00 IGST%(18.00) 67225.68		
Total Net Value Exclusive of Tax						INR	3079251.50
Total Net Value Inclusive of Tax						INR	3633516.77
Amount in words:	Thirty Six Lakh Thirty Three Thousand Five Hundred Sixteen Rupees And Seventy Seven Paise Only						

General Terms and Conditions

As per GeM contract no. GEMC-511687774579036 dated 18-02-2022.