

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-51168777896703

Generated Date | अनुबंध तिथि: 22-Mar-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3019127](#)

Schedule Name | अनुसूची नाम: Schedule 1, Schedule 3, Schedule 4, Schedule 5, Schedule 7

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU	Designation पद: Manager I
Ministry मंत्रालय: Ministry of Coal	Contact No. संपर्क नंबर: 94705-95938-
Department विभाग: Materials Management	Email ID ईमेल आईडी: sonu.gupta@nic.in
Organisation Name संगठन का नाम: Bharat Coking Coal Limited	GSTIN जीएसटीआईएन: 20AAACB7934MFZB
Office Zone कार्यालय क्षेत्र: Bccl Dhanbad	Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: Yes	Role: PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: GM MM	Payment Mode भुगतान का तरीका: Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: HOD(F)MM	Designation पद: HOD Purchase Finance
	Email ID ईमेल आईडी: pao5.bccl.jh@gembuyer.in
	GSTIN जीएसटीआईएन: N
	Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India
	Payments shall be made to the seller within 21 days of issue
	Payment Timelines भुगतान of consignee receipt-cum-acceptance certificate (CRAC) and समयसीमा: on-line submission of bills (This is in supersession of 10-days time as provided in clause 12 of GeM GTC)

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: A293180000111629	Company Name कंपनी का नाम: VISHNU CABLE INDUSTRIES
Contact No. संपर्क नंबर: 09350117744	Email ID ईमेल आईडी: info@vishnucable.com
Address पता: E-669, DSIDC INDUSTRIAL AREA, NARELA, Delhi, DELHI-110040, -	MSME verified एमएसएमई सत्यापित: Yes
MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-DL-06-0007277	MSE Social Category एमएसएमई सामाजिक श्रेणी: General
MSE Gender एमएसएमई लिंग श्रेणी: OTHERS	GSTIN जीएसटीआईएन: 07AETPG5203J1ZE

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: AVERCAB 01 185 3 Aluminium Armoured cable Brand ब्रांड: AVERCAB Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: XLPE Cable for working voltages upto and including 1.1 KV - IS - 7098 (Part 1) (Q2) Model मॉडल: 2023 HSN Code एचएसएन कोड: 8544	500	meter	518	NA	259,000
2	Product Name उत्पाद का नाम: AVERCAB 01 240 3.5 Aluminium Armoured cable Brand ब्रांड: AVERCAB Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: XLPE Cable for working voltages upto and including 1.1 KV - IS - 7098 (Part 1) (Q2) Model मॉडल: 2023 HSN Code एचएसएन कोड: 8544	500	meter	726	NA	363,000

3	Product Name ज्याद का नाम : AVERCAB 01 120 4 Aluminium Armoured cable Brand ब्रांड : AVERCAB Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : XLPE Cable for working voltages upto and including 1.1 KV - IS - 7098 (Part 1) (Q2) Model मॉडल: 2023 HSN Code एचएसएन कोड: 8544	800	meter	448	NA	358,400
4	Product Name ज्याद का नाम : AVERCAB 01 185 4 Aluminium Armoured cable Brand ब्रांड : AVERCAB Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : XLPE Cable for working voltages upto and including 1.1 KV - IS - 7098 (Part 1) (Q2) Model मॉडल: 2023 HSN Code एचएसएन कोड: 8544	500	meter	642	NA	321,000
5	Product Name ज्याद का नाम : AVERCAB 01 400 4 Aluminium Armoured cable Brand ब्रांड : AVERCAB Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : XLPE Cable for working voltages upto and including 1.1 KV - IS - 7098 (Part 1) (Q2) Model मॉडल: 2023 HSN Code एचएसएन कोड: 8544	2,400	meter	1,309	NA	3,141,600

Total Order Value |कुल ऑर्डर मूल्य (in INR)

4,443,000

Consignee Detail |परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : - Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	AVERCAB 01 185 3 Aluminium Armoured cable	-	500	22-Mar-2023	21-May-2023
		AVERCAB 01 240 3.5 Aluminium Armoured cable	-	500	22-Mar-2023	21-May-2023
		AVERCAB 01 120 4 Aluminium Armoured cable	-	800	22-Mar-2023	21-May-2023
		AVERCAB 01 185 4 Aluminium Armoured cable	-	500	22-Mar-2023	21-May-2023
		AVERCAB 01 400 4 Aluminium Armoured cable	-	2,400	22-Mar-2023	21-May-2023

Product Specification for AVERCAB 01 185 3 Aluminium Armoured cable

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest
	Cables suitable for use in mines	Yes
	Cables suitable for use in low temperature applications	Yes
	Product ISI Marked	Yes
	If, ISI marked, BIS License number must be declared by OEM/Supplier	8910079
GENERIC	Classification of cables for improved fire performance category	01
	Nominal Area of Conductor (in Sq. mm)	185
	Number of core (in Nos.)	3
	Material of conductor	Aluminium
	Conductor material standard	as per IS:8130:2013 latest

CONSTRUCTION	Construction of the conductor	Stranded and shaped
	Insulation	XLPE
	Properties of XLPE insulation	as per Table 1 of IS:7098 (Part 1):1988 latest as per Table 1 of IS:7098 (Part 1):1988 latest
	Colour of XLPE insulation	Red, Yellow, Black
	Type of inner sheath	Thermoplastic
	Additional requirement	NA
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Galvanized steel formed wire
	Type of armouring	Single strip
	Number of armouring wire / strip for each size of cable (in Nos.) - Must declare (hint: for Unarmoured cables select '0')	24
	Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand.	Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5
OUTER SHEATH	Outer sheath standard	Conforming to IS:5831:1984 latest
	Type of outer sheath	PVC-ST2
	Colour of outer sheath	Black
MARKING ON CABLE	Manufacturer's identification on cable	as per Cl.17.1 of IS:7098 Part 1: latest
	Type of sequential marking on cable	Screen printing on cable
	Cable identification	as per Cl.17.2 of IS:7098 Part 1: latest
	Additional marking on Cable	NA
PACKING AND MARKING	Packing and marking	as per Cl.18.1 and 18.2 of IS:7098 Part 1: latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Standard length of cable on drum (in m)	500
	Marking on the drum	as per Cl.18.2 of IS:7098 Part 1: latest
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL accredited LAB / ILAC accredited LAB	Yes as per Cl.15 of IS:7098 Part 1
	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable
	Test report number and date - Must declare	CPRINOACAB21T0062
	Name and address of Lab - Must declare	CPRI, Noida
	Agreed to furnish all the test reports and certificates to buyer on demand.	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए AVERCAB 01 185 3 Aluminium Armoured cable

Specification विनिर्देश	Value मूल्य
BIS	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098 Part-I shall be uploaded with the bid submission.
TEST REPORT	(b) Copy of Type Test Reports for same or higher rating (Voltage and size both) cables as per relevant IS shall be uploaded with bid as per relevant IS.
SELF DECLARATION	(c) A self declaration to submit Valid BIS License and Routine test reports for offered cables with supply shall be uploaded with bid submission.

Product Specification for AVERCAB 01 240 3.5 Aluminium Armoured cable

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest
	Cables suitable for use in mines	Yes
	Cables suitable for use in low temperature applications	Yes
	Product ISI Marked	Yes
	If, ISI marked, BIS License number must be declared by OEM/Supplier	8910079
GENERIC	Classification of cables for improved fire performance category	01
	Nominal Area of Conductor (in Sq. mm)	240

	Number of core (in Nos.)	3.5
CONSTRUCTION	Material of conductor	Aluminium
	Conductor material standard	as per IS:8130:2013 latest
	Construction of the conductor	Stranded and shaped
	Insulation	XLPE
	Properties of XLPE insulation	as per Table 1 of IS:7098 (Part 1):1988 latest as per Table 1 of IS:7098 (Part 1):1988 latest
	Colour of XLPE insulation	Red, Yellow, Blue, Black
	Type of inner sheath	Thermoplastic
	Additional requirement	NA
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Galvanized steel formed wire
	Type of armouring	Single strip
	Number of armouring wire / strip for each size of cable (in Nos.) - Must declare (hint: for Unarmoured cables select '0')	26
	Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand.	Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5
OUTER SHEATH	Outer sheath standard	Conforming to IS:5831:1984 latest
	Type of outer sheath	PVC-ST2
	Colour of outer sheath	Black
MARKING ON CABLE	Manufacturer's identification on cable	as per Cl.17.1 of IS:7098 Part 1: latest
	Type of sequential marking on cable	Screen printing on cable
	Cable identification	as per Cl.17.2 of IS:7098 Part 1: latest
	Additional marking on Cable	NA
PACKING AND MARKING	Packing and marking	as per Cl.18.1 and 18.2 of IS:7098 Part 1: latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Standard length of cable on drum (in m)	250
	Marking on the drum	as per Cl.18.2 of IS:7098 Part 1: latest
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL accredited LAB / ILAC accredited LAB	Yes as per Cl.15 of IS:7098 Part 1
	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable
	Test report number and date - Must declare	CPRINOACAB21T0062
	Name and address of Lab - Must declare	CPRI, Noida
	Agreed to furnish all the test reports and certificates to buyer on demand.	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए AVERCAB 01 240 3.5 Aluminium Armoured cable

Specification विनिर्देश	Value मूल्य
BIS	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098 Part-I shall be uploaded with the bid submission.
TEST REPORT	(b) Copy of Type Test Reports for same or higher rating (Voltage and size both) cables as per relevant IS shall be uploaded with bid as per relevant IS.
SELF CERTIFICATE	(c) A self declaration to submit Valid BIS License and Routine test reports for offered cables with supply shall be uploaded with bid submission.

Product Specification for AVERCAB 01 120 4 Aluminium Armoured cable

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest
	Cables suitable for use in mines	Yes
	Cables suitable for use in low temperature applications	Yes
	Product ISI Marked	Yes

	If, ISI marked , BIS License number must be declared by OEM/Supplier	8910079
GENERIC	Classification of cables for improved fire performance category	01
	Nominal Area of Conductor (in Sq. mm)	120
	Number of core (in Nos.)	4
CONSTRUCTION	Material of conductor	Aluminium
	Conductor material standard	as per IS:8130:2013 latest
	Construction of the conductor	Stranded and shaped
	Insulation	XLPE
	Properties of XLPE insulation	as per Table 1 of IS:7098 (Part 1):1988 latest as per Table 1 of IS:7098 (Part 1):1988 latest
	Colour of XLPE insulation	Red, Yellow, Blue, Black
	Type of inner sheath	Thermoplastic
	Additional requirement	NA
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Galvanized steel formed wire
	Type of armouring	Single strip
	Number of armouring wire / strip for each size of cable (in Nos.) - Must declare (hint: for Unarmoured cables select '0')	22
	Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand.	Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5
OUTER SHEATH	Outer sheath standard	Conforming to IS:5831:1984 latest
	Type of outer sheath	PVC-ST2
	Colour of outer sheath	Black
MARKING ON CABLE	Manufacturer's identification on cable	as per Cl.17.1 of IS:7098 Part 1: latest
	Type of sequential marking on cable	Screen printing on cable
	Cable identification	as per Cl.17.2 of IS:7098 Part 1: latest
	Additional marking on Cable	NA
PACKING AND MARKING	Packing and marking	as per Cl.18.1 and 18.2 of IS:7098 Part 1: latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Standard length of cable on drum (in m)	500
	Marking on the drum	as per Cl.18.2 of IS:7098 Part 1: latest
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL accredited LAB / ILAC accredited LAB	Yes as per Cl.15 of IS:7098 Part 1
	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable
	Test report number and date - Must declare	CPRINOACAB21T0062
	Name and address of Lab - Must declare	CPRI, Noida
	Agreed to furnish all the test reports and certificates to buyer on demand.	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए AVERCAB 01 120 4 Aluminium Armoured cable

Specification विनिर्देश	Value मूल्य
BIS	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098 Part-I shall be uploaded with the bid submission.
TEST REPORT	(b) Copy of Type Test Reports for same or higher rating (Voltage and size both) cables as per relevant IS shall be uploaded with bid as per relevant IS.
SELF CERTIFICATE	(c) A self declaration to submit Valid BIS License and Routine test reports for offered cables with supply shall be uploaded with bid submission.

Product Specification for AVERCAB 01 185 4 Aluminium Armoured cable

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest

STANDARDS	Cables suitable for use in mines	Yes
	Cables suitable for use in low temperature applications	Yes
	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be declared by OEM/Supplier	8910079
GENERIC	Classification of cables for improved fire performance category	01
	Nominal Area of Conductor (in Sq. mm)	185
	Number of core (in Nos.)	4
CONSTRUCTION	Material of conductor	Aluminium
	Conductor material standard	as per IS:8130:2013 latest
	Construction of the conductor	Stranded and shaped
	Insulation	XLPE
	Properties of XLPE insulation	as per Table 1 of IS:7098 (Part 1):1988 latest as per Table 1 of IS:7098 (Part 1):1988 latest
	Colour of XLPE insulation	Red, Yellow, Blue, Black
	Type of inner sheath	Thermoplastic
	Additional requirement	NA
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Galvanized steel formed wire
	Type of armouring	Single strip
	Number of armouring wire / strip for each size of cable (in Nos.) - Must declare (hint: for Unarmoured cables select '0')	26
	Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand.	Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5
OUTER SHEATH	Outer sheath standard	Conforming to IS:5831:1984 latest
	Type of outer sheath	PVC-ST2
	Colour of outer sheath	Black
MARKING ON CABLE	Manufacturer's identification on cable	as per Cl.17.1 of IS:7098 Part 1: latest
	Type of sequential marking on cable	Screen printing on cable
	Cable identification	as per Cl.17.2 of IS:7098 Part 1: latest
	Additional marking on Cable	NA
PACKING AND MARKING	Packing and marking	as per Cl.18.1 and 18.2 of IS:7098 Part 1: latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Standard length of cable on drum (in m)	500
	Marking on the drum	as per Cl.18.2 of IS:7098 Part 1: latest
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL accredited LAB / ILAC accredited LAB	Yes as per Cl.15 of IS:7098 Part 1
	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable
	Test report number and date - Must declare	CPRINOACAB21T0062
	Name and address of Lab - Must declare	CPRI, Noida
	Agreed to furnish all the test reports and certificates to buyer on demand.	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए AVERCAB 01 185 4 Aluminium Armoured cable

Specification विनिर्देश	Value मूल्य
BIS	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098 Part-I shall be uploaded with the bid submission.
TEST REPORT	(b) Copy of Type Test Reports for same or higher rating (Voltage and size both) cables as per relevant IS shall be uploaded with bid as per relevant IS.
SELF CERTIFICATE	(c) A self declaration to submit Valid BIS License and Routine test reports for offered cables with supply shall be uploaded with bid submission.

Product Specification for AVERCAB 01 400 4 Aluminium Armoured cable

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
STANDARDS	Conformity of the specification for XLPE cable	as per IS:7098 (Part 1): 1988 latest
	Cables suitable for use in mines	Yes
	Cables suitable for use in low temperature applications	Yes
	Product ISI Marked	Yes
	If, ISI marked , BIS License number must be declared by OEM/Supplier	8910079
GENERIC	Classification of cables for improved fire performance category	01
	Nominal Area of Conductor (in Sq. mm)	400
	Number of core (in Nos.)	4
CONSTRUCTION	Material of conductor	Aluminium
	Conductor material standard	as per IS:8130:2013 latest
	Construction of the conductor	Stranded and shaped
	Insulation	XLPE
	Properties of XLPE insulation	as per Table 1 of IS:7098 (Part 1):1988 latest as per Table 1 of IS:7098 (Part 1):1988 latest
	Colour of XLPE insulation	Red, Yellow, Blue, Black
	Type of inner sheath	Thermoplastic
	Additional requirement	NA
ARMOURING	Type of cable	Armoured cable
	Material of armouring	Galvanized steel formed wire
	Type of armouring	Single strip
	Number of armouring wire / strip for each size of cable (in Nos.) - Must declare (hint: for Unarmoured cables select '0')	36
	Agreed to furnish calculation sheet for coverage of armour to buyer/consignee on demand.	Yes as per Appendix-C of IS:7098 (Part 1):1988 amdt., No. 5
OUTER SHEATH	Outer sheath standard	Conforming to IS:5831:1984 latest
	Type of outer sheath	PVC-ST2
	Colour of outer sheath	Black
MARKING ON CABLE	Manufacturer's identification on cable	as per Cl.17.1 of IS:7098 Part 1: latest
	Type of sequential marking on cable	Screen printing on cable
	Cable identification	as per Cl.17.2 of IS:7098 Part 1: latest
	Additional marking on Cable	NA
PACKING AND MARKING	Packing and marking	as per Cl.18.1 and 18.2 of IS:7098 Part 1: latest
	Cable wound on	ISI Marked Wooden drum
	Drum standard	as per IS:10418 latest
	Standard length of cable on drum (in m)	250
	Marking on the drum	as per Cl.18.2 of IS:7098 Part 1: latest
CERTIFICATION	Availability of type test report from Govt. Lab/ NABL accredited LAB / ILAC accredited LAB	Yes as per Cl.15 of IS:7098 Part 1
	Availability of Optional Test Reports	Cold bend test for outer sheath, Cold impact test for outer sheath, Resistance test for Armour, Not applicable
	Test report number and date - Must declare	CPRINOACAB21T0062
	Name and address of Lab - Must declare	CPRI, Noida
	Agreed to furnish all the test reports and certificates to buyer on demand.	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए AVERCAB 01 400 4 Aluminium Armoured cable

Specification विनिर्देश	Value मूल्य
BIS	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS License as per IS 7098 Part-I shall be uploaded with the bid submission.
TEST REPORT	(b) Copy of Type Test Reports for same or higher rating (Voltage and size both) cables as per relevant IS shall be uploaded with bid as per relevant IS.
SELF CERTIFICATE	(c) A self declaration to submit Valid BIS License and Routine test reports for offered cables with supply shall be uploaded with bid submission.

ePBG Detail | ईपीबीजी विवरण

Advisory Bank | सलाहकार बैंक :

State Bank of India

ePBG Percentage(%) | ईपीबीजी प्रतिशत (%) :

10.00

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.3 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.4 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.5 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.6 Generic

1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

2.7 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- i) The Seller fails to comply with any material term of the Contract.
- ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

2.8 Inspection:

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Central Mine Planning & Design Institute Ltd (CMPDIL) Ranchi (DETAILS IN BUYER uploaded ATC)

Post Receipt Inspection at consignee site before acceptance of stores:

GM(E&M) I/C or his authorized representative

2.9 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.10 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.11 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if

included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.12 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1) Pre-dispatch Inspection shall be done by nominated agency of BCCL i.e. Central Mine Planning & Design Institute Ltd (CMPDIL) Ranchi / their Regional Office (for details visit www.cmpdi.co.in). Inspection fee @ 1% of total consignment billing (plus statutory levis like GST etc. as applicable on inspection fee) is to be paid to CMPDIL along with inspection c all letter payable by SBI Collect by seller. The price is to be quoted by the seller inclusive of inspection fees. Minimum 7 calendar days notice shall be given by the manufacturer to CMPDIL for arranging inspection within valid delivery period as per contract. (The clause is already attached in the Buyer uploaded ATC document of ATC section of the Bid)

2.13 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#) .

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।