

Organisation Details	Buyer Details
Type: Central PSU Ministry: Ministry of Coal Department: Materials Management Organisation Name: Bharat Coking Coal Limited Office Zone: Bccl Dhanbad	Name: Sonu Gupta Designation: deputy manager MM Contact: - No.: - Email ID: sonu.gupta@nic.in GSTIN: 20AAACB7934MFZB MM Department, level 3, Commercial Building, Koyla Bhawan, Address: Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail	Paying Authority Details
IFD Concurrence: Yes Designation of Administrative Approval: D(T) P&P Designation of Financial Approval: D(T) P&P	Name: BIKRAM GHOSH Designation: HOD Purchase Finance Email ID: pao5.bccl.jh@gembuyer.in GSTIN: N MM Department, level 3, Commercial Building, Koyla Bhawan, Address: Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
Company Name:	LANDMARK INFONET PRIVATE LIMITED
Contact No.:	09811626300
Email ID:	jaic.bhadana@gmail.com
Address:	NEAR M3M SECTOR 67, LANDMARK CYBERPARK, NEAR M3M, BADSHAHPUR, Gurugram, HARYANA-122018, -
MSME verified:	Yes
GSTIN:	06AAACL8804E1ZR

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	acer Intel Core i5 9500 8 GB/ 1000 GB HDD/ Windows 10 Professional	Desktop Computers	Veriton M4665G	HSN not specified by seller	697	pieces	32,611,933
2	BPE 0.65/168 (KVA/VAH) Interactive UPS	Line Intractive UPS with AVR	BP 1200	HSN not specified by seller	697	pieces	2,606,780
3	Lexmark Laser Mono Computer Printers for A4 paper size	Computer Printers	LEXMARK B2236DW PRINTER WITH 3 YEARS	HSN not specified by seller	287	pieces	2,583,000
Total Order Value (in INR)							37,801,713

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
	Name: Rohit Kumar Designation: - Email ID: con1.bccl.jh@gembuyer.in Contact: 62876-95727-	acer Intel Core i5 9500 8 GB/ 1000 GB HDD/ Windows 10 Professional	-	697	13-Nov-2020	11-Feb-2021
		BPE 0.65/168 (KVA/VAH) Interactive				

1	GSTIN: 20AAACB7934MFZB Address: Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	UPS	-	697	13-Nov-2020	11-Feb-2021
		Lexmark Laser Mono Computer Printers for A4 paper size	-	287	13-Nov-2020	11-Feb-2021

Product Specification for acer Intel Core i5 9500 8 GB/ 1000 GB HDD/ Windows 10 Professional

Specification	Sub-Spec	Value
Processor	Processor Make	Intel
	Processor Generation	9
	Number of Cores per Processor	6
	Processor Base Frequency (GHz)	3
	Processor Description	Intel Core i5
	Processor Number	Intel Core i5 9500
	Out of Band Management	NA
	Cache (MB)	9
Motherboard	Chipset Series	Intel B Series
	Expansion Slots (PCIe x 1) (Number)	0
	Chipset Number	Intel B 365
	Expansion Slots (PCIe x 4) (Number)	0
	Expansion Slots (PCIe x 16) (Number)	2
	Expansion Slots (PCI) (Number)	0
	Expansion Slots (M Dot 2)	2
Graphics	Graphics Type	Integrated
	Graphic Card Description	NA
	Size of Memory in Case of Dedicated Graphic Card (GB)	0
	Size of VRAM in case of Integrated Graphics (MB)	128
Operating System	Operating System (Factory Pre-Loaded)	Windows 10 Professional
	Recovery Image Media	Stored in Partition of the Hard Disk
	OS Certification	Windows
Memory	Type of RAM	DDR4
	RAM Size (GB)	8
	RAM Speed (MHz)	2666
	Total Numbers of DIMM Slots Available	4
	Number of DIMM Slots populated	1
	RAM Expandability up to(using spare DIMM Slots in GB)	128
	Total Number of Internal Bays available	2
	Number of 2 point 5 inches internal Bays	1
	Number of 3 point 5 inches Internal Bays	1
	Number of 2 point 5 Inches Internal Bays Populated	0
	Number of 3 point 5 Inches Internal Bays Populated	1
	Type of Drives used to populate the Internal Bays	HDD
	Number of Internal Bays populated with HDD	1

Storage	Capacity of each HDD (GB)	1000 @7200 rpm
	Total HDD Capacity (GB)	1000
	Number of Internal Bays populated with SSD	0
	Capacity of each SSD (GB)	0
	Total SSD Capacity (GB)	0
	Number of Internal Bays populated with SSHD	0
	Capacity of each SSHD (GB)	NA
	Total SSHD Capacity in addition to 8 GB Flash (GB)	0
	Number of Internal Bays populated with SSED	0
	Capacity of each SSED (GB)	0
	Total SSED Capacity (GB)	0
	Optane Memory (GB)	0
Cabinet	Cabinet Form Factor	Tower (13.1 to 26 Litres)
	Cabinet Volume (Litres)	26
	External Bays (Number)	1
	Optical Drive	N/A
	Internal Speaker	Yes
	Audio-in	Yes
	Audio-out	Yes
	Headphone out	Yes
	Microphone-in	Yes
Connectivity	Wireless Connectivity	Yes
	If Yes, Type of Wireless Connectivity	Wi-Fi 802.11ac
	Number of Ethernet Ports	1
	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
	Bluetooth Connectivity	Yes
	If Yes, Version of Bluetooth Available	4.2
Ports	Number of USB Version 2 Point 0 Ports	4
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	5
	Number of USB Version 3 point 1, Gen 2 Ports	0
	Number of USB Type C Ports	1
	Number of Serial Ports	1
	Number of Parallel Ports	1
	Number of VGA Ports	1
	Number of HDMI Ports	1
	Number of DP Ports	2
	Model of the Monitor	NA
	Monitor Technology	TN
	LED Backlit Monitor Size (INCHES)	19.5
	Monitor Resolution (PIXELS)	1600 x 900
	TCO Certification for Monitor	NA

Monitor	Number of VGA Ports in the Monitor	1
	Number of HDMI Ports in the Monitor	0
	Number of Display Ports in the Monitor	0
	Availability of Webcam integrated with Monitor	No
	If Yes, Resolution of Webcam	NA
	Availability of Speakers integrated with Monitor	No
	If Yes, Number of Speakers available	0
Power	Power Supply Capacity (Watt)	250
	Minimum Power Efficiency Range (%)	85 - 89
Certification	ROHS Compliance	Yes
	BEE / Energy Star for the given Model	Yes
Input Devices	Mouse Connectivity	Wired
	Type of Mouse	Optical Scroll
	Keyboard Connectivity	Wired
	Type of Keyboard	Standard
Operating Conditions	Minimum Operating Temperature	10
	Maximum Operating Temperature	40
	Minimum Operating Humidity (%RH)	10
	Maximum Operating Humidity (%RH)	90
Warranty	On Site OEM Warranty (Year)	3

Product Specification for BPE 0.65/168 (KVA/VAH) Interactive UPS

Specification	Sub-Spec	Value
GENERIC	Rating in KVA/ min VAH capacity of battery (KVA/VAH)	0.65/168
	Technology	MOSFET-PWM
	Type of battery	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3
	Rated Output (Volt)	Single phase sinewave 230v AC , 50Hz
	Degree of protection	IP-21
	Inverter Efficiency (%)	> / = 70%
	Warranty for the battery from the date of delivery	3 Years
	Warranty for Line Interactive UPS	3 Years
	Installation and commissioning instructions	Yes
CONSTRUCTIONAL	Type of enclosure	ABS
	AC out put for printer (not through inverter)	Yes
	Inverter out put socket AC out put for printer (not through inverter)	3 Three pin
	Total harmonic distorsion (%)	< / = 40%
	Input (Volt)	Single phase sinewave(160-280v)
	Switching over time (Milli sec)	Maximum 10 milli seconds
	Overload Time (Minutes)	> / = 10 minutes

FUNCTIONAL	Load power factor	> / = 0.6
	Variation in AVR output in AC mode (%) AVR (Voltage regulation) output voltage in AC Mode	230 Volts +/-9%, 50 +/-3 Hz
	Overload (%)	>/=10%
	Variation in output voltage in battery mode (%) (UPS output voltage in battery mode)	230 Volts +/- 10%
	Variation on output frequency in battery mode (Hz)	</=0.5
PROTECTION	Protection against (over discharge) discharge per 12v battery (Volt)	10.5
	Protection for outside input voltage range: If Input voltage goes outside the range 160 to 280 Volts, the system shall switch over to battery mode	Yes
	Protection against short circuit of UPS	Yes
	Protection for over voltage and over load	Yes
REPORTS AND CERTIFICATIONS	Damp heat Test at 45 degree , RH -95% for 2-cycle as per IS:9000 pt-5/sec-1	Yes
	Dry heat Test at 45 degree for 16 Hrs as per IS:9000 pt-3/sec-5	Yes
	Cold Test as per IS:9000 pt-2/sec-4	Yes
	Availability of the type test report from central Govt./NABL/ILAC Accredited Lab	Yes
	Type Test certificate no. and date	ELD0460072017
	Name Of Lab	Alpha Test House
	Address of Lab	New Delhi-110087
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes

Product Specification for Lexmark Laser Mono Computer Printers for A4 paper size

Specification	Sub-Spec	Value
	Cartridge Technology	separate toner and drum
	Printing Technology	Laser
	Type of Printing	Mono
	Paper Size	A4
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	34
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0
	Resolution (Dpi)	600x600
	Memory (MB)	256
	Hard Disk Capacity (GB)	0
	Processor Speed	1 GHz
	Duplexing Feature	Yes
	Duplex Print Speed (IPM)	18
	Network Connectivity	Yes
	Network Interface, if available	Ethernet 10/100/1000
	Wireless Connectivity	Yes
	If Yes, Type of Wireless Connectivity	Wireless (802.11 b/g/n)
	USB Port	Yes
	Number of Main Paper Trays	1
	Each Main Paper Tray Capacity	250

Specifications	Bypass Tray Facility	Yes
	If Yes, Bypass Tray Capacity	1
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	700
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	12000
	Duty Cycle (No of Prints/month)	30000
	Minimum Operating Temperature (Degree C)	10
	Maximum Operating Temperature (Degree C)	32
	Minimum Operating Humidity (%RH)	10
	Maximum Operating Humidity (% RH)	80
	BIS Registration under CRS of Meity	Yes
	BIS Registration no	R-41005207
	Other Certifications Available	RoHS,UL,CE,FCC
	Dimensions(In mm x mm x mm)	215 x 355 x 333 mm
Weight (In kg)	6	
On site OEM warranty (Years)	3	

Terms and Conditions

1. Special terms and conditions

1.1 As per notification of MEITY circulated vide letter no. F.No.33(1)/2017-IPHW..dated :14/09/2017, the minimum local content should be 45.percent to qualify as local or domestic manufacturer.\n\nSeller has to ensure that operating system software etc comes preloaded with machine from respective OEM . Any deviation in respect of genuinity and authenticity of OS will attract severe penalty on part of seller as law of the land and contractual provisions. Buyer are also requested to verify the key no of OS etc with server of Microsoft/Linux before accepting machines to avoid complexity at latter stage.

2. General Terms and Conditions

2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

2.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

2.10 Financial Certificate:

2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

3. Additional Terms and conditions

3.1 Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

3.2 Bidders shall quote only those products in the bid which are not obsolete in the market and has at least 3 years residual market life i.e. the offered product shall not be declared end-of-life by the OEM before this period.

3.3 Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3.4 Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.5 Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.6 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

3.7 Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

3.8 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3.9 Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

3.10 Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid

3.11 Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

i) The Seller fails to comply with any material term of the Contract.

ii) The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.

- iii) The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- iv) The Seller becomes bankrupt or goes into liquidation.
- v) The Seller makes a general assignment for the benefit of creditors.
- vi) A receiver is appointed for any substantial property owned by the Seller.
- vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.
