

Organisation Details	Buyer Details
Type: Central PSU Ministry: Ministry of Coal Department: Materials Management Organisation Name: Bharat Coking Coal Limited Office Zone: Bccl Dhanbad	Name: Mrunal Mehta Designation: Deputy Manager MM Contact: - No.: - Email ID: mrunal.mehta@nic.in GSTIN: 20AAACB7934MFZB MM Department, level 3, Commercial Building, Koyla Bhawan, Address: Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail	Paying Authority Details
IFD Concurrence: Yes Designation of Administrative Approval: D(T)P&P Designation of Financial Approval: D(T)P&P	Name: BIKRAM GHOSH Designation: HOD Purchase Finance Email ID: pao5.bccl.jh@gembuyer.in GSTIN: N MM Department, level 3, Commercial Building, Koyla Bhawan, Address: Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details	
Company Name:	TOTAL SOLUTIONS
Contact No.:	09811774936
Email ID:	totals.solutions2019@gmail.com
Address:	AI-2 G/F, MOHAN GARDEN, MOHAN GARDEN, UTTAM NAGAR NEW DELHI, West Delhi, DELHI-110059, -
MSME verified:	Yes
GSTIN:	07AAUPH4312A2Z2

*GST / Tax invoice to be raised in the name of - Consignee

Product Details							
#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	Meeting Table	Meeting Table	Meeting Table	94037000	1	pieces	67,676
2	Revolving Chair	Revolving Chair	Revolving Chair	94037000	1	pieces	4,666
3	Revolving Chair	Revolving Chair	Revolving Chair	94037000	16	pieces	46,208
4	Plastic Moulded Chair	Plastic Moulded Chair	GB 44	94037000	10	pieces	4,440
5	Computer Table	Computer Table	COMPUTER TABLE	94037000	1	pieces	5,555
Total Order Value (in INR)							128,545

Consignee Detail						
S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Name: Aman Kumar Singh Designation: - Email ID: aman.singh3226@nic.in Contact: 94705-97987- GSTIN: 20AAACB7934MFZB	Meeting Table	-	1	19-Dec-2020	02-Feb-2021
		Revolving Chair	-	1	19-Dec-2020	02-Feb-2021
		Revolving Chair	-	16	19-Dec-2020	02-Feb-2021

Address: 0 Level, Administration Department, Koyla Bhawan, Koyla Nagar, Dhanbad, Pin Code-826005, DHANBAD, JHARKHAND-826005, India	Plastic Moulded Chair	-	10	19-Dec-2020	02-Feb-2021
	Computer Table	-	1	19-Dec-2020	02-Feb-2021

Product Specification for Meeting Table

Specification	Sub-Spec	Value
GENERIC	Seating Capacity	16 SEATER
	Shape of Table Top	U - shape
	Wire Management	Without
	Number of socket box	6
	In Built Sockets for LAN / Internet	No
	Type of Socket Box	No Socket Box
	Wire entry System	Through legs
	Type of understructure	wooden panel type
	Number of Legs per Seat	Wooden Panels Support
	Leg Top Attachment	Dowels and mini fix
	Leg Bottom Attachment	Dowels and mini fix
	Leg assembled together with guide at bottom	Plastic Guide
	At Top Leg assembled together with	3 mm thick M S sheet powder coated
	Modesty panel	YES
MATERIAL	Material of Table Top	Commercial Block Board MR Grade Conforming to IS 1659
	Material of Legs	Decorative Block Board MR Grade Conforming to IS 1659
	Material of Modesty Panel	Decorative Block Board MR Grade Conforming to IS 1659
	Thickness of Metal Sheet / MDF Board used for modesty panel (in mm) +/- 5%	30 mm
DIMENSION	Length in mm (Select NA in case of Round Table) ± 10 (mm)	1850
	Width in mm (Diameter in case of Round Table) ± 10 (mm)	1200
	Height in mm (± 5 mm)	800 mm
	Thickness of Top ± 2 (mm)	25
	Height of Modesty Panel ± 5 (mm)	750
COLOUR & FINISH	Colour of Laminate	teak
	Packing	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap
WARRANTY	Warranty period in number of years	4
CERTIFICATION	Test reports to be furnished to buyer on demand	YES

Product Specification for Revolving Chair

Specification	Sub-Spec	Value
	Pedestal Base	Glass Fibre Nylon with ABS/ Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	steel covered with polyurethane
	seat material	PU Foam Covered With pure leatherite

MATERIAL	Density of PU foam used in seat KG per Cu Meter (+/- 3)	32
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	32
	Material of Fabric Back Cover / Material for Backrest	Leatherite
	Material of Fabric of Seat Cover	leatherite
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram
GENERAL	Chair Type	central tilt
	Tilt Tension Adjustment	No
	Height Adjustment ± 5 (mm)	up to 120 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Colour of Fabric for Seat and Backrest	black
	Ergonomic Seat Design	Yes
	Back type	fixed
	Backrest is made of two pcs injection moulded frame	Backrest is made of two pcs injection moulded frame
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	upright locking
	Number of arm movement	N.A
	Lumber support	N.A
DIMENSION	Overall Chair Height ± 15 mm	1180
	Backrest Height ± 15 mm	800
	Backrest Width ± 10 mm	440
	Seat Height ± 15 mm	500
	Seat Width ± 10 mm	550
	Seat Depth ± 10 mm	550
	Thickness of MS Plate Joining the under structure with Seat	0
	Thickness of Plywood used in Seat ± 1 (mm)	12 mm
	Thickness of Plywood used in Backrest ± 1 (mm)	12 mm
	Padestal Size (Diameter in mm) +/- 10 mm	580
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	30 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	30 mm
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007 certified	NO

Green guard certification	NO
Aiota	NO

Product Specification for Revolving Chair

Specification	Sub-Spec	Value
MATERIAL	Pedestal Base	ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	pu foam bonded chrome coted
	seat material	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	35
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	35
	Material of Fabric Back Cover / Material for Backrest	Leatherite
	Material of Fabric of Seat Cover	leatherite
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram
GENERAL	Chair Type	central tilt
	Tilt Tension Adjustment	Yes
	Height Adjustment ± 5 (mm)	up to 100 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Colour of Fabric for Seat and Backrest	black
	Ergonomic Seat Design	Yes
	Back type	fixed
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	tilt limiter
	Number of arm movement	N.A
Lumber support	integrated	
DIMENSION	Overall Chair Height ± 15 mm	860
	Backrest Height ± 15 mm	410
	Backrest Width ± 10 mm	440
	Seat Height ± 15 mm	450
	Seat Width ± 10 mm	440
	Seat Depth ± 10 mm	440
	Thickness of MS Plate Joining the under structure with Seat	2
	Thickness of Plywood used in Seat ± 1 (mm)	15 mm
	Thickness of Plywood used in Backrest ± 1 (mm)	15 mm
	Padestal Size (Diameter in mm) +/- 10 mm	620

	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	70
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	70
WARANTEE	Warrantee period in number of years	2-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
	Aiota	NO

Product Specification for Plastic Moulded Chair

Specification	Sub-Spec	Value
GENERIC	TYPE OF CHAIR	SINGLE PIECE PLASTIC MOULDED
	Seat cushion	Without
	Back Cushion	Without
	Conformity to Indian Standard IS 13713- Latest	Yes
	Plastic Material	FILLED THERMOPLASTIC
	ARMS	With arms
DIMENSION & WEIGHT	Seat Width in mm (+/- 5 mm)	570
	Seat Depth in mm (+/- 5 mm)	560
	Chair Height in mm (+/- 10 mm)	840
	Chair Dimensions	Conforming To IS 3663 (Latest)
	Weight of Chair (IN Grams)	2400
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	No Cushion
	Density of PU Foam in KG per CuM	No Cushion
	GSM/Thickness of Fabric (Gram per Sq Meter)	N.A
	Thickness of Polyurethane Foam Used in Backrest in mm (+/- 2 mm)	No cushion
Fabric Material composition used for Cushion Cover	N.A	
PERFORMANCE	Stability of the Chair	Conforming To IS 5416 (Part 2)
	Strength of the Chair	Conforming To IS 5416 (Part 1)
	Maximum Ash Content is Not more than 1% in Conformity test as per Annex D of IS: 14887 (Latest)	Complied that Ash content is less than 1%
	UV Resistance Test - % of Tensile strength retention after 192 hours exposure as per ASTM D2562 -99 Table 1- Cycle Number 2 is more than 50 %	Complied Minimum 50% tensile strength retained after exposure as per test
Support / Under Structure	Support / Under Structure	Sigle Moulded Piece No Support Structure
	Support Structure Finishing	Sigle Moulded Piece No Support Structure
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
MISC	Colour	Brown
	Colour / Pattern of Fabric for Seat and Backrest Cushions	As per Buyer's
WARANTEE PERIOD	WARANTEE PERIOD IN NUMBER OF YEARS	1

Product Specification for Computer Table

Specification	Sub-Spec	Value
GENERIC	Type of Computer Table	Computer table with key board drawer and table top
	Construction of Computer / Printer Table	Steel members duly welded and rigid fixed table top,with slideable key board tray,drawer,modesty panel,foot rest and also with another shelf at the bottom side for placing CPU and other peripherals
	Top Extended by	50 mm on all sides over the steel frame
	Edge of Top	banded with 1.5 mm thick PVC tapes of some shade as that of tape
	Placing of modesty panel	covering full back side of frame end suitably welded with two side members of the from in such a way that it's top surface having 17 mm width,flushes with top surface two side members and joining front angle member
	Packing	Gutta Packing
	Mode of Supply of modular table	Knocked Down To Be Assembled At Consignee Site By Consignee Himself
MATERIAL	Frame Material Size	Hollow Rectangular Section Of Size 50 X 25 X 1.6 Mm Thick
	Frame material of foot rest	Hollow Rectangular Section Size 50 X 25 X 1.6 Mm Thick
	Joining of Frame	two side member of the frame identical in shape joined with welding at bottom with a footrest angularly welded
	Welding of Modesty Panel	N.A
	Making of Frame	To be rigid in construction
	Welding at top and Back	N.A
	Guides Thickness (for drawer)	2 mm thick minimum from mild steel sheet
	Material of Table Top, Key board and drawer	MDF board of Grade SBG II of IS 12406 Latest
	Bottom side of top	should have balancing sheet of requisite thickness of same colour as top laminate
	Thickness of Table Top etc	18
	Lock of Drawer	Yes
	Type of lock	6-lever lock with a set of 2 keys of non corrosive material
	Sliding of Key board	provided with two telescopic channels with balls
	Material of Modesty Panel	N.A
Welding of screws to make capable to adjustable level upto 10 mm in height	four level screws, having smooth bottom flat surface of minimum 50 mm diameter, be welded under the bottom of two side members of frame	
DIMENSION	Size of Computer Table ±10 mm (LXBXH)	1000 Mm X 600 Mm X 750 Mm
	Size of Printer Table ±10 mm (LXBXH)	NA
	Size of Computer Cum Printer Table ±10 mm (LXBXH)	NA
	Outside Drawer Size (L X B X H) ±5 mm	NA
	Size of key board tray ±5 mm	N.A
	Size of Modesty panel	N.A
COLOUR &	Phosphating treatment of MS parts after Pick	as per IS:3618/Latest
	Primer for coating on M S parts	Redoxide
	Putty for filling	conforming to IS:110/Latest

FINISH	Paint	exposed steel sections to be painted with black in colour with powder coating 40-50 micron thickness
	Powder Coating	conforming to IS:13871/Latest
	Colour of Top	brown
WARRANTY	Warranty period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	NO

Terms and Conditions

1. General Terms and Conditions

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

2.1 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

2.3 Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase

preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.