

Organisation Details

Type: Central PSU
 Ministry: Ministry of Coal
 Department: Materials Management
 Organisation Name: Bharat Coking Coal Limited
 Office Zone: Bccl Dhanbad

Buyer Details

Name: Mrunal Mehta
 Designation: Deputy Manager MM
 Contact: -
 No.: -
 Email ID: mrunal.mehta@nic.in
 GSTIN: 20AAACB7934MFZB
 MM Department, level 3, Commercial Building, Koyla Bhawan,
 Address: Koyla Nagar,
 DHANBAD, JHARKHAND-826005, India

Financial Approval Detail

IFD Concurrence : No
 Designation of Administrative Approval : DT(P&P)
 Designation of Financial Approval : DT(P&P)

Seller Details

Company Name: HANS FABRICATORS
 Contact No.: 9811774936
 Email ID: Hansfabricators@gmail.com
 Address: CB 358, C B 358 RING ROAD NARAINA NEW DELHI, Delhi,
 SOUTH WEST DELHI, Delhi-110028, -
 MSME verified: Yes
 MSE Social Category: General
 MSE Gender: Male
 GSTIN: 07ACKPN4380J1Z8

Product Details

#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	RADHEY RADHEY 915 millimeter X 460 millimeter (mm LxD) Executive Computer Table	Executive Computer Table	ECT-0021AGU	94037000	4	pieces	22,664
2	REVOLVING CHAIR	Revolving Chair	RC/0400/GG	94037000	18	pieces	65,988
Total Order Value (in INR)							88,652

Consignee Detail

S.No	Consignee	Item	Quantity	Expected Delivery Date
1	Aman Kumar Singh - Landline-94705-97987- aman.singh3226@nic.in 0 Level, Administration Department, Koyla Bhawan, Koyla Nagar, Dhanbad, Pin Code-826005, DHANBAD, JHARKHAND-826005, India	RADHEY RADHEY 915 millimeter X 460 millimeter (mm LxD) Executive Computer Table	4	12-Aug-2020
		REVOLVING CHAIR	18	12-Aug-2020

Product Specification for RADHEY RADHEY 915 millimeter X 460 millimeter (mm LxD) Executive Computer Table

Specification	Sub-Spec	Value
GENERIC	Type of Computer Table	Computer cum Printer table with key board pullout tray and table top
	Mode of Supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Construction of Computer/Printer Table	Gable end and modesty panel

	Frame type	Free standing
MISC	Table top long sides	Edge banded with PVC tape of 2 mm thick with help of hot melt glue
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Gable end modesty panel plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Number of buffers provided	4-Nos. at bottom
	Wheels provided	YES
FINISHING AND PACKING	Packing	Five Ply Corrugated Board And Strapped With 12 Mm Hdpe Strap
	Colour of Top	As per Buyer's Choice
MATERIAL	Material of table top,keyboard and drawer	Three layer prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Bottom side of top	should have balancing sheet of requisite thickness of same colour as top laminate
	Gable end and Modesty panel material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	Leg Material	Three Layer prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
DIMENSION	Table top thickness ± 2 mm	19
	Thickness of gable end and modesty panel ± 2 mm	15
	Dimension of leg(mmXmm) ± 5 mm	No legs
	Length of table in mm (± 15 mm)	915
	Depth of table in mm (± 10 mm)	460
	Height of table in mm (± 10 mm)	685
	Width of outside drawer on top right side of the table with ball bearing (± 5 mm)	0
	Depth of outside drawer ± 5 mm	0
	Height of outside drawer ± 5 mm	0
KEYBOARD TRAY	Type of keyboard tray	Prelaminated particle board keyboard tray
	Material of keyboard tray and Right angle L-type supporting bracket	Three layer prelaminated particles board(wood product) of grade II type II of IS 12823/Latest
	Keyboard adjustability	underdesk keyboard arm
	fixing of supporting bracket	N.A
	Length of telescopic channel ± 10 mm	N.A
	Average weight of telescopic channel ± 50 Gms	N.A
	Keyboard front width ± 10 mm	600mm
	Keyboard depth ± 10 mm	300mm
	Keyboard height ± 10 mm	150mm
	Finish of exposed edges of keyboard tray	To be banded with 0.5-1.0mm thick PVC tape with the help of hot melt glue
Material thickness of keyboard tray ± 1 mm	15mm	
FOOTREST	Material of footrest	No footrest
	Length of footrest ± 10 mm	N.A
	Depth of footrest ± 10 mm	N.A
	Height of footrest ± 10 mm	N.A

	Finish of exposed edges	N.A
	Material thickness of footrest ± 2 mm	No footrest
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

Product Specification for REVOLVING CHAIR

Specification	Sub-Spec	Value
MATERIAL	Pedestal Base	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	aluminium covered with pu
	seat material	PU Foam Covered With pure leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45
	Material of Fabric Back Cover / Material for Backrest	Leatherite
	Material of Fabric of Seat Cover	leatherite
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	250 gram
GENERAL	Chair Type	central tilt
	Tilt Tension Adjustment	Yes
	Height Adjustment ± 5 (mm)	up to 120 mm
	Arm	With
	Type of backrest support	backrest with lumber support of polypropylene at multilevel across back
	Arm Type	Fixed
	Colour of Fabric for Seat and Backrest	N.A
	Ergonomic Seat Design	Yes
	Back type	fixed
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	upright locking
Number of arm movement	N.A	
Lumber support	integrated	
	Overall Chair Height ± 15 mm	1125
	Backrest Height ± 15 mm	600
	Backrest Width ± 10 mm	480
	Seat Height ± 15 mm	450
	Seat Width ± 10 mm	480

DIMENSION	Seat Depth ±10 mm	500
	Thickness of MS Plate Joining the under structure with Seat	0.2
	Thickness of Plywood used in Seat ±1(mm)	18 mm
	Thickness of Plywood used in Backrest ± 1(mm)	18 mm
	Padestal Size (Diameter in mm) +/- 10 mm	650
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm
WARANTEE	Warrantee period in number of years	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	YES
	Aiota	YES

Corrigendum

1. **Extended Upto** : 2020-02-06 12:00:00

Terms and Conditions

1. General Terms and Conditions

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

2.1 Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.
