

Organisation Details

Type: Central PSU
 Ministry: Ministry of Coal
 Department: Materials Management
 Organisation Name: Bharat Coking Coal Limited
 Office Zone: Bccl Dhanbad

Buyer Details

Name: Mrunal Mehta
 Designation: Deputy Manager MM
 Contact: -
 No.: -
 Email ID: mrunal.mehta@nic.in
 GSTIN: 20AAACB7934MFZB
 MM Department, level 3, Commercial Building, Koyla Bhawan,
 Address: Koyla Nagar,
 DHANBAD, JHARKHAND-826005, India

Financial Approval Detail

IFD Concurrence: Yes
 Designation of Administrative Approval: DT(P&P)
 Designation of Financial Approval: DT(P&P)

Paying Authority Details

Name: BIKRAM GHOSH
 Designation: HOD Purchase Finance
 Email ID: hodpurfin.bccl@nic.in
 GSTIN: N
 MM Department, level 3, Commercial Building, Koyla Bhawan,
 Address: Koyla Nagar,
 DHANBAD, JHARKHAND-826005, India

Seller Details

Company Name: Security Defence Systems
 Contact No.: 9814014406
 Email ID: sunil6606@hotmail.com
 Address: PLOT NO 50, Baddi, Baddi,
 SOLAN, Himachal Pradesh-173205, -
 MSME verified: Yes
 MSE Social Category: General
 GSTIN: 02ACSPS4316F1ZM

Product Details

#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	DOOR FRAME METAL DETECTOR; MODEL: SK-Check-999 (FIBRE)	door frame metal detector dfmd security metal detector	DOOR FRAME METAL DETECTOR; MODEL: SK-Check-999 (FIBRE)	8543	4	pieces	320,000
Total Order Value (in INR)							320,000

Consignee Detail

S.No	Consignee	Item	Lot No.	Quantity	Delivery Start After	Delivery To Be Completed By
1	Name: Aman Kumar Singh Designation: - Email ID: aman.singh3226@nic.in Contact: 94705-97987- GSTIN: 20AAACB7934MFZB Address: 0 Level, Administration Department, Koyla Bhawan, Koyla Nagar, Dhanbad, Pin Code-826005, DHANBAD, JHARKHAND-826005, India	DOOR FRAME METAL DETECTOR; MODEL: SK-Check-999 (FIBRE)	-	4	22-Sep-2020	22-Oct-2020

Product Specification for DOOR FRAME METAL DETECTOR; MODEL: SK-Check-999 (FIBRE)

Specification	Sub-Spec	Value
TYPE / CAPACITY	Type of usage	Outdoor
	Detection Zones	Multiple Zone
	Function	Detects Ferrous, Non-Ferrous and alloy metals concealed in the body of a person when passed through the arch way with bi-directional Traffic and Alarm counter
	Number of Horizontal Detection Zones covering full Height	8
	Capacity / throughput rate (person/min)	30 or more
	False Alarm rate (%)	3
DIMENSIONS / WEIGHT	Passage Height	2100
	Passage Breadth	720
	Passage Width	570
	Weight of the equipment	Not more than 80 Kg
DOOR FRAME CONSTRUCTION	Construction of Door Frame (Walk-through Arch)	Light weight, rigid, laminated side panels and cross piece with ABS plastic boots for panel protection
	Material of Walk-through Arch	FIBER
	Provided with base wheels for easy mobility	Yes
	Provided with a floor panel to attach both side panels to give stability & rigidity to the structure	Yes
	Ramp over the floor panel - Covered with synthetic carpet for long life	Yes
	Water proof	Yes
	Weather proof	Yes
DETECTION	Metals detectable	Ferrous, Non-Ferrous, Ferrite & Alloys
	Uniform Detection from top to bottom	Yes
	Capable of Metal Detection in all orientations	Yes
	Detect multiple objects of various size, weight and shape in all the zones simultaneously from head to toe	Yes
	Capable of Metal Detection in walking speed of interception	Yes
	Performance independent of the speed of person passing through	Yes
ALARM / INDICATION / DISPLAY	Audio-Visual indication on detection at side panels and control panel	Yes
	Audible Alarm on detection with adjustable volume	Yes
	Bar Display to indicate Metal location w r t Height on person	Yes
	Audio-Visual Low Battery indication	Yes
	Back-lit Display	LCD
SENSITIVITY	Operational Frequencies	User selectable
	Number of User Selectable frequencies	15
	Adjustable Sensitivity	Yes
	Number of Sensitivity Levels / Steps	18
	Uniform Sensitivity in all zones	Yes
	Calibration	Both manual and Auto Calibration
	Provision to secure access to the control unit by a pass	

SECURITY	word protected alpha numeric keypad	Yes
	Re-setting after alarm condition	Re-set itself (auto) within 3 Seconds
	Walk / Stop indicator for traffic control	Yes
	Control Panel	Easy accessible control panel, with modular design and standard plugs and connectors. Adjustable controls should only be activated on insertion of a removable key and / or by password.
	User friendly self-testing diagnostics to identify faulty condition	Yes
INTERFERENCE SUPPRESSION /REJECTION	Automatic synchronization for DFMDs Do not interfere with adjacent installed DFMDs located close to each other upto a distance of	1
	Static Metal Compensation Not affected by heavily reinforced floors / roof tops / walls	Yes
	High discrimination between small masses and personal metallic objects	Yes
	Not affected by external RF transmission and EMI (Electro Magnetic Interference)	Yes
	Not affected by by interference, which is mains-borne or radiated by external source	Yes
	Not affected by the operation of radio, Mobile phones, walkie-talkie sets, X-ray monitors etc within a distance of one meter	Yes
	Not affected by moving metallic items such as trolleys, opening / closing of metallic gate etc, one meter away from the archway	Yes
HEALTH & SAFETY	Harmless to wearers of pacemakers, defibrillators or other vital support systems, pregnant women and magnetic storage media	Yes
	Not affected by infrared, ultraviolet, electromagnetic or RF radiation	Yes
	Conform to international security standards of Safety / Radiation	Yes
	Harmless to magnetic media, electronic devices, Film safe and Data safe	Yes
ENVIRONMENTAL	Operating Temperature Range (Degree C)	Minus 20 to Plus 55 Degree C
	Operating Humidity - Non condensing (RH) (%)	95
POWER SUPPLY / BATTERY	Source of Power	Operated by AC mains supply and alternatively by rechargeable battery
	Power Supply	220 V +/-10% VAC
	Battery	Re-chargeable, maintenance free, internal battery with charger
	Battery Back-up in full function (hours)	16
ACCESSORIES	One Standard Test Piecec for each machine for testing during commissioning / maintenance	Inclusive in the scope of supply
	Training tools- Charts, slides, training brochure, training work model, blowup diagram, video films on demonstration and use etc	Inclusive in the scope of supply
	Technical manual giving full description of the item, user's handbook and literature	Yes
	Practical training	1 Day
	Availability of Spares for a period of 7 years after the warranty period	Yes

	Ruggedized polypropylene shock proof container compliant to IP 65 or better for safe transportation of the equipment	Yes
WARRANTY	Warranty (Years)	3
CERTIFICATION	Availability of Test Report from NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes
	Test Report Number & Date	ERTL(N)2KC0354
	Name & address of the Lab	ERTL NEW DELHI

Terms and Conditions

1. General Terms and Conditions

1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

1.2 Terms of delivery: Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.

1.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.

1.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.

1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.

1.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).

1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.

1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.

1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.

1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.

1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

2.1 Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

2.3 Preference to Make In India products (For bids less than 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document 50%. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.