

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687757417789

Generated Date | अनुबंध तिथि: 02-Aug-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3078390](#)

Schedule Name | अनुसूची नाम: Schedule 1, Schedule 2

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU Ministry मंत्रालय: Ministry of Coal Department विभाग: Materials Management Organisation Name संगठन का नाम: Bharat Coking Coal Limited Office Zone कार्यालय क्षेत्र: Bclcl Dhanbad	Designation पद: Deputy Manager MM Contact No. संपर्क नंबर: - Email ID ईमेल आईडी: anils.yadav@nic.in GSTIN जीएसटीआईएन: 20AAACB7934MFZB Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: GM(S &R) Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: GM (MM), BCCL	Role: PAO Payment Mode भुगतान का तरीका: Offline Designation पद: Senior Manager Email ID ईमेल आईडी: pay8.bclcl.dhn@gembuyer.in GSTIN जीएसटीआईएन: 20AAACB7934MFZB Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: 6B53190000904595 Company Name कंपनी का नाम: THE JASMINE PEARL Contact No. संपर्क नंबर: 09810651505 Email ID ईमेल आईडी: surajaggarwal2001@yahoo.com Address पता: Khasra No-107/4, GF, Pole No-MDKM340, Gali No-1 Swarn Park, Mundka, Mundka, West Delhi, DELHI-110041, - MSME verified एमएसएमई सत्यापित: Yes MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-DL-11-0012989 MSE Social Category एमएसएमई सामाजिक श्रेणी: General MSE Gender एमएसएमई लिंग श्रेणी: Male GSTIN जीएसटीआईएन: 07ACTPA9248F1ZC	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: Kindly deliver material on time as material required urgently.

#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: THE JASMINE PEARL Executive Table of MDF board of grade SBG II of IS 12406/Latest 2100 millimeter 1050 millimeter 750 millimeter Brand ब्रांड: THE JASMINE PEARL Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Executive Table (Q3) Model मॉडल: TJP EXECUTIVE TABLE HSN Code एचएसएन कोड: HSN not specified by seller	1	pieces	48,666	NA	48,666
2	Product Name उत्पाद का नाम: THE JASMINE PEARL Non-Revolutioning and Non-Tilting chair with Armrest Brand ब्रांड: THE JASMINE PEARL Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Chair Office (V2) (Q3) Model मॉडल: TJP CHAIRS OFFICE (VERSION 2) HSN Code एचएसएन कोड: HSN not specified by seller	10	pieces	4,844	NA	48,440

Total Order Value | कुल ऑर्डर मूल्य (in INR)

97,106

Consignee Detail | परेषिती विवरण

S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद :- Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	THE JASMINE PEARL Executive Table of MDF board of grade SBG II of IS 12406/Latest 2100 millimeter 1050 millimeter 750 millimeter	-	1	02-Aug-2023	01-Sep-2023
		THE JASMINE PEARL Non-Revolving and Non-Tilting chair with Armrest	-	10	02-Aug-2023	01-Sep-2023

Product Specification for THE JASMINE PEARL Executive Table of MDF board of grade SBG II of IS 12406/Latest 2100 millimeter 1050 millimeter 750 millimeter

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
MATERIAL	Table top Material	MDF board of grade SBG II of IS 12406/Latest
	Gable end and modesty panel material	Flat single layer prelaminate MDF board conforming to having designation PLMDF-23 of IS 14587/Latest
	Leg Material	NO LEGS
GENERIC	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
	Frame type	Free standing
	Understructure of table	Gable end and modesty panel
	Storage provided	One side
	Keyboard tray	Not provided
	Foot rest	Not Provided
MISC	Table top long sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Table top plain sides	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Gable end and modesty panel plain side	Edge to be banded with PVC tape of 2mm thick with the help of hot melt glue
	Number of buffers provided	4 Nos. at bottom
DIMENSION	Thickness of table top ±2 mm	25 millimeter
	Thickness of gable end and modesty panel ±2mm	19 millimeter
	Length of table top ±10 mm	2100 millimeter
	Depth of table ±10 mm	1050 millimeter
	Height of table ±10 mm	750 millimeter
	Dimension of leg(mmXmm) ±5mm	No legs
STORAGE UNIT	Number of Storage unit provided	Single storage
	Width of storage unit ±10mm	450mm
	Depth of storage unit in mm (±10mm)	600
	Height of smallest storage unit ±5mm	125mm
	Height of medium storage unit ±5mm	150mm
	Height of largest storage unit ±5mm	305mm
KEYBOARD	Type of keyboard tray	N.A
	Material of keyboard tray and Right angle L-type supporting bracket	N.A
	Keyboard adjustability	N.A
	fixing of supporting bracket	N.A
	Length of telescopic channel±10mm	N.A
	Average weight of telescopic channel	N.A

TRAY	±50Gms	
	Keyboard front width±10mm	N.A
	Keyboard depth±10mm	N.A
	Keyboard height±10mm	N.A
	Finish of exposed edges of keyboard tray	N.A
	Material thickness of keyboard tray ±1mm	N.A
FOOTREST	Material of footrest	N.A
	Length of footrest ±10mm	N.A
	Depth of footrest ±10mm	N.A
	Height of footrest ±10mm	N.A
	Finish of exposed edges	N.A
	Material thickness of footrest ±2mm	N.A
COLOUR & FINISH	Table top finish	Laminate in colour with swede finish 0.6-0.8mm thickness of type S,F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on other side
	Table top shade	Oak
WARRANTY	Warrantee period in number of years	1
CERTIFICATION	Test reports to be furnished to buyer on demand	YES
	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES

Product Specification for THE JASMINE PEARL Non-Revolving and Non-Tilting chair with Armrest

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Continuous armrest
	Armrest front side	Flat
	Seat type	Padded
	Backrest type	Padded
	Shoe/Studs material	Polypropylene
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side
	Armrest Fitted	N.A
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
	The shape of tubular section of frame	Round
	Section Size (Diameter/Sides) of frame	25 mm
	Frame section wall thickness	2 mm
ARMREST FABRICATION	The armrest material	Injection moulded Polypropylene
	Armrest Padded with	Foam
	Armrest upholstered with	PU sheet
	Armrest material thickness	1.6 mm
	Seat material	Moulded Plywood

SEAT FABRICATION	Seat material thickness	40 mm
	Seat padded	Yes
	Density of Polyurethane foam used in seat (±2 Kg/Cub Meter)	45
	Seat upholstered with	Leatherette
	GSM of seat cover (± 3 GSM)	390 GSM
	Polyurethane foam thickness (for seat)	50 mm
	Color of Seat cover	Black
BACKREST FABRICATION	Backrest material	Single piece of Cold Reduced Carbon Steel Sheet Confmg. to grade CRO of IS:513 part 1 (with Latest amendment)
	Backrest Material thickness	40 mm
	Backrest padded	Yes
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	45
	Backrest upholstered with	Leatherette
	GSM of Backrest cover (± 3 GSM)	390 GSM
	Polyurethane foam thickness (for backrest)	50 mm
DIMENSION	Colour of Backrest cover	Black
	Seat Depth (± 5 mm)	480 mm
	Seat Width (± 5 mm)	460 mm
	Seat height from floor surface (± 5 mm)	435 mm
	Backrest width (± 5 mm)	450 mm
	Backrest height from seat (± 5 mm)	480 mm
	Arm Length (± 5 mm)	200 mm
COLOUR AND FINISH	Arm Width (± 2 mm)	70 mm
	Paint Type	Epoxy
	Polish Type	N.A
TEST REPORT AND CERTIFICATION	Colour of Paint	Black
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	Yes
	Test Report Number and Date (Write NA if test report not available)	n.a
	Name and Address of the Lab(Write NA if test report not available)	n.a
	BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
OEM of offered product is ISO 14001:2015 certified	Yes	
OEM of offered product is ISO 45001:2018 certified	Yes	

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	NA
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	NA

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.2 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.3 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.4 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.5 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.6 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.7 Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

2.8 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

The bidder/Manufacturer should possess certificates

- a) ISO-9001-QMS (Quality Management Standard)
- b) Manufacturer should have Green Guard Certified products issued by UL in their furniture portfolio.
- c) AIOTA certificate
- d) BIFMA Membership Certificate with Evidence of Membership (Business & Institutional Furniture Manufacturer Association).
- e) OEM of offered product is ISO 9001:2015 certified.
- f) OEM of offered product is ISO 14001:2015 certified.
- g) OEM of offered product is ISO 18001:2007 certified.
- h) Test reports to be furnished to buyer on demand.
- I) For Chairs scope of supply is only supply of goods .
- h) For table scope of supply is Supply installation and commissioning is applicable .

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।