

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687775295964

Generated Date | अनुबंध तिथि: 14-Jun-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3064855](#)

Schedule Name | अनुसूची नाम: Schedule 1, Schedule 2

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU	Designation पद: Deputy Manager MM
Ministry मंत्रालय: Ministry of Coal	Contact No. संपर्क नंबर: 62876-95937-
Department विभाग: Materials Management	Email ID ईमेल आईडी: buyer9.bcl.dhn@gembuyer.in
Organisation Name संगठन का नाम: Bharat Coking Coal Limited	GSTIN जीएसटीआईएन: 20AAACB7934MFZB
Office Zone कार्यालय क्षेत्र: Bclcl Dhanbad	Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: Yes	Role: PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: D(T)OP, BCCL.	Payment Mode भुगतान का तरीका: Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: GM(MM)/HOD, BCCL.	Designation पद: Senior Manager
	Email ID ईमेल आईडी: pay8.bcl.dhn@gembuyer.in
	GSTIN जीएसटीआईएन: 20AAACB7934MFZB
	Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: LMQV210003565550	Company Name कंपनी का नाम: JANTA TRADERS
Contact No. संपर्क नंबर: 09953787664	Email ID ईमेल आईडी: salejantatraders@gmail.com
Address पता: 2060/7, JANTA TRADERS, CHAH INDIRA BHAGIRATH PALACE CHANDNI CHOWK, CHANDNI CHOWK, Central Delhi, DELHI-110006, -	MSME verified एमएसएमई सत्यापित: No
MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-DL-05-0007946	MSE Social Category एमएसएमई सामाजिक श्रेणी: General
MSE Gender एमएसएमई लिंग श्रेणी: Male	GSTIN जीएसटीआईएन: 07AKOPM2969E2ZR

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: U M Cables Limited Single mode OS2 HDPE Fibre Cable For Networking Brand ब्रांड: U M Cables Limited Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है: Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Fibre Cable for Networking (Q3) Model मॉडल: 6 Fibre Armoured OFC Cable HSN Code एचएसएन कोड: HSN not specified by seller	6,000	meter	17.01	GST जीएसटी (18%): 15,568.475 GST Cess 1 जीएसटी उपकर 1 (0%): 0 GST Cess 2 जीएसटी उपकर 2 (0 per accounting unit): 0 Input Tax Credit (ITC) on GST जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) (100%): 15,568.475 ITC on GST Cess 1 जीएसटी उपकर पर आईटीसी 1 (0%): 0 ITC on GST Cess 2 जीएसटी उपकर पर आईटीसी 2 (0%): 0	102,060
2	Product Name उत्पाद का नाम: U M Cables Limited Single mode OS2 HDPE Fibre Cable For Networking Brand ब्रांड: U M Cables Limited Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है: Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Fibre Cable for Networking (Q3)	6,000	meter	21.18	GST जीएसटी (18%): 19,385.085 GST Cess 1 जीएसटी उपकर 1 (0%): 0 GST Cess 2 जीएसटी उपकर 2 (0 per accounting unit): 0 Input Tax Credit (ITC) on GST जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) (100%): 19,385.085 ITC on GST Cess 1 जीएसटी उपकर पर आईटीसी 1 (0%): 0 ITC on GST Cess 2 जीएसटी उपकर पर आईटीसी 2 (0%): 0	127,080

Model मॉडल: 12 Fibre Armoured OFC Cable				: 0		
HSN Code एचएसएन कोड: HSN not specified by seller						
Total Order Value कुल ऑर्डर मूल्य (in INR)					229,140	
Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है
1	Designation पद : - Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	U M Cables Limited Single mode OS2 HDPE Fibre Cable For Networking	-	6,000	14-Jun-2023	12-Sep-2023
		U M Cables Limited Single mode OS2 HDPE Fibre Cable For Networking	-	6,000	14-Jun-2023	12-Sep-2023
Product Specification for U M Cables Limited Single mode OS2 HDPE Fibre Cable For Networking						
Specification विनिर्देश	Sub-Spec उप-विनिर्देश				Value मूल्य	
Generic	Fibre cable generally conforming to IEC 60793-1, IEC 60793-2, and to conform other normative specifications as specified in IEC:60793 Part 1 and Part 2				Yes	
	Fibre count				6	
	Jacket material				HDPE	
	Fibre type				Single mode OS2	
	Nominal Cable weight Kg/Km - Must declare				60+-10KG	
	Operational temperature range				-20 deg C to +60 deg. C	
	Storage temperature range				-20 deg C to +60 deg. C	
Constructional	Type of tube / no. of tube / no. of core per tube				Unitube /1/6	
	Cable Armouring				Armoured with ECCS tape	
	Each meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications				Yes	
Certifications	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification				Yes	
	Test report Number				UM/06/23012	
	Report date				2022	
	Name and address of Lab				UM CABLES SILVASSA	
	All the test reports and certificates shall furnish to the buyer/consignee on demand				Yes	
Performance	Maximum Crush Resistance(short)				125 lbs/in (220 N/cm)	
	Maximum Crush Resistance(long)				63 lbs/in (110 N/cm)	
	Minimum Bend Radius(installation)				20 X OD	
	Minimum Bend Radius(in service)				10 X OD	
	Max Tensile load				Short term: 2700N	
	Installation temperature range				-30 deg C to + 60 deg C	
	Loose tube diameter				2.5±0.2mm	
Note टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.						

Product Specification for U M Cables Limited Single mode OS2 HDPE Fibre Cable For Networking

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Generic	Fibre cable generally conforming to IEC 60793-1, IEC 60793-2, and to conform other normative specifications as specified in IEC:60793 Part 1 and Part 2	Yes
	Fibre count	12
	Jacket material	HDPE
	Fibre type	Single mode OS2
	Nominal Cable weight Kg/Km - Must declare	50+/-10 kG
	Operational temperature range	-20 deg C to +60 deg. C
	Storage temperature range	-20 deg C to +60 deg. C
Constructional	Type of tube / no. of tube / no. of core per tube	Unitube /1/12
	Cable Armouring	Armoured with ECCS tape
	Each meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications	Yes
Certifications	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification	Yes
	Test report Number	UM/12/23012
	Report date	2022
	Name and address of Lab	UM CABLES SILVASSA
	All the test reports and certificates shall furnish to the buyer/consignee on demand	Yes
Performance	Maximum Crush Resistance(short)	125 lbs/in (220 N/cm)
	Maximum Crush Resistance(long)	63 lbs/in (110 N/cm)
	Minimum Bend Radius(installation)	20 X OD
	Minimum Bend Radius(in service)	10 X OD
	Max Tensile load	Short term: 2700N
	Installation temperature range	-30 deg C to + 60 deg C
	Loose tube diameter	2.5±0.2mm

Note | टिप्पणी: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	NA
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	NA

General Clauses w.r.t RCM/FCM | आरसीएम/एफसीएम के संबंध में सामान्य खंड

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Scope of Supply:*

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.2 *Service & Support:*

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.3 *Turnover:*

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

2.4 *Certificates:*

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

2.5 *Service & Support:*

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.6 *Service & Support:*

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.7 *Past Project Experience:*

The Bidder / OEM (themselves or through reseller(s)), should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

2.8 *Generic:*

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.9 *Generic:*

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।