

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687729889799

Generated Date | अनुबंध तिथि: 16-Aug-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3463615](#)

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU Ministry मंत्रालय: Ministry of Coal Department विभाग: Materials Management Organisation Name संगठन का नाम: Bharat Coking Coal Limited Office Zone कार्यालय क्षेत्र: Bccl Dhanbad	Designation पद: Manager Contact No. संपर्क नंबर: 94705-95938- Email ID ईमेल आईडी: mrunal.mehta@nic.in GSTIN जीएसटीआईएन: 20AAACB7934MFZB Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: DT(PP) Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: GM(MM)	Role: PAO Payment Mode भुगतान का तरीका: Offline Designation पद: Senior Manager Email ID ईमेल आईडी: pay8.bccldhn@gembuyer.in GSTIN जीएसटीआईएन: 20AAACB7934MFZB Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: A18A180000100175 Company Name कंपनी का नाम: POWERLINK OIL REFINERY LIMITED Contact No. संपर्क नंबर: 09811274820 Email ID ईमेल आईडी: skjain@powerlinkoil.com Address पता: 211-212 AGGARWAL TOWERH-6 NETAJI SUBHASH PLACE, DISTT CENTRE PITAMPURA, DELHI, DELHI-110034, - MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-HR-07-0000222 MSE Social Category एमएसई सामाजिक श्रेणी: General MSE Gender एमएसई लिंग श्रेणी: Male GSTIN जीएसटीआईएन: 06AAACP0598H1ZE	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: TRANSPOWER Transformer Oil as per IS: 335 Brand ब्रांड: TRANSPOWER Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Transformer Oil as per IS 335 (Q4) Model मॉडल: TRANSPOWER HSN Code एचएसएन कोड: 27101980	30,660	liter	105.5	GST जीएसटी (18%): 493,418.136 GST Cess 1 जीएसटी उपकर 1 (0%): 0 GST Cess 2 जीएसटी उपकर 2 (0 per accounting unit): 0 Input Tax Credit (ITC) on GST जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) (100%): 493,418.136 ITC on GST Cess 1 जीएसटी उपकर पर आईटीसी 1 (100%): 0 ITC on GST Cess 2 जीएसटी उपकर पर आईटीसी 2 (100%): 0	3,234,630
Total Order Value कुल ऑर्डर मूल्य (in INR)						3,234,630

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है

1	Designation पद : - Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	TRANSPOWER Transformer Oil as per IS: 335	1	9,240	16-Aug-2023	30-Sep-2023
			2	21,420	30-Sep-2023	14-Nov-2023

Product Specification for TRANSPOWER Transformer Oil as per IS: 335

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
Test Report Details	The Vendor are also required to furnish the following :- i) Details of instrument / appliances available with the manufacture for testing of transformer oil ii) Flow diagram clearly indicating facilities available with manufacture for manufacturing of transformer oil along with capacity iii) (Self attested / Digitally signed) & Notary certified copy (ies) of test report certificate from CPRI or Govt test house or National Test house or ERDA as per relevant IS iv) (Self attested / Digitally signed) & Notary certified copy of valid BIS marking license/BIS schedule / BIS endorsement showing coverage of this item and indicating validity	Yes
	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab(hint: Must be declared)	Yes
	The vendor as to Provide involve and test report from the manufacture, if required by the Buyer or no minated	Yes
Certification	Conforming to IS : 335 (Latest)	Yes
	Whether IS Marked	Yes
	BIS Licence Number, if ISI Marked,else write NA	CM/L 9089289 Jun2022
Characteristics of transformer oil	Appearance	"The oil shall be clear transparent & free from suspended matter or sediments "
	Density Max (gm/cm ³ at 29 point 50°C)	0.89
	Kinematic viscosity (Cst) at 27°C,Max	27
	Interfacial tension at 27°C Newtons/M,Min	0.04
	Flash point Pansky/marten(Closed), Min(°C)	140
	Pour point,Max(°C)	(-) ⁶
	Neutralization value, Total acidity mg, Max,mg KOH/gm	0.03
	Neutralization value, Inorganic acidity / Alkalinity	Nil
	Corrosive Sulphur (In terms of classification of copper strips)	Non-corrosive
	Electric strength (Break down voltage), New untreated oil,Min (RMS) (in KV)	30
	Electric strength (Break down voltage), After treatment, Min (RMS) (in KV)	60
	Dielectric Dissipation vector (Ten delta) at 90°C ,Max	0.002
	Specific resistance (Resistivity) at 90°C, Min,(in Ohm-cm)	35x10 ¹²
	Specific resistance (Resistivity) at 27°C, Min,(in Ohm-cm)	1500x10 ¹²
	Oxidation stability : Neutralization value after oxidation for 164 hrs at 100°C, Max,mg KOH/gm	0.4
	Oxidation stability : Total sludge after oxidation for 164 hrs at 100°C, Max,% by weight	0.1
	Presence of oxidation inhibitor	The oil shall not contain antioxidant additives
	Water content (PPM), Max	50
	Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Specific resistance (Resistivity) at 27°C, Min,Ohm-cm	2.5x10 ¹²
	Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Specific resistance (Resistivity) at 90°C, Min ,Ohm-cm	0.2x10 ¹²
"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Dielectric Dissipation vector (Ten delta at 90°C, Max "	0.2	
"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Total acidity, Max ",mg KOH/gm	0.05	
"Ageing characteristics after accelerated ageing (open breaker method with copper catalyst : Total sludge value, Max "% by weight	0.05	
	The Transformer oil is required to be supplied in brand new steel barrel ISI marked and with suitable coating from inside and outside as per clause 6-1 of IS 335 : 1993 with latest amendment, if any	Yes

Packing , Marking and Labelling	"Oil may also be delivered in a suitable type of high density polyethylene (HDPE) barrel subject to agreement between the purchaser and the manufacturer "	Yes
	Oil may also be delivered in road or rail tank wagons specially cleaned and reserved for this purpose and shall be suitably sealed so as to avoid ingress of moisture	Yes
	Marking should be as per IS 335 :1993	Yes
	The container may also be marked with the IS1 Certification Mark	Yes

Buyer Defined Additional Specification for | खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए TRANSPower Transformer Oil as per IS: 335

Specification विनिर्देश	Value मूल्य
Bidder shall upload following documents along with bid submission (a) Copy of Valid BIS License conforming to IS 335	Yes
Bidder shall upload following documents along with bid submission (b) Copy of Valid Test Report issued from NABL Accredited labs/CPRI/Govt test House	Yes
Bidder shall upload following documents along with bid submission (c) A self declaration to submit Valid BIS License and Test Report for Offered transformer Oil along with supply.	Yes
The Offered Transformer Oil shall be conforming to IS 335 and BIS Marked	Yes
The Transformer Oil must be supplied in perfectly clean steel drums/barrels of Capacity-210 Litres each . The Marking on Drums shall be as per IS 335.	Yes

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	State Bank of India
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	10.00
The bidder shall furnish ePBG as applicable as per bid's terms and conditions बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा	

General Clauses w.r.t RCM/FCM | आरसीएम/एफसीएम के संबंध में सामान्य खंड

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.2 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

1) Bidder shall upload following documents along with bid submission

(a) Copy of Valid BIS License conforming to IS 335 .

(b) Copy of Valid Test Report issued from NABL Accredited labs/CPRI/Govt test House .

(c) A self declaration to submit Valid BIS License and Test Report for Offered transformer Oil along with supply.

The Transformer Oil must be supplied in perfectly clean steel drums/barrels of Capacity-210 Litres each . The Marking on Drums shall be as per IS 335.

The Offered Transformer Oil shall be conforming to IS 335 and BIS Marked

Delivery:- 30% of the total quantity shall be supplied within 45 days and rest quantity shall be supplied within 90 days from the date of Purchase Order.

2) Bank Guarantee(s) submitted for EMD & ePBG, should be accompanied with outward SWIFT SFMS message of the issuing bank.

2.3 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Bharat Coking Coal Limited

payable at

payable at Dhanbad

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.4 Purchase Preference (Centre):

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।