

Contract

Contract No: GEMC-511687764647119

Generated Date:03-Nov-2020

Bid/RA/PR No:GEM/2020/B/648206

Organisation Details

Type: Central PSU
Ministry: Ministry of Coal

Department: Materials Management
Organisation Name: Bharat Coking Coal Limited

Office Zone: Bccl Dhanbad

Buyer Details

Name: Mrunal Mehta
Designation:Deputy Manager MM

Contact

No.:

Email ID: mrunal.mehta@nic.in
GSTIN: 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla Bhawan,

Address: Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

Financial Approval Detail

IFD Concurrence: No

Designation of Administrative Approval: DT(P&P)
Designation of Financial Approval: DT(P&P)

Paying Authority Details

Name: BIKRAM GHOSH
Designation:HOD Purchase Finance
Email ID: hodpurfin.bccl@nic.in

GSTIN: N

MM Department, level 3, Commercial Building, Koyla Bhawan,

Address: Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

Seller Details

Company Name: MERAKI FURNITURE PRIVATE LIMITED

Contact No.: 08239677101

Email ID: merakifurniture@yahoo.com

Address:

B-112,T,MOUNTESARY MAIDAN,HEC COLONY,DHURWA,

RANCHI, JHARKHAND-834004, -

MSME verified: Yes

GSTIN: 20AALCM5680Q1ZW

Product Details

#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	JP STEEL TABLE WITH STORAGE ON one side 1190 millimeter 600 millimeter 750 millimeter	Steel Tables	STEEL TABLE=ONE SIDE-TRIPLE STORAGE-15726	HSN not specified by seller	5	pieces	32,450
2	Unbranded REVOLVING CHAIR With ARM push back	Revolving Chair	2019	HSN not specified by seller	8	pieces	22,960
3	UNBRAND REVOLVING CHAIR With ARM knee tilt synchronic	Revolving Chair	REV CHAIR=JP-009REDS	HSN not specified by seller	1	pieces	15,990
Тс	tal Order Value (in INR)	,				•	71,400

Consignee Detail

S.No	Consignee	Item	Lot No.	Quantity	,	Delivery To Be Completed By
	Name: Rohit Kumar Designation: - Email ID: con1.bccl.jh@gembuyer.in Contact: 62876-95727-	JP STEEL TABLE WITH STORAGE ON one side 1190 millimeter 600 millimeter 750 millimeter	-	5	03-Nov-2020	03-Dec-2020

Address: Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101.,		Unbranded REVOLVING push back	CHAIR With ARM	-	8	03-Nov-2020	03-Dec-2020	
		UNBRAND REVOLVING knee tilt synchronic	CHAIR With ARM	-	1	03-Nov-2020	03-Dec-2020	
Proc	duct Spe	cification for JP STEEL TABLE W	ITH STORAGE ON C	one side 1190 milli	imete	er 600 mil	limeter 750	millimeter
Spec	ification	Sub-Spec		Value				
		Conformity to Indian Standard IS: 8126 Lates	t	Yes				
		Storage		one side				
		Total Number of Storage Units		triple storage				
		Cup Board / Locker type Storage Units		N.A				
		Type of Storage Units		OTHER DESIGNS				
		Lock on all storage units		Provided				
GENE	RIC	Loading capacity of table top in KG (+/-5 Kg)		100 KG				
		Table Top Material and Thickness (+/-2 mm)		18 mm thick prelamina	ted Pa	rticle Board (I	Not as per IS 81	26)
		Padestal (Under structure)		Mild Steel Pipe of diameter 25 mm and wall thickness 1.1 mm minimum (Not as per IS 8126)				
		Table Top Length +/-10(mm)		1190				
		Table Top Width +/-10(mm)		600				
		Table Height +/-5(mm)		750				
		Foot Rest Material		N.A				
		Handles Material		Corrosion Resistance Metal				
MATER	RIAL	Thickness of PVC tape on edges of Table Top banded with the help of hot melt glue (mm)		2.0 mm				
		Storage Unit and Drawer Units Material		0.6 mm M S Sheet (No	t as pe	er IS 8126)		
		Shoes Material		Rubber				
		Width of Storage Unit +/-5(mm)		355				
		Depth of Storage Unit +/-10(mm)		355				
		Overall Height of Storage Units +/- 10 mm		460 mm				
		Height of smallest Storage Compartment / Drawer +/-3 mm		165 mm				
DIMEN	NSION	Height of medium size Storage Compartment	/ Drawer +/-5 mm	165 mm				
		Height of Largest Storage Compartment / Drawer +/-5 mm		N.A				
		Width of Locker / Cupboard type Storage unit		355 mm				
		Depth of Locker / Cupboard type Storage unit	t	600 mm				
		Height of Locker / Cupboard type Storage unit		N.A				
MISC		Foot Rest Provided		NO				
		Colour of Lamination		AS PER BUYER CHOICE				
COLOI FINISH		Paint		synthetic enamel				
		Colour of Paint		brown				
		ISI Marked		No				
		BIS Licence No		-				
		Test reports to be furnished to buyer on dema	and	NO				
		BIFMA certification		YES				

LOEDTIEIGATION		
CERTIFICATION	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007 certified	YES
	Green guard certification	NO
WARANTEE	WARRANTY PERIOD IN NUMBER OF YEARS	1

Specification	Sub-Spec	Value
	Pedestal Base	ABS Plasstic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 m Size
	Arm Material	Proypylene
	seat material	PU Foam covered with Fabric
MATERIAL	Density of PU foam used in seat KG per Cu Meter (+/- 3)	40
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric
	Material of Fabric of Seat Cover	100% polyester fabric
	GSM/Thickness of fabric ±5%(Gram/Square meter)	220 gram
	Chair Type	push back
	Tilt Tension Adjustment	Yes
	Height Adjustment ± 5(mm)	up to 120 mm
	Arm	With
	Type of backrest support	backrest symmetrical lumber support
	Arm Type	Fixed
	Colour of Fabric for Seat and Backrest	BLUE
	Ergonomic Seat Design	Yes
GENERAL	Back type	push back
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame
	backrest has separate adjustable headrest	No
	Seat type	fixed
	Seat is curved	Yes
	Locking mechanism	Yes
	Type of locking	tilt limitor
	Number of arm movement	N.A
	Lumber support	integrated
	Overall Chair Height ±15mm	950
	Backrest Height ±15mm	600
	Backrest Width ±10mm	440
	Seat Height ±15 mm	450
	Seat Width ±10 mm	480
	Seat Depth ±10 mm	480
DIMENSION	Thickness of MS Plate Joining the under structure with Seat	0.4

	Thickness of Plywood used in Seat ±1(mm)	15 mm
	Thickness of Plywood used in Backrest ± 1(mm)	15 mm
	Padestal Size (Diameter in mm) +/- 10 mm	620
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	50 mm
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	50 mm
WARANTEE	Warrantee period in number of years	1-year
	Test reports to be furnished to buyer on demand	YES
	BIFMA Certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
CERTIFICATION	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007 certified	NO
	Green guard certification	NO
	Aiota	NO

Product Specification for UNBRAND REVOLVING CHAIR With ARM knee tilt synchronic

Specification	Sub-Spec	Value				
	Pedestal Base	Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter				
	Arm Material	CRCA pipe with foam				
	seat material	PU Foam Covered With pure leather				
MATERIAL	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45				
MATERIAL	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45				
	Material of Fabric Back Cover / Material for Backrest	pure leather				
	Material of Fabric of Seat Cover	pure leather				
	GSM/Thickness of fabric ±5%(Gram/Square meter)	N.A				
	Chair Type	knee tilt synchronic				
	Tilt Tension Adjustment	Yes				
	Height Adjustment ± 5(mm)	up to 120 mm				
	Arm	With				
	Type of backrest support	backrest symmetrical lumber support				
	Arm Type	Fixed				
	Colour of Fabric for Seat and Backrest	N.A				
	Ergonomic Seat Design	Yes				
GENERAL	Back type	push back				
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame				
	backrest has separate adjustable headrest	No				
	Seat type	sliding				
	Seat is curved	Yes				
	Locking mechanism	Yes				
	Type of locking	5-Position Locking				

Thickness of Plywoo	5mm Omm m	integrated 1330 950 520 520 550 500 1.2 12 mm
Backrest Height ±15 Backrest Width ±10 Seat Height ±15 mm Seat Width ±10 mm Seat Depth ±10 mm Thickness of MS Platence of	5mm m n late Joining the under structure with Seat	950 520 520 550 500
Backrest Width ±10 Seat Height ±15 mm Seat Width ±10 mm Seat Depth ±10 mm Thickness of MS Pla Thickness of Plywork	omm n late Joining the under structure with Seat	520 520 550 500 1.2
Seat Height ±15 mm Seat Width ±10 mm Seat Depth ±10 mm Thickness of MS Pla Thickness of Plywork	n late Joining the under structure with Seat	520 550 500 1.2
Seat Width ±10 mm Seat Depth ±10 mm Thickness of MS Pla Thickness of Plywork	n late Joining the under structure with Seat	550 500 1.2
Seat Depth ±10 mm DIMENSION Thickness of MS Pla Thickness of Plywork	n late Joining the under structure with Seat	1.2
DIMENSION Thickness of MS Pla Thickness of Plywork	late Joining the under structure with Seat	1.2
Thickness of Plywor		
	od used in Seat ±1(mm)	12 mm
Thickness of Plywoo		12 11111
	od used in Backrest ± 1(mm)	12 mm
Padestal Size (Dian	meter in mm) +/- 10 mm	680
Thickness of Polyur mm)	rethane Foam Used in Seat in mm (+/- 2	55 mm
Thickness of Polyur (+/- 2 MM)	rethane Foam Used in Backrest IN MM	55 mm
WARANTEE Warrantee period in	n number of years	1-year
Test reports to be fu	urnished to buyer on demand	YES
BIFMA Certification	1	YES
OEM of offered prod	duct is ISO 9001:2015 certified	YES
CERTIFICATION OEM of offered prod	duct is ISO 14001:2015 certified	YES
OEM of offered prod	duct is ISO 18001:2007 certified	YES
Green guard certific	cation	NO
Aiota		YES

Terms and Conditions

1. General Terms and Conditions

- 1.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- **1.2 Terms of delivery:** Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.
- **1.3 Delivery period:** The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.
- **1.4 Performance Security:** If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.
- 1.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.
- **1.6 Octroi Duty and / or other local taxes:** Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).
- 1.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.

- 1.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.
- 1.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

1.10 Financial Certificate:

- 1.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.
- 1.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.
- 1.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.
- 1.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

2. Additional Terms and conditions

- 2.1 Scope of supply (Bid price to include all cost components): Only supply of Goods
- 2.2 Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.
- 2.3 Preference to Make In India products: Preference shall be given to local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a local supplier, should be as per relevant notification / order issued by the nodal ministry as available on the website of Department of Promotion of Industries and Internal Trade (DPIIT). If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 29.5.2019.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.