

Contract

Contract No: GEMC-511687755826163

Generated Date:27-Mar-2020

Bid/RA/PR No:GEM/2020/B/500898

Organisation Details

Central PSU Type: Ministry: Ministry of Coal Department: Materials Management Organisation Name: **Bharat Coking Coal Limited**

Office Zone: **Bccl Dhanbad**

Buyer Details

Ashok Kumar Pandey Name: Designation:Senior Manager(MM)

Contact

No.:

Email ID: ak.pandey4576@nic.in

GSTIN:

MM Department, level 3, Commercial Building, Koyla Bhawan,

Address: Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

Financial Approval Detail

IFD Concurrence : Yes

Designation of Administrative Approval : D(T) PP, BCCL Designation of Financial Approval : D(T)PP, BCCL

Seller Details

Company Name: TRIVITRON HEALTHCARE PRIVATE LIMITED

Contact No.: 08291282816

Email ID: diag.tenders@trivitron.com

No 15,ABHIRAMPURAM,IV STREET,chennai, Address:

Chennai, Tamil Nadu-600018, -

MSME verified: Yes MSE Social Category: General MSE Gender:

GSTIN: 33AAACT9378H1Z1

Product Details

#	Item Description	Category Name	Model	HSN Code	Ordered Quantity	Unit	Price (Inclusive of all Duties and Taxes in INR)
1	DIGITAL RADIOGRAPHY SYSTEMS (82kw)	Digital Radiography Systems	DIGITAL RADIOGRAPHY (KIRAN) ULTISYS 82	90221490	1	pieces	8,300,000
Т	Total Order Value (in INR)					8,300,000	

Consignee Detail

S.No	Consignee	Item	Quantity	Expected Delivery Date
1	Rajendra Prasad - Landline-0326-2206167-234 rajendra.p2183@nic.in Chief Of Medical Services, Central Hospital , PO- Jagjivan Nagar., DHANBAD, JHARKHAND-826003, India	DIGITAL RADIOGRAPHY SYSTEMS (82kw)	1	26-Apr-2020

Product Specification for DIGITAL RADIOGRAPHY SYSTEMS (82kw)

Specification	Sub-Spec	Value	
	Conformity to standards	AERB	
	Certification Number and date	18-TA-264248 dated 14.03.2018	
Standards	AREB type approval for particular model	Yes	
Standards	AERB Cerificate Number and date for model	18-TA-264248 dated 14.03.2018	
	Confirmity to Manufactures Quality Certifications	ICMED 9001 & 13485	

	Conformity to Safety Standards	IEC 60601-2-54 or equivalent BIS	
D (UMDNS Code and names	18-430	
Performance Parameters	Scope of Supply	Digital Radiographic system with flat panel detector	
	Type of table	Floating Top Type	
	Type of table movement	Motorized	
	No of movements of Table	6 Way	
	Portability of table	No	
Table and Table	Longitudinal Movement(with tolerance ± 10%)	±50	
top parameters	Lateral movement (with tolerance ± 10%)	±15	
	Length x Width (± 5%)	210 x 70	
	X Ray density	< 1 mm A I	
	Minimum and maxi,um adjustable heights (± 10%)	55-85	
	Load bearing capacity of table in kg	300 or more	
	Type of Table bucky movement	Auto tracking and auto synchronization	
	Bucky rotatable	No	
	Size in inches	17x17	
Table Bucky System	AEC	3 Field or higher	
Oystem	Grid Ratios	10:1 or higher	
	Lines in mm	103	
	Longitudinal travel	Motorized	
	Туре	Motorized tilting	
	Sizes in inches	17x17	
	AEC	3 Field or higher	
Upright Bucky	Movable grid with Grid Ratios	10:1 or higher	
	Line in inches	103	
	Tilt	Yes	
	Radiography Mode	Digital	
	Number of detectors	Dual	
	Detector Material	Cesium Iodide	
	Detector Size	17 X 17 and 17 x 17	
Digital Detector	Matrix size	2.8k x 2.8k	
	Pixel size in µm	150	
	Grey Scale resolution, bits/pixel	14 or better	
	DQE at 0 LP/mm	65% or more	
	Image preview time in seconds	8	
	Control panel	Microprocessor controlled	
	Automatic parameter selection	Yes	
Control panel for image	Control panel entry	Alphanumeric key board	
acquisition	Virtual grid software	Yes	
	Grid removable	Yes	

X Ray Generator and Tubes "Control Tube suspension Tube results of Type of Collimate Process RAM in HDD In Dicom	Capcity ,KHU rol panel and x ray tube " Processing Features natic tube positioning mounted x ray control of suspension ator Type or size in inches ssor n GB	80 Kw 800 0.6 and 1.2 300-400 Yes zoom, contrast and brightness, adjustment, panning annotate, mark and reporting Yes Yes Ceiling Automatic 19 i 5 4 1 TB Yes
X Ray Generator and Tubes "Control Tube ruspension Tube ruspension Tube ruspension RAM in HDD in Dicom	spot Capcity ,KHU ol panel and x ray tube " Processing Features natic tube positioning mounted x ray control of suspension ator Type or size in inches essor n GB n GB	0.6 and 1.2 300-400 Yes zoom, contrast and brightness, adjustment, panning annotate, mark and reporting Yes Yes Ceiling Automatic 19 i 5 4 1 TB
X Ray Generator and Tubes "Control and Tubes" Post P Autom Tube r Suspension Collima Monitor Proces RAM in HDD In Dicom	Capcity ,KHU rol panel and x ray tube " Processing Features natic tube positioning mounted x ray control of suspension ator Type or size in inches ssor n GB n GB compatibility of work station	300-400 Yes zoom, contrast and brightness, adjustment, panning annotate, mark and reporting Yes Yes Ceiling Automatic 19 i 5 4 1 TB
Tube suspension Tube roces RAM in Dicom	Processing Features Inatic tube positioning Immounted x ray control Instructory of suspension Inst	Yes zoom, contrast and brightness, adjustment, panning annotate, mark and reporting Yes Yes Ceiling Automatic 19 i 5 4 1 TB
and Tubes "Control Post P Autom Tube r Type c Collim Monito Proces RAM ii HDD Ii	Processing Features Partic tube positioning mounted x ray control of suspension ator Type or size in inches ssor in GB in GB in compatibility of work station	zoom, contrast and brightness, adjustment, panning annotate, mark and reporting Yes Yes Ceiling Automatic 19 i 5 4 1 TB
Autom Tube r Tube r Type c Collim Monito Proces RAM ii HDD li Dicom	matic tube positioning mounted x ray control of suspension ator Type or size in inches ssor n GB n GB compatibility of work station	adjustment, panning annotate, mark and reporting Yes Yes Ceiling Automatic 19 i 5 4 1 TB
Tube r Tube r Suspension Tube r Type c Collim Monitor Proces RAM ii HDD Ii Dicom	mounted x ray control of suspension ator Type or size in inches ssor n GB n GB	Yes Ceiling Automatic 19 i 5 4 1 TB
Tube suspension Collima Monitor Proces RAM in HDD In	of suspension ator Type or size in inches ssor n GB n GB	Ceiling Automatic 19 i 5 4 1 TB
suspension Type of Collim Monitot Proces RAM ii HDD Ii Dicom	ator Type or size in inches ssor n GB n GB compatibility of work station	Automatic 19 i 5 4 1 TB
Monitor Proces RAM in HDD In Dicom	or size in inches ssor n GB n GB compatibility of work station	19 i 5 4 1 TB
Proces RAM in HDD In Dicom	n GB n GB compatibility of work station	i 5 4 1 TB
RAM in HDD In Dicom	n GB n GB compatibility of work station	4 1 TB
HDD II Dicom	n GB compatibility of work station	1 TB
Dicom	compatibility of work station	
Workstation ——		Yes
Workstation	ork station should be fully network ready and it should transfer images and patient data from and	
I ne w	pital network using LAN connectivity or wireless LAN	Yes
work s	station integrated with system	Yes
work s	station with advance measurement tool should be provided	Yes
DICON	M Printing software to be provided	Yes
Patien	it study on film	Yes
Hand (grips	Yes
Foot s	witches for adjusting longitudinal/side to side movements, locking, and light adjustment	Yes
Patien	t fixing belts and compression device (for performing excretory urography, etc)	Yes
Stitchi	ng Hardware And Software	Yes
Integra	ation	DICOM 3.0 storage SOP Classes
DAP N	Meter supplied	Yes
Lead A	Apron	Yes
Light v	weight 'zero lead' radiation protection aprons provided	Yes
l I	Aprons - Full body and Skirt type	2 no each (0.5pb)
Accessories Thyroi	d shields supplied	Yes
Gonac	dsheet Male supplied	Yes
Gonac	d sheet Female supplied	Yes
Wall m	nounted stand for radiation protection aprons supplied	Yes
Lead (glass window Supplied	Yes
Footst	eps for the table supplied	Other Requirements
Power		440 v 50 hz 3 Phase 16 Ampls socket
Voltag	e stablizer servo controlled in KVA	100
Weigh	it of system in kg	2000

Number of installations of the X- ray machines in Central /State/PSU Govt Hospitals(Note: Seller should supply a performace certificate of the device to the buyer if demanded after placement of order)	up to 3
Comprehensive warranty in years	5
OEM/Reseller (if supplied to reseller shall ensure uninterputed availabilty of all spares for 10 years)	Yes
Availability of toll free facility for technical support maintained by OEM or authorized agencies	Yes
Availability of toll free facility for technical support maintened by OEM or authorized agencies	Yes
User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
Demonstration of equipment and training to be provided after completing supplies before acceptance	Yes
Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
QA, QC and other tests as per NABH shall be carried out by OEM or authorized agency of OEM	Yes
Copies of all calibration and test reports to be submitted at the time of Supply of Machine	Yes

Terms and Conditions

1. Special terms and conditions

1.1

Miscellaneous Parameters

• Comprehensive warranty

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

Service centres

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

Source of supply

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

Packing and Marking

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, . Packing list reference number, country of origin of goods and any other relevant details.

Spare Parts

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

• Installation, Training, Manuals

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.

Electrical safety checking

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

• Software All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions

- 2.1 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) as available on the GeM portal (unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- **2.2 Terms of delivery:** Free Delivery at Site including loading/unloading. In respect of items requiring installation and / or commissioning and other services in the scope of supply (as indicated in respective product category specification / STC / ATC), and the cost of the same is also included in the Contract price.
- 2.3 Delivery period: The Delivery Period/Time shall be essence of the Contract and delivery must be completed not later than such date(s). Any modification thereto shall be mutually agreed and incorporated in the Contract as per the provisions of the GTC.
- 2.4 Performance Security: If the Seller fails or neglects to observe or perform any of his obligations under the contract it shall be lawful for the Buyer to forfeit either in whole or in part, the Performance Security furnished by the Seller.
- 2.5 Taxes and Duties: Contract Prices are all inclusive i.e. including all taxes, duties, local levies / transportation / loading-unloading charges etc. Break up of GST shall be indicated by the Seller while raising invoice / bill on GeM. While submitting the bill / invoice Seller shall undertake that the Goods and Services Tax (GST) charged on this bill is not more than what is payable under the provision on the relevant Act or the Rules made there under and that the Goods on which GST has been charged have not been exempted under the GST Act or the Rules made there under and the charges on account of GST on these goods are correct under the provision of that Act or the rules made there under.
- 2.6 Octroi Duty and / or other local taxes: Contract Prices are all inclusive hence no reimbursement over and above the contract price(s) shall be allowed to seller towards payment of local taxes (such as levy of town duty, Octroi Duty, Terminal Tax and other levies of local bodies etc).
- 2.7 Limitation of Liability: The provisions of limitation of liability between Buyer and Seller as given in the GTC shall be applicable here.
- 2.8 Resolution of disputes: The provisions of DISPUTE RESOLUTION BETWEEN BUYER AND SELLER as given in the GTC shall be applicable here.
- 2.9 Liquidated Damages: If the Seller fails to deliver any or all of the Goods/Services within the original/re-fixed delivery period(s) specified in the contract, the Buyer will be entitled to deduct/recover the Liquidated Damages for the delay, unless covered under Force Majeure conditions aforesaid, @ 0.5% per week or part of the week of delayed period as pre-estimated damages not exceeding 10% of the contract value without any controversy/dispute of any sort whatsoever. In case, Service Level Agreement (SLA) is applicable the same shall be applicable for the Contract.

2.10 Financial Certificate:

- 2.10.1 The expenditure involved for this purpose has received the Sanction of the competent financial authority.
- 2.10.2 The funds are available under the proper head in the sanction budget allotment for the concern financial year.
- 2.10.3 I have been fully authorized by the department to sign the supply order or incur the liability of the Goods being ordered.
- 2.11 The bidder should submit a self declaration to the effect in bidder's official letter head that their agency have not been black listed by any Agency whatsoever till date.

3. Additional Terms and conditions

3.1 Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.