# Contract|अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687767806693

Generated Date | अनुबंध तिथि: 05-Sep-2023

Bid/RA/PBP No.|बोली/आरए/पीबीपी संख्या: <u>GEM/2022/B/2681512</u>

Organisation Details|संगठन विवरण

Type।प्ररूप: Central PSU Ministry|मंत्रालय : Ministry of Coal Department|विभाग : Materials Management Organisation Name|संगठन का नाम : **Bharat Coking Coal Limited** 

Office Zone|कार्यालय क्षेत्र: **Bccl Dhanbad** 

Buyer Details|खरीदार विवरण

Designation | पद : Deputy Manager MM

Contact No.|संपर्क नंबर : Email ID|ईमेल आईडी :

anils.yadav@nic.in

GSTIN | जीएसटीआईएन : 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla Address|पता: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

Financial Approval Detail।वित्तीय स्वीकृति विवरण

IFD Concurrence|आईएफडी सहमति :

Designation of Administrative Approval

प्रशासनिक अनुमोदन का पदनाम:

Designation of Financial Approval|

वित्तीय अनुमोदन का पदनाम :

D(T)P&P,BCCL GM (MM),BCCL Paying Authority Details | भुगतान प्राधिकरण विवरण

PAO Payment Mode|

भगतान का तरीका:

Offline

Designation|पद :

Senior Manager Email ID|ईमेल आईडी : pay8.bccl.dhn@gembuyer.in

GSTIN|जीएसटीआईएन: 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

Address|पता:

Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details|विक्रैता विवरण

GeM Seller ID|जेम विक्रैता आईडी : 0008200001229929

Company Name|कंपनी का नाम : INTERNATIONAL QUALITY INSTRUMENTS

Contact No.|संपर्क नंबर : 09996031691 Email ID|ईमेल आईडी : iqisales17@gmail.com

1134,Kartar Nagar,Model town,Ambala city, Address|पता:

Ambala, HARYANA-134003, -

MSME Registration number|एमएसएमई पंजीकरण संख्या : UDYAM-HR-01-0013299

MSE Social Category|एमएसई सामाजिक श्रेणी : General MSE Gender|एमएसई लिग श्रेणी : GSTIN|जीएसटीआईएन: 06CUPPM3371R1ZQ

\*GST / Tax invoice to be raised in the name of|जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions|वितरण निर्देश : NA

Product Details|उत्पाद विवरण

#	Item Description आइटम विवरण	Ordered Quantity  आइटम विवरण	Unit   इकाई	Unit Price (INR)  इकाई मूल्य (INR)	Tax Bifurcation (INR)  कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR)  मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: IQI Rotary Microtome with Soft touch Screen display Brand ब्रांड: IQI Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Rotary Microtome (Q3) Model मॉडल: FAM-17 HSN Code एचएसएन कोड: 90279010	1	pieces	346,000	NA	346,000
Тс	Total Order Value  कुल ऑर्डर मूल्य (in INR)					346,000

## Consignee Detail|परेषिती विवरण

.No  <sub>Б.सं.</sub>	Consignee परेषिती	Item वस्तु	Lot No.  लॉट नंबर	Quantity  मात्रा	Delivery Start After   दिनांक के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By  वितरण पूरा कब तक करना है
	Designation पद : - Email ID ईमेल आईडी : anand.kumar@coalindia.in					

1 GSTI Addi Nag	tact संपर्क : 0326-2206167-234 IN जीएसटीआईएन : 20AAACB7934MFZB ress पता : Chief Of Medical Services, Central Hospital , PO- Jagjiv ar., NBAD, JHARKHAND-826003, India	IQI Rotary Microtome with Soft touch Screen display 1 05-Sep-2023 05-Oct-202:					
Product Specification for IQI Rotary Microtome with Soft touch Screen display							
Specification  वनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य					
	Conformity to Standards	US FDA					
Standards	Certification number and date	22FDA3225F and 11/03/2022					
	Confirmty to Manufacturing Standards	ISO 13485, 9001					
	Purpose	Sectioning of organic tissue into thin sections for microscopic examination of specimens					
	Type of Microtome	Fully automatic rotary microtome					
	Section thickness in µm	1-100 μm					
	Section thickness increment range in µm	0.5 to 100 micron, Increments 0.5 μm from 0.5 μm – 2.0 μm, Increment 1.0 μm from 2.0 μm – 10 μm, Increment 2.0 μm from 10 μm – 50 μm, Increment 5.0 μm from 50 μm – 100 μm					
	Mechanism	Motorized feed mechanism with Electronic and manual cutting options					
	No of electronic cutting option	3					
	Integrated lockable hand wheel capable of being locked in any desired position	Yes					
	Rotation of wheel can be both clockwise and anti-clockwise	Yes					
	Type of blocks which can be cut	Both paraffin and epoxy resin blocks					
	Length of vertical stroke in mm	60mm for small standard clamp					
	Horizontal specimen feed in mm	30					
	Specimen orientation facility in degree (through X and Y axis)	8°					
	Specimen holder design	both with directional specimen holder fixture					
	Availibility of Specimen retraction with provision of On/Off switching	Yes					
	Type of blade holder	Disposable blade holder with integrated with Knife angle position locking & Lateral Displacement facility & safety finger protection guard					
	Material of blade	SS					
	Type of disposable blade	Both high profile and low profile					
	Number of packet of disposable blades (50 blades in 1 packet)	2 pkt					
	Knife holder to be supplied	Yes					
	Weight of the machine in kg	45					
Performance Parameters	Lubricant machine oil bottle to be supplied	Yes					
	Handwheel Lock / Brake	1 Mechanical Locks, 1 Electronic Brake					
	Emergency brake for user safety	Yes for fully automatic microtome					
	Display	Soft touch Screen display  Complete function of automatic sectioning, Fast trimming and Slice counting, section thickness,					
	Functions of display	trimming thickness, sum remaining travel of specimen feed and date information					
	Trimming Thickness range	"1 micron - 600 micron, Increments 1 μm from 1 μm – 20.0 μm, Increment 2.0 μm from 20.0 μm – 50 μm, Increment 5.0 μm from 50 μm – 100 μm , Increment 10.0 μm from 100 μm – 600 μm"					
	Motorized Coarse feed	adjustable from 0 – 300 μm, free programmable					
	Cutting speed	Steplessly adjustable from 3 – 300 mm/sec or in two speeds :300 mm/sec & 900 mm/sec WITH Single, Continous, programmable, manual SECTIONING STROKE in case of fully automatic microtome in case of fully automatic microtome					
	Specimen Retraction	"In Manual Sectioning Mode: $5$ - $100~\mu m$ (in $5~\mu m$ increments); can be turned off , In Motorized Sectioning Mode: Speed-Dependent; can be turned off"					
	Relative Humidity During Operation	20% to Max. 80% Non-Condensing					
	Ambient operating Temperature range in Degree centigrade celcius and humidity range	10 to +30°C					
	Section waste tray,dust cover ,brush cleaning cloth	Yes					

	Instruction manual to be supplied with the item	Yes
	Power supply	220 V, 50 Hz AC , Single phase
	Power cord ,fuse and allen key set to be supplied with the item	Yes
	The Equipment shall be installed and demonstrated before Acceptance installation and demonstration	Yes
	Details of service centres, contact numbers and email ids to be furnished at the time of making the supplies to the buyer/consignee	Yes
	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3
Reports	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

## Buyer Defined Additional Specification for |खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए IQI Rotary Microtome with Soft touch Screen display

Specification विनिर्देश	Value मूल्य
Installation, demonstration and training should be provided before acceptance	Yes
Specimen Holder must be suitable for Universal Cassette Clamp	Yes
Specimen Retraction should be minimal	Yes

### ePBG Detail | ईपीबीजी विवरण

Advisory Bank   सलाहकार बैंक :	State Bank of India
ePBG Percentage(%)   ईपीबीजी प्रतिशत (%) :	10.00

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

## Terms and Conditions|नियम और शर्तें

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

#### 2.2 Purchase Preference (Centre):

Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

#### 2.3 Service & Support.

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

#### 2.4 Certificates

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 2.5 Warranty

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

### 2.6 Inspection.

Pre-dispatch inspection at Seller premises (Fee/Charges to be borne by the BUYER): Before dispatch, the goods will be inspected by Buyer / Consignee or their Authorized Representative or by Nominated External Inspection Agency (independently or jointly with Buyer or Consignee as decided by the Buyer) at Seller premises (or at designated place for inspection as declared / communicated by the seller) for their compliance to the contract specifications. Fee/Charges taken by the External inspection Agency and any external

laboratories testing charges shall be borne by the Buyer. For in-house testing, the Sellers will provide necessary facilities free of cost. Seller shall notify the Buyer through e-mail about readiness of goods for pre-dispatch inspection and Buyer will notify the Seller about the Authorized Representative/ Nominated External Inspection Agency and the date for testing. The goods would be dispatched to consignee only after clearance in pre-dispatch inspection. Consignee's right of rejection as per GTC in respect of the goods finally received at his location shall in no way be limited or waived by reason of the goods having previously been inspected, tested and passed by Buyer/ Consignee or its Nominated External Inspection Agency prior to the goods' shipment. While bidding, the sellers should take into account 7 days for inspection from the date of email offering the goods for inspection. Any delay in inspection beyond 7 days shall be on the part of the buyer and shall be regularised without Liquidated Damages.

When there is requirement of submission the advance sample, the seller shall inform the buyer promptly through emails about the date of submission of sample to the buyer nominated Inspection agency.

#### 2.7 Inspection.

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Inspection may be carried out by committee nominated by CMO I/C CHD, BCCL.

Post Receipt Inspection at consignee site before acceptance of stores:

Final Inspection may be carried out by committee nominated by CMO I/C CHD,BCCL at Consignee's end.

#### 2.8 Generic.

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

#### 2.9 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 2 10 Canaria

Upload Manufacturer authorization: Wherever Authorised Distributors are submitting the bid, Manufacturers Authorisation Form (MAF)/Certificate with OEM details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।