

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687774563638

Generated Date | अनुबंध तिथि: 10-May-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3055124](#)

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप : Central PSU Ministry मंत्रालय : Ministry of Coal Department विभाग : Materials Management Organisation Name संगठन का नाम : Bharat Coking Coal Limited Office Zone कार्यालय क्षेत्र : Bclcl Dhanbad	Designation पद : Deputy Manager MM Contact No. संपर्क नंबर : - Email ID ईमेल आईडी : anils.yadav@nic.in GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति : No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम : GM (S&R), BCCL Designation of Financial Approval वित्तीय अनुमोदन का पदनाम : GM(MM), BCCL	Role : PAO Payment Mode भुगतान का तरीका : Offline Designation पद : Senior Manager Email ID ईमेल आईडी : pay8.bclcl.dhn@gembuyer.in GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी : 8M5G210004506596 Company Name कंपनी का नाम : SAVITAR SERVICES PRIVATE LIMITED Contact No. संपर्क नंबर : 09540999095 Email ID ईमेल आईडी : vivek.s@pia-consultancy.com Address पता : A-116, DDA SHED,, OKHLA PHASE-2,, New Delhi, DELHI-110020, - MSME verified एमएसएमई सत्यापित : No MSME Registration number एमएसएमई पंजीकरण संख्या : UDYAM-DL-08-0022241 MSE Social Category एमएसएमई सामाजिक श्रेणी : General MSE Gender एमएसएमई लिंग श्रेणी : Male GSTIN जीएसटीआईएन : 07AAYCS2540L1ZQ	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : Contact details to related to supply 1. 6287695727 2. Contact details for installation 6287695663,6287695759 Please supply material as soon as possible. requirement is urgent in nature

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम : INDCOOL Split Air Conditioner Including Green AC 3501 ≤ 5200 Brand ब्रांड : INDCOOL Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति : OEM verified catalogue Selling As कैसे बेचा जा रहा है : OEM verified Reseller Category Name & Quadrant श्रेणी का नाम और चतुर्थांश : Split Air Conditioner Including Green AC - (Version 2.0) (Q2) Model मॉडल : IDCACSG18K5 HSN Code एचएसएन कोड : 8415	8	pieces	38,120	NA	304,960
Total Order Value कुल ऑर्डर मूल्य (in INR)						304,960

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू	Delivery To Be Completed By वितरण पूरा कब

					करना है	तक करना है
1	Designation पद : - Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	INDCOOL Split Air Conditioner Including Green AC 3501 ≤ 5200	-	8	10-May-2023	24-Jun-2023
Product Specification for INDCOOL Split Air Conditioner Including Green AC 3501 ≤ 5200						
Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य				
GENERIC	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)	1.5				
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2)	3501 ≤ 5200				
	Technology of air conditioner	Inverter AC - Variable Speed				
	ISEER (Wh/Wh) values for compliance of Green AC	>= 5.4 for 1.5 Ton				
	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC				
STANDARDS	Split Air Conditioner	Conforming to IS:1391 (Part 2) latest				
	Unit Mounting Arrangement	Indoor Unit - Wall Mount type				
	Availability of BIS/ISI Mark certification	Yes				
	Air Conditioner Compliance	Green AC				
	BEE Star rating of the product (in Nos) (Central Ministries/ Departments while procuring shall ensure that the items carry 5 star (under normal conditions where annual usages is expected to be more than 1000 hrs),3 Star (where usage is Limited)	5				
BEE star rating plan	as per Gazette Notification No. S.O. 3897 (E) daated. 29th October 2019 and as per BEE Notification dated 19th April 2022					
REFRIGERANTS	Eco-friendly Refrigerant	Yes				
	Refrigerant designation	R 32				
	Refrigerant Global warming potential (GWP)	675 (for R32)				
	Refrigerant Ozone Depletion Potential is Zero	Yes for Green AC				
CONSTRUCTION	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)				
	Heating capacity (in Watts)	Not applicable for Cooling only (Cooling and dehumidification during cooling mode)				
	Unit type	Single split (Single Indoor and Single outdoor)				
	Compressor Type	Rotary Type				
	Additional requirement	Not applicable				
MATERIAL	Material of Evaporator	Copper				
	Material of Condensor	Copper				
	Material of Air Filter (on indoor unit)	Synthetic Fiber				
	Reusable air filter	Yes				
GENERAL FEATURE	AC Modes	Turbo Mode,Dehumidification Mode,Power Saving Mode,Auto Clean Mode,Self Diagnosis Mode,Quiet Mode,Dry Mode,Eco saving,Swing,Timer				
	Remote Control Features	Timer,Fan speed control,On/OFF				
	Additional Features	Anti Bacteria Filter,Sleep mode,Auto Off,Auto Restart,Indoor Temperature Indicator,Active Carbon Filter,Dust Filter,Auto Air Swing,Refrigerant Leakage Detector,Virus Deactivation Technology,Works Even at 52 degree C ambient,PM 0.3 Filter,Cathachin Filter,Vitamin C Diffuser,4 way Auto Air Swing,Nanotek Coating on Evaporator Tubes,Automotive Grade Coating on outdoor unit				
ENVIRONMENTAL FEATURE	Noise level	As per IS:1391 (Part 2) latest				
	Environmental Friendly Paint	Yes (Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr)				
	Recycled Plastic Components	>80% by weight of total plastic components in product				
MARKING AND PACKING	Marking on the Split AC	as per Cl.17.1.1 and as per Cl.17.1.2 of IS:1391 (part 2)				
	Mode of packing	Packed with Recycled Material				
	Supply cord and the interconnecting cord between the	3 m (PVC Insulated sheathed cables as per IS:694)				

ACCESSORIES	indoor and outdoor uni	
	Accessories / Installation kit with each split air conditioner	3 m Cu connecting pipe (for Wall Mount type upto 2 Ton),Remote control,2 nos.of battery for each remote,Operating Manual,Installation Manual,No Installation kit
WARRANTY	AC Machine warranty (in Years)	1
	Warranty on compressor (in Years)	10 (for Inverter AC) upto including 2 Ton capacity
INSTALLATION	Installation	Standard Installation included (Scope of installation as per STC attached)
	Not included in the scope of supply	As per STC attached
CERTIFICATION	Availability of type test report from Govt Lab/ NABL accredited lab / ILAC accredited lab to prove conformity of the specification	Yes. As per IS:1391 (Part 2) latest
	Test report number and date - Must declare	OEM
	Name and address of Lab - Must declare	OEM
	Environmental Management Certification	ISO: 14000
	Other certification	Not applicable
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

Seller Specification Document | विक्रेता विशिष्टता दस्तावेज़:

1. Applicable Specification Document	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp63723227/51/16/877/CategorySc hema/q_r_spcn_document/2022/7/5/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a73dab7da9468444f1fa .pdf
--	---

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	NA
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	NA

Terms and Conditions | नियम और शर्तें

1. Special terms and conditions- Version:3 effective from 12-07-2022

1.1 Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred wherein appliances and threshold star rating have been circulated.

STC FOR SPLIT AIR CONDITIONERS

- Scope of installation and Commissioning for Ceiling Mount / Cassette AC
 1. Mounting/Fitting of indoor and outdoor units at the respective locations after cutting the false ceiling / drilling holes into the roof, if required.
 2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 3. Checking / Charging Refrigerant gas in the unit.
 4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
 5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire
- Following are not included in the scope of supply for Ceiling Mount / Cassette AC:
 1. Refrigerant pipe of required length.
 2. Set of 4 nos. of Rods for fixing Cassette AC to the roof.
 3. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling
 4. Switches/ Sockets / Plug Tops / Voltage Stabilizer./ Stand for ODU/Drain pipe/Angles
- Scope of installation and Commissioning for Floor Standing / Tower type Split AC
 1. Mounting/Fitting of indoor and outdoor units at the respective locations.
 2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 3. Checking / Charging Refrigerant gas in the unit.
 4. Suitable electric wiring between indoor unit and switch upto 3 meters length.
 5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire
- Following are not included in the scope of supply for Floor Standing / Tower type Split AC
 1. Refrigerant pipe of required length.
 2. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling
 3. Switches/ Sockets / Plug Tops / Voltage Stabilizer / Stand for ODU/Drain pipe/Angles

- Scope of installation and Commissioning for Wall Mount / High wall Split AC
 1. Mounting/Fitting of indoor and outdoor units at the respective locations.
 2. Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.
 3. Checking / Charging Refrigerant gas in the unit.
 4. Suitable electric wiring between indoor unit and switch upto 3 meters length
 5. Testing for satisfactory working without any abnormal noise as well as leakage test of entire system
- Following are not included in the scope of supply for Wall Mount / High wall Split AC
 1. Chiselling / Ducting / grooving for concealing the Refrigerant piping / cabling
 2. Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

3.2 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.3 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3.4 Warranty:

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.5 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.6 Inspection:

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not Applicable

Post Receipt Inspection at consignee site before acceptance of stores:

GM(E&M) I/C or his representative.

3.7 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

(a) Copy of Valid BIS License as per IS 1391, Part-2 for Offered AC to be uploaded.

(b) Copy of Proof of Relevant document in support of BEE Star Marking (5 star) as per BEE Notification dated 19.4.2022 shall be uploaded by bidder and confirmation that Offered AC shall be labeled as per the same.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।