Contract|अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687755198499

Generated Date | अनुबंध तिथि: 21-Oct-2023

Bid/RA/PBP No.|बोली/आरए/पीबीपी संख्या: <u>GEM/2023/B/3529657</u>

Organisation Details|संगठन विवरण

Type।प्ररूप: Central PSU Ministry|मंत्रालय : Ministry of Coal Department|विभाग : Materials Management Organisation Name|संगठन का नाम : **Bharat Coking Coal Limited**

Office Zone|कार्यालय क्षेत्र:

Bccl Dhanbad

Buyer Details|खरीदार विवरण

Designation | पद : Deputy Manager MM

Contact No.|संपर्क नंबर : Email ID|ईमेल आईडी :

anils.yadav@nic.in

GSTIN | जीएसटीआईएन : 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

Address|पता: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

Financial Approval Detail।वित्तीय स्वीकृति विवरण

IFD Concurrence|आईएफडी सहमति :

Designation of Administrative Approval

प्रशासनिक अनुमोदन का पदनाम:

Designation of Financial Approval|

वित्तीय अनुमोदन का पदनाम :

D(T)P&P

GM (MM),BCCL

Paying Authority Details | भुगतान प्राधिकरण विवरण

PAO Payment Mode|

भगतान का तरीका:

Offline

Designation|पद : Senior Manager

Email ID|ईमेल आईडी : pay8.bccl.dhn@gembuyer.in GSTIN|जीएसटीआईएन:

20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar,

Address|पता:

DHANBAD, JHARKHAND-826005, India

Seller Details|विक्रैता विवरण

GeM Seller ID|जेम विक्रैता आईडी : F361200001350569 Company Name|कंपनी का नाम : Power Select Systems Contact No.|संपर्क नंबर : 09811283486

Email ID|ईमेल आईडी : powerselectsystem@gmail.com

R-30. phase-2, Near holy convent school, Ranhola Road, Uttam Nagar, Address|पता :

West Delhi, DELHI-110059, -

MSME verified | एमएसएमई सत्यापित : Yes

MSME Registration number|एमएसएमई पंजीकरण संख्या : UDYAM-DL-11-0004432

MSE Social Category|एमएसई सामाजिक श्रेणी : General MSE Gender|एमएसई लिंग श्रेणी : Male

GSTIN|जीएसटीआईएन: 07AKSPG9736F1ZP

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश : NA

Product Details|उत्पाद विवरण

#	Item Description आइटम विवेरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहिते)
1	Product Name उत्पाद का नाम : BILGON utomatic Line Voltage Correctors (Step Type) for Domestic Use 4 No Brand ब्रांड : BILGON Brand Type ब्रांड प्रकार : Registered Brand Catalogue Status कैटलॉग की स्थिति: Catalogue not verified by OEM Selling As कैसे बेचा जा रहा है : Reseller not verified by OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थोश : Automatic Line Voltage Correctors (Step Type) for Domestic Use - IS - 8448 (Q2) Model मॅडल: AVR-04120C HSN Code एचएसएन कोड: 9032	72	pieces	4,095	NA	294,840
Tot	al Order Value कुल ऑर्डर मूल्य (in INR)					294,840

Consignee Detail परेषिती विवरण	Consignee	Detail	परेषिती	विवरण
--------------------------------	-----------	--------	---------	-------

S.No Consignee परेषिती Item वस्तु Lot No. क्र.सं. Consignee परेषिती Item वस्तु Eत्रींक के बाद डिलीवरी शुरू करना है
--

If, product of burstees in expose trees number / Not. Number must be declared in 15 Native lab	Email II Contac GSTIN Addres Dhanba	ation पद : - D ईमेल आईडी : con1.bccl.jh@gembuyer.in t संपर्क : 62876-95727- जीएसटीआईएन : 20AAACB7934MFZB s पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, ad, Jharkhand-828101., BAD, JHARKHAND-828101, India	BILGON utomatic Line Voltage Correctors (Step Type) for Domestic Use 4 No	-	72	21-Oct-2023	05-Dec-2023	
Autorated: Line Voltage Correctors (Step Type) for Domestic Use Generally conforming to as per 15.644816199 based Product ISI Marked We product ISI Marked is 15 marked is Yes*, 815 Linene number / CMIL Number must be delicated. IT ISI Marked is no Product ISI Marked is 15 marked is Yes*, 815 Linene number / CMIL Number must be delicated. IT ISI Marked is no Product ISI Marked is 15 marked is Yes*, 815 Linene number / CMIL Number must be delicated. IT ISI Marked is no Product ISI Marked is 15	Product Spe	ecification for BILGON utomatic Line Voltage Correctors	(Step Type) for Domes	tic Use 4 N	0			
Automatic Line Voltage Correctors (Step Types for Domestic Use Generally conforming so as per 15844811990 latest		Sub-Spec उप-विनिर्देश		Value	मूल्य			
TANDARDS If, product ISI marked is Yes*, BIS License number / CM/L Number must be deficated . If ISI Marked is no monitor wint of North National Marked* Agreed to furnish valid BIS License copy to buyer on demand ATTING Agreed to furnish valid BIS License copy to buyer on demand ATTING Piput voltage range Strigle Phase Sine wave (120V-250V) Dutput voltage range Output voltage range Output voltage range Overall efficiency of ALVC (Minimum, in % age) Metallic Copper Temperature class of insulation III Current rating of the Relay/contactors (Amp) Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appr		Automatic Line Voltage Correctors (Step Type) for Domestic Use Generally conforming to		as per	IS:8448:1989	latest		
If, product of burstees in expose trees number / Not. Number must be declared in 15 Native lab		Product ISI Marked		No				
Rated KVA (in KVA) Input voltage range Uptor voltage Uptor voltage range Uptor voltage Uptor Vo	STANDARDS		ust be delcared . If ISI Marke	ed is no				
Input voltage range Output voltage range Not range Not range Not range Output voltage range Output voltage range Output voltage range Not range Not range Not range Output voltage range Output range Not range Output voltage range Not range Not range Output voltage range Not range Not range Output voltage range Not range Not range Output voltage range Output voltage range Output voltage range Not range Not range Output voltage range Output voltage range Not range Output voltage range Output voltage Output v		Agreed to furnish valid BIS License copy to buyer on demand			Non ISI Mark	ed		
Output voltage range		Rated KVA (in KVA)						
Usuper voltage range Overall efficiency of ALVC (Minimum, in % age) Material of enclosure Material of working Temperature class of insulation H Current rating of the Relay/contactors (Amp) Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of rotective devices meeting the requirements of appropriate standards on the input side Provision of findicator lamp to indicate that the unit is 'ON' on the chasis Provision of power supply cord / Output socket / terminal as applicable for input and output as per CL6.6 of IS:8448 Mounting Type Mail mounting Mail mounting Warranty genoid (in Months) Warranty penoid (in Months) Warranty penoid (in Months) Test report number and date - Must declare Name and address of Lab - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Wall mounts or higher Wall mounting Type Wall mounting Type Warranty Minimum 24 months or higher Whoso Specification किस्टिंग Wall mounting Wall mounting Type Corrigendum किस्टिंग Name and address of Lab - Must declare Marranty Minimum 24 months or higher Whoso Specification किस्टिंग Name and septimates 2023 06:23 11:00:00 ePBG Detail \$400000000000000000000000000000000000		Input voltage range		Single	Phase Sine w	ave (120V-280V)		
Material of enclosure Material of winding Copper Temperature class of insulation Unrear rating of the Relay/contactors (Amp) Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of rote time the unit is "ON" on the chaels Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of power supply cord / Output socket / terminal as applicable for input and output Provision of power supply cord / Output socket / terminal as applicable for input and output Wail mounting Overall weight of ALVC (Kg) - Must declare Marking on the ALVC Additional requirement Wairranty period (in Months) 12 Warranty period (in Months) 12 Availability of Type Test Report from Central Govt. Lab //NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Pes Buyer Defined Additional Specification for क्वरीदार परिपाणिक अतिरिक्त विचिध्य के लिए BILGON utomatic Line Voltage Correctors (Step Type Domestic Use 4 No Specification क्वरिया Warranty Minimum 24 months or higher Workson Bank क्वर्डक क्	KAIING	Output voltage range		Single	Phase sine w	ave (210V - 250V)		
Material of winding Temperature class of insulation Current rating of the Relay/contactors (Amp) Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of rottective devices meeting the requirements of appropriate standards on the input side Provision of rottective devices meeting the requirements of appropriate standards on the input side Provision of rottective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of findicator lamp to indicate that the unit is 'ON' on the chasis Provision of protective devices meeting the requirements as applicable for input and output as per Cl.10.6 of 15:8448 Wall mounting Overall weight of ALVC (Kg) - Must declare Marking on the ALVC Additional requirement Warranty period (in Months) Warranty period (in Months) Test report number and date - Must declare Notic - New Dehi - 110028 Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. as per Cl.12.1.1 of 15:8448-1989 latest Ves. provided Ves. a		.Overall efficiency of ALVC (Minimum, in % age)		95				
Temperature class of insulation H Current rating of the Relaykontactors (Amp) As per Cl. 6.4 of IS:8448 latest Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of indicator lamp to indicate that the unit is 'ON' on the chasis Provision of power supply cord / Output socket / terminal as applicable for input and output as per Cl. 6.6 of IS:8448 Mounting Type Overall weight of ALVC (Kg) - Must declare Additional requirement Warranty period (in Months) Warranty period (in Months) Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Text report number and date - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand West and		Material of enclosure		Metalli	С			
Corrent rating of the Relay/contactors (Amp) Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of volt meter Digital Volt Meter Provision of indicator lamp to indicate that the unit is 'ON' on the chasis Provision of power supply cord / Output socket / terminal as applicable for input and output as per CI.6.6 of IS.8448 Mounting Type Overall weight of ALVC (Kg) - Must declare Marking on the ALVC Additional requirement Material of winding marked on the product as we in the packaging Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Provision of power supply cord / Output socket / terminal as applicable for input and output Agreed to furnish all the test reports and certificates to buyer on demand Provision of protective devices meeting the requirements of appropriate standards and requirement as applicable for input and output Additional Specification for success to the provision of the pr		Material of winding		Coppe	r			
Provision of protective devices meeting the requirements of appropriate standards on the input side Provision of volt meter Digital Volt Meter Provision of volt meter Provision of indicator lamp to indicate that the unit is 'ON' on the chasis Provision of power supply cord / Output socket / terminal as applicable for input and output as per CL6.6 of IS.8448 Mounting Type Overall weight of ALVC (Kg) - Must declare Marking on the ALVC Additional requirement Warranty period (in Months) Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Wes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरक्षित विशेषता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification किर्नेष Norranty Minimum 24 months or higher Corrigendum कृदिम्ब 1. Extended Upto कृष्क सम्मापण : 2023-06-23 11:00:00 ePBG Detail ईपीकीण विरुप		Temperature class of insulation		н				
Provision of voit meter Digital Volt Meter Provision of voit meter Provision of indicator lamp to indicate that the unit is 'ON' on the chasis Yes. Provided as per CL6.6 of 15:8448 Provision of power supply cord / Output socket / terminal as applicable for input and output as per CL6.6 of 15:8448 Mounting Type Wall mounting Type Wall mounting Type Wall mounting Type Wall mounting Type Additional requirement In the packaging Provision of power supply cord / Output socket / terminal as applicable for input and output as per CL6.6 of 15:8448 latest Provision of power supply cord / Output socket / terminal as applicable for input and output as per CL6.6 of 15:8448 latest Provision of power supply cord / Output socket / terminal as applicable for input and output as per CL6.6 of 15:8448 latest Provision of the product as well as per CL1.1 of 15:8448 latest Provision In the packaging Provision of the product as well as per CL1.1 of 15:8448 latest Provision In the packaging Provision of the product as well as per CL1.1 of 15:8448 latest Provision In the packaging Provision of the product as well as per CL1.1 of 15:8448 latest Provision In the packaging Provision of the product as well as per CL1.1 of 15:8448 latest Provision In the packaging Provisi		Current rating of the Relay/contactors (Amp)		As per				
Provision of indicator lamp to indicate that the unit is 'ON' on the chasis Provision of power supply cord / Output socket / terminal as applicable for input and output as per Cl.6.6 of 15:8448 Mounting Type Veall mounting Overall weight of ALVC (Kg) - Must declare Marking on the ALVC Additional requirement Warranty period (in Months) Text report number and date - Must declare Naviallability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Text report number and date - Must declare Name and address of Lab - Must decl		Provision of protective devices meeting the requirements of appropri	ate standards on the input s	ide Fuse p				
Provision of indicator lamp to indicate that the unit is ON on the chasis Provision of power supply cord / Output socket / terminal as applicable for input and output as per Cl.66 of IS.8448 Mounting Type Overall weight of ALVC (kg) - Must declare Marking on the ALVC Additional requirement Warranty period (in Months) Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare NSIC - New Delhi - 110028 Agreed to furnish all the test reports and certificates to buyer on demand Per Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type Domestic Use 4 No Specification बिनिदेश Value मूल्य Narranty Minimum 24 months or higher Corrigendum बुद्धियह 1. Extended Upto अक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विदरण Must see that the unit is On the on the control of		Provision of volt meter		Digital	Digital Volt Meter			
Mounting Type Wall mounting Overall weight of ALVC (kg) - Must declare Additional requirement Warranty period (in Months) Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Wes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification जिन्हेंस Narranty Minimum 24 months or higher Corrigendum खुद्धिस्व 1. Extended Upto जक स्वया गवा : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विदरण Middisory Bank बसाइकार कैंक : Nal Marking on the ALVC (kg) - Must declare 12 as per Cl.11 of IS:8448:1989 latest Material of winding marked on the product as we in the packaging 12 Ves. as per Cl.12.1.1 of IS:8448:1989 latest Ves. as per Cl.12.1.1 of IS:8448:1989	CONSTRUCTION	Provision of indicator lamp to indicate that the unit is 'ON' on the cha	sis	Yes. Pr				
Mounting Type Wall mounting Overall weight of ALVC (kg) - Must declare Additional requirement 12 Warranty period (in Months) 12 Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare 0042666 06.011.2020 Name and address of Lab - Must declare 0042666 06.011.2020 Name and address of Lab - Must declare Nist C- New Delhi - 110028 Agreed to furnish all the test reports and certificates to buyer on demand Yes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification विनिदेश Value मृख्य Narranty Minimum 24 months or higher Corrigendum शुद्धिस्व 1. Extended Upto कक स्वयंव कथा : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विदरण Missory Bank बकाइकार कैंक : NA		Provision of power supply cord / Output socket / terminal as applicab	le for input and output	as per				
Overall weight of ALVC (kg) - Must declare Marking on the ALVC Additional requirement Warranty period (in Months) Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Yes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type Domestic Use 4 No Specification विनिदेश Warranty Minimum 24 months or higher Corrigendum शुद्धिपत्र 1. Extended Upto जरू बढ़ावा गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण		Mounting Type	· · · · · · · · · · · · · · · · · · ·	<u> </u>	·			
Marking on the ALVC Additional requirement Material of winding marked on the product as win the packaging Warranty period (in Months) Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare Name and address of Lab - Must declare Agreed to furnish all the test reports and certificates to buyer on demand Yes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type Domestic Use 4 No Specification विनिदेश Warranty Minimum 24 months or higher Corrigendum शुद्धिम्ब 1. Extended Upto वक बढ़ावा गवा : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण								
Additional requirement In the packaging								
Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove conformity to the Specification Test report number and date - Must declare Name and address of Lab - Must declare NSIC - New Delhi - 110028 Agreed to furnish all the test reports and certificates to buyer on demand Yes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification विनिर्देश		-		Materi	Material of winding marked on the product as well as			
conformity to the Specification Test report number and date - Must declare NSIC - New Delhi - 110028 Agreed to furnish all the test reports and certificates to buyer on demand Pes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification विनिर्देश		Warranty period (in Months)		12	. 5 5			
Test report number and date - Must declare 0042666 06.011.2020 Name and address of Lab - Must declare NSIC - New Delhi - 110028 Agreed to furnish all the test reports and certificates to buyer on demand Yes Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification विनिदेश Value मूल्य Warranty Minimum 24 months or higher Corrigendum शुद्धिपत्र 1. Extended Upto तक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण		Availability of Type Test Report from Central Govt. Lab /NAB Accredited L/ILAC Accredited lab to prove		rove Yes. as				
Agreed to furnish all the test reports and certificates to buyer on demand Per Market Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification विनिर्देश Warranty Minimum 24 months or higher Corrigendum शुद्धिपत्र 1. Extended Upto तक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण Advisory Bank सलहकार बँक : NA	CERTIFICATION	Test report number and date - Must declare			0042666 06.011.2020			
Buyer Defined Additional Specification for खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए BILGON utomatic Line Voltage Correctors (Step Type) Domestic Use 4 No Specification विनिर्देश Value मूल्य Marranty Minimum 24 months or higher Corrigendum शुद्धिपत्र 1. Extended Upto तक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण		Name and address of Lab - Must declare			NSIC - New Delhi - 110028			
Domestic Use 4 No Specification विनिर्देश		Agreed to furnish all the test reports and certificates to buyer on demand			Yes			
Minimum 24 months or higher Corrigendum शुद्धिपत्र 1. Extended Upto तक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण dvisory Bank सलाहकार बैंक :	Domestic U	se 4 No		omatic Lin	e Voltage	Correctors (St	ep Type) for	
Corrigendum शुद्धिपत्र 1. Extended Upto तक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण Advisory Bank सलाहकार बैंक :	-							
1. Extended Upto तक बढ़ाया गया : 2023-06-23 11:00:00 ePBG Detail ईपीबीजी विवरण Advisory Bank सलाहकार बैंक :	variancy	William	124 Months of Higher					
Advisory Bank सलाहकार बैंक :	1. Extended Up	oto तक बढ़ाया गया : 2023-06-23 11:00:00						
	er na nergii	·				Ι		
ePBG Percentage(%) इंपीबीजी प्रतिशत (%) :		सलाहकार बंक :						
							NIA	

Terms and Conditions।नियम और शर्तें

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-
- 2.1 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.2 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.3 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form / Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.4 Service & Support

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.5 Service & Support:

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.6 Inspection

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

N.A

Post Receipt Inspection at consignee site before acceptance of stores: As deputed by GM (E&M) I/c.

2.7 Warranty.

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।