# Contract|अनुबंध



**Contract No|अनुबंध क्रमांक:** GEMC-511687735057882 Generated Date।अनुबंध तिथि: 21-Oct-2023

Bid/RA/PBP No.|बोली/आरए/पीबीपी संख्या: <u>GEM/2023/B/3479128</u>

**Schedule Name|अनुसूची नाम:**Schedule 1

			<u> </u>	<b></b>		
Organisation Details संगठन विवरण		uyer Details	-			
Type प्ररूप :		esignation पद :		Deputy Manager M	IM	
Ministry मंत्रालय :	2	ontact No. संपर्व		-		
Department विभाग :	_	mail ID ईमेल आई		anils.yadav@nic.in		
Organisation Name संगठन का नाम :	_	STIN जीएसटीआई		20AAACB7934MFZ		
Office Zone कार्यालय क्षेत्र:	Bccl Dhanbad		I	MM Department, l	evel 3, Commercial Build	ding, Koyla
	A	ddress पता :		Bhawan, Koyla Nag	-	
				DHANBAD, JHARKH	AND-826005, India	
Financial Approval Detail वित्तीय र्स्व	ोकृति विवरण F	aying Autho	ority De	tails भुगतान प्रापि	धेकरण विवरण	
IFD Concurrence आईएफडी सहमति :	No	ole:	1	PAO		
Designation of Administrative Approval	P	ayment Mode		0.601		
प्रशासनिक अनुमोदन का पदनाम:	D(T)P&P	गतान का तरीका:		Offline		
Designation of Financial Approval		esignation पद :	:	Senior Manager		
वित्तीय अनुमोदन का पदनाम :	GM (MM),BCCL	mail ID ईमेल आई	ड़ी :	pay8.bccl.dhn@ge	mbuyer.in	
		STIN जीएसटीआई	एन:	20AAACB7934MFZ	В	
			I	MM Department, l	evel 3, Commercial Build	ding, Koyla
	A	ddress पता:	I	Bhawan, Koyla Nag	gar,	
			I	DHANBAD, JHARKH	AND-826005, India	
Seller Details विक्रैता विवरण						
GeM Seller ID जेम विक्रैता आईडी :	5CKT230008188080					
Company Name कंपनी का नाम :	Wave 7					
Contact No. संपर्क नंबर :	06290905787					
Email ID ईमेल आईडी :	mail@wave7.in					
Address पता :	86,Tollygunge Circular Road,New Alipon	2,				
	Kolkata, WEST BENGAL-700053, -					
MII Status एमआईआई स्थिति : MSM5 vorified।प्राणप्रापार्य गुन्वाफिर :	True					
MSME verified   एमएसएमई सत्यापित :						
MSME Registration number एमएसएमई पंजीकर	ण संख्या : UDYAM-WB-10-0042050					
	Coporal					
MSE Social Category एमएसई सामाजिक श्रेणी :	General					
MSE Social Category एमएसई सामाजिक श्रेणी : MSE Gender एमएसई लिंग श्रेणी : GSTIN जीएसटीआईएन:	Male 19AACFW3865D1Z0	CCT (TAX -				
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि	Male					cal
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिंग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise	<sub>Male</sub> 19AACFW3865D1Z0 d in the name of जिसके नाम के पक्ष में					cal
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिंग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि specification. Product Details।उत्पाद विवरण	<sub>Male</sub> 19AACFW3865D1Z0 d in the name of जिसके नाम के पक्ष में				nodel no ,techni Tax Bifurcation (INR)	Cal Price (Inclusive of all Duties an Taxes in INR)  मूल्य (INR मं सभी शुल्क औ कर सहिते)
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिंग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि specification. Product Details।उत्पाद विवरण # Item Desc # Item Desc # Product Name।उत्पाद का नाम : godrej 1.5 To Brand।ब्रांड : godrej Brand प्रpe।ब्रांड प्रकार : Registered Brand Catalogue Status।केटलॉग की स्थिति: OEM verified F	Male 19AACFW3865D120 d in the name of   जिसके नाम के पक्ष में गर्देश : Material require urgently Kin ription   आइटम विवेरण on, 5 Start Green AC rrified catalogue Reseller तेर चतुर्थाश : Split Air Conditioner Including Green AC	dley delive Ordered Quantity  आइटम विवेरण	r item	With same r Unit Price (INR)	nodel no ,techni Tax Bifurcation (INR)	Price (Inclusive all Duties a Taxes in INR)  मूल्य (INR म सभी शुल्क अं
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिंग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि specification. Product Details।उत्पाद विवरण f Item Desc Product Name।उत्पाद का नाम : godrej 1.5 To Brand।ब्रांड : godrej Brand Type।ब्रांड प्रकार : Registered Brand Catalogue Status।केटलॉग की स्थिति: OEM ver Selling As]केसे बेचा जा रहा है : OEM verified F Category Name & Quadrant।श्रेणी का नाम अ (V3) (Q2) Model।मॉडल: GODREJ SAC 1.5 TON 5 STAF HSN Code।एचएमएसएन कोड: HSN not specified	Male 19AACFW3865D120 d in the name of   जिसके नाम के पक्ष में गर्देश : Material require urgently Kin ription   आइटम विवेरण on, 5 Start Green AC rrified catalogue Reseller तेर चतुर्थाश : Split Air Conditioner Including Green AC	dley delive Ordered Quantity  आइटम विवेरण	tr item Unit   इकाई	with same r Unit Price (INR)  इकाई मूल्य (INR)	nodel no ,techni Tax Bifurcation (INR)  कर विभाजन (INR)	Price (Inclusive all Duties a Taxes in INR)  मूल्य (INR म सभी शुल्क अं कर सहित)
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिंग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि specification. Product Details।उत्पाद विवरण f Item Desc Product Name।उत्पाद का नाम : godrej 1.5 To Brand।ब्रांड : godrej Brand Type।ब्रांड प्रकार : Registered Brand Catalogue Status।केटलॉग की स्थिति: OEM ver Selling As]केसे बेचा जा रहा है : OEM verified F Category Name & Quadrant।श्रेणी का नाम अ (V3) (Q2) Model।मॉडल: GODREJ SAC 1.5 TON 5 STAF HSN Code।एचएमएसएन कोड: HSN not specified	Male 19AACFW3865D120 d in the name of   जिसके नाम के पक्ष में गर्देश : Material require urgently Kin ription   आइटम विवेरण on, 5 Start Green AC rrified catalogue Reseller तेर चतुर्थाश : Split Air Conditioner Including Green AC	dley delive Ordered Quantity  आइटम विवेरण	tr item Unit   इकाई	with same r Unit Price (INR)  इकाई मूल्य (INR)	nodel no ,techni Tax Bifurcation (INR)  कर विभाजन (INR)	Price (Inclusive all Duties a Taxes in INR)  मूल्य (INR र सभी शुल्क अ कर सहिते) 1,913,140
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि specification. Product Details।उत्पाद विवरण # Item Desc # Item Desc	Male 19AACFW3865D120 d in the name of   जिसके नाम के पक्ष में गर्देश : Material require urgently Kin ription   आइटम विवेरण on, 5 Start Green AC rrified catalogue Reseller तेर चतुर्थाश : Split Air Conditioner Including Green AC	dley delive Ordered Quantity  आइटम विवेरण	tr item Unit   इकाई	with same r Unit Price (INR)  इकाई मूल्य (INR)	nodel no ,techni Tax Bifurcation (INR)  कर विभाजन (INR)	Price (Inclusive all Duties a Taxes in INR)  मूल्य (INR र सभी शुल्क अ कर सहिते) 1,913,140
MSE Social Category।एमएसई सामाजिक श्रेणी : MSE Gender।एमएसई लिग श्रेणी : GSTIN।जीएसटीआईएन: *GST / Tax invoice to be raise Delivery Instructions।वितरण नि specification. Product Details।उत्पाद विवरण # Item Desc # Item Desc	Male 19AACFW3865D120 d in the name of   जिसके नाम के पक्ष में गर्देश : Material require urgently Kin ription   आइटम विवेरण on, 5 Start Green AC rrified catalogue Reseller तेर चतुर्थाश : Split Air Conditioner Including Green AC	dley delive Ordered Quantity  आइटम विवेरण	tr item Unit   इकाई	with same r Unit Price (INR)  इकाई मूल्य (INR)	nodel no ,techni Tax Bifurcation (INR)  कर विभाजन (INR)	Price (Inclusive all Duties a Taxes in INR)  मूल्य (INR सभी शुल्क उ कर सहिते) 1,913,140

क्र.सं.			लॉट नंबर	मात्रा	डिलीवरी शुरू करना है	By  वितरण पूरा कब तक करना है	
Email ID Contact 1 GSTIN ज Address Dhanbad	tion पद : -  ईमेल आईडी : con1.bccl.jh@gembuyer.in संपर्क : 62876-95727- गीएसटीआईएन : 20AAACB7934MFZB  पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJOR/ d, Jharkhand-828101., D, JHARKHAND-828101, India	godrej 1.5 Ton, 5 Start Green AC	-	46	21-Oct-2023	05-Dec-2023	
Product Spec	ification for godrej 1.5 Ton, 5 Start Green AC						
वर्निर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य					
	Split Air Conditioner	Conforming to IS:1391 (Part 2	?) latest				
	Availability of BIS/ISI Mark certification	Yes					
	Air Conditioner Compliance	Green AC					
Standards	BEE Star rating of the product (in Nos. ) (Central Ministries/ Departments while procuring shall ensure that the items carry 5 star (where annual usages is expected > 1000 hrs),3 Star (where usage is Limited) ("0" Star Rating means "Not Aplicable")	5					
	BEE star rating plan	as per Gazette Notification Notification Notification dated 19th April		daated. 29th	h October 2019 and	d as per BEE	
	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)	1.5					
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2)	3501 ≤ 5200					
	Technology of air conditioner	Inverter AC - Variable Speed					
Generic	Unit Mounting Arrangement	Indoor Unit - Wall Mount type	2				
	ISEER (Wh/Wh) values for compliance of Green AC	>/= 5.4 for 1.5 Ton					
	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC					
	Tolerance Value for Rated Voltage	10% of rated Voltage					
	Eco-friendly Refrigerant	Yes					
	Refrigerant designation	R 32					
Refrigerants	Refrigerant Global warming potential (GWP)	675 (for R32)					
	Refrigerant Ozone Depletion Potential is Zero	Yes for Green AC					
	Classification by function	Cooling only (Cooling and del	numidification	during coolii	ng mode)		
Construction	Heating capacity (in Watts) Hint:- Seller should select matching Heating Capacity Value with respect to their Nominal Marketing Capacity in Tonnage)	Not applicable for Cooling on	ly (Cooling and	l dehumidific	cation during cooli	ng mode)	
construction	Unit type	Single split ( Single Indoor an	d Single outdo	or)			
	Compressor Type	Rotary Type					
	Additional Requirement	Not Applicable					
	Material of Evaporator	Copper					
	Material of Condenser	Copper					
Material	Material of Air Filter (on indoor unit)	Synthetic Fiber					
	Reusable air filter	Yes					
	AC Modes	Turbo Mode,Dehumidification Mode,Quiet Mode,Dry Mode, consumption,Swing,Timer,Sn	Eco saving,Cor	-		,Self Diagnosis	
General Feature	Remote Control Features	Timer,Fan Speed Control,On/	OFF				
	Additional Features	Anti Bacteria Filter,Sleep moc Filter,Dust Filter,Auto Air Swir ambient,PM 0.3 Filter,Catha c Coating on Evaporator Tubes	ng,Refrigerant hin Filter,Vitan	Leakage Det nin C Diffuse	ector,Works Even a r,4 way Auto Air Sv	at 52 degree C	
	Noise level	As per IS:1391 (Part 2) latest					
Environmental Feature	Environmental Friendly Paint	Yes					
	Recycled Plastic Components	>80% by weight of total plast	c components	in product			
Marking and	Marking on the Split AC	as per Cl.17.1.1 and as per Cl.	17.1.2 of IS:13	91 (part 2)			

Packing	Mode of packing		Packed with Recycled Material		
Neenee	Supply cord and the interco and outdoor unit	onnecting cord between the indoor	3 m (PVC Insulated sheathed cab	oles as per IS:694)	
Accessories	Accessories / Installation kit with each split air conditioner		3 m Cu connecting pipe (for Wall Mount type upto 2 Ton), Remote control, 2 nos.of batter for each remote, Operating Manual, Installation Manual, No Installation kit		
	AC Machine warranty (in Ye	ears)	1		
Varranty	Warranty on compressor (i	in Years)	10 (for Inverter AC upto including	g 2 Ton capacity)	
	Installation		Standard Installation included (Scope of installation as per STC attached)		
nstallation	Not included in the scope of	of supply	As per STC attached		
		ort from Govt Lab/ NABL accredited lab ove conformity of the specification	Yes. As per IS:1391 (Part 2) latest	:	
	Test report number and da	ate (Must declare)	NA		
	Name and address of Lab (	(Must declare)	NA		
Certification	Environmental Manageme	nt Certification	ISO: 14000		
	Other certification		Not applicable		
	Agreed to furnish all the te demand	est reports and certificates to buyer on	Yes		
Buyer Defin	•	ition for  खरीदार परिभाषित अतिरिकेत   Value मूल्य	विशिष्टता के लिए godrej 1.5 Tc	on, 5 Start Green AC	
Copper Pipe	•	Minimum 3 Meter Copper pipe needs t	o be provided with the machine.		
				Charles Davids of Incide	
Advisory Bank   PBG Percentag	e(%)   ईपीबीजी प्रतिशत (%) :	s per bid's terms and conditions   बोली लग	ाने वाले को बोली के नियमों और शर्तों के अनुस	State Bank of India 10.00 सार लागू ईंपीबीजी प्रस्तुत करना होगा	
The bidder shall	e(%)   ईपीबीजी प्रतिशत (%) :	· · ·	ाने वाले को बोली के नियमों और शर्तों के अनुस	10.00	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: nistries/ Departments while pro	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON	the Department of Expenditure (D	10.00 वार लागू ईपीबीजी प्रस्तुत करना होगा	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: aistries/ Departments while pro Rating of the Bureau of Energ tar ratings have been circulate	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON	the Department of Expenditure (D	10.00 सार लागू ईंपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold on	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of in:	e(%)   ईपीबीजी प्रतिशत (%) :   furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: histries/ Departments while pro Rating of the Bureau of Energ tar ratings have been circulate PLIT AIR CONDITIONERS stallation and Commissioning	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON ed.	the Department of Expenditure (D / No.26/6/2012-PPD dated 21.01.2	10.00 सार लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold of 013 may also be referred to wherein appliances and	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of in: Mounting/F Laying of re	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: histries/ Departments while pro Rating of the Bureau of Energ tar ratings have been circulate LIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor u	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after cut	the Department of Expenditure (D / No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes	10.00 सार लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold on 013 may also be referred to wherein appliances and into the roof, if required.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of ins Mounting/F Laying of re Checking / (	e(%)   ईपीबीजी प्रतिशत (%) :   furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: histries/ Departments while pri Rating of the Bureau of Energ tar ratings have been circulate tar ratings have been circulate stallation and Commissioning Fitting of indoor and outdoor u effigerant piping and connecti Charging Refrigerant gas in th	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after cut	the Department of Expenditure (D // No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes lrilling hole/holes in the wall, if req	10.00 सार लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold or 1013 may also be referred to wherein appliances and into the roof, if required.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of in: Mounting/F Laying of re Checking / I Suitable ele	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: histries/ Departments while pro Rating of the Bureau of Energ tar ratings have been circulate LIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor t efrigerant piping and connecti Charging Refrigerant gas in the ectric wiring between indoor u	1 effective from 27-01-2023 rocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after c ne unit.	the Department of Expenditure (D / No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes lrilling hole/holes in the wall, if req th.	10.00 सार लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold on 013 may also be referred to wherein appliances and into the roof, if required.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of ins Mounting/F Laying of re Checking / Suitable ele Testing for	e(%)   ईपीबीजी प्रतिशत (%) :   furnish ePBG as applicable as Conditions   नियम और शर्ते ns and conditions- Version: histries/ Departments while pro Rating of the Bureau of Energ tar ratings have been circulate PLIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor u efrigerant piping and connecti Charging Refrigerant gas in th extric wiring between indoor u satisfactory working without a	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after cut ne unit.	the Department of Expenditure (D // No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes lrilling hole/holes in the wall, if req th.	10.00 सार लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold on 013 may also be referred to wherein appliances and into the roof, if required.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of ins Mounting/F Laying of re Checking / ( Suitable ele Testing for The followin Refrigerant Set of 4 nos Chiselling / Switches/ S Scope of ins Mounting/F Laying of re	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ms and conditions- Version: histries/ Departments while pro- Rating of the Bureau of Energy tar ratings have been circulate LIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor u effigerant piping and connecti Charging Refrigerant gas in the ectric wiring between indoor u satisfactory working without a ng are not included in the scop : pipe of the required length. 5. of Rods for fixing Cassette A Ducting / grooving for conceat ockets / Plug Tops / Voltage St stallation and Commissioning Fitting of indoor and outdoor u	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DoE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after c ne unit. units and switches up to 3 meters in lengt any abnormal noise as well as leakage te pe of supply for Ceiling Mount / Cassette c to the roof. aling the Refrigerant piping/cabling tabilizer./ Stand for ODU/Drain pipe/Ang for Floor Standing / Tower type Split AC units at the respective locations. ing with indoor and outdoor units after c	the Department of Expenditure (D A No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes Irilling hole/holes in the wall, if req th. st of entire AC:	10.00 सर लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold or 013 may also be referred to wherein appliances and into the roof, if required. juired.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of ins Mounting/F Laying of re Checking / 1 Suitable ele Testing for The followin Refrigerant Set of 4 nos Chiselling / Switches/S Scope of ins Mounting/F Laying of re Checking / 1 Switches/S Scope of ins Mounting/F Laying of re Chiselling / Switches/S Scope of ins Mounting/F Laying of re Checking / 1 Switches/S	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ms and conditions- Version: histries/ Departments while pro Rating of the Bureau of Energ tar ratings have been circulate PLIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor u efrigerant piping and connecti Charging Refrigerant gas in th extric wiring between indoor u satisfactory working without a ng are not included in the scop sockets / Plug Tops / Voltage SI stallation and Commissioning Fitting of indoor and outdoor u satisfactory working without a ng are not included in the scop sockets / Plug Tops / Voltage SI stallation and Commissioning Fitting of indoor and outdoor u stallation and Commissioning Fitting of indoor and outdoor u	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DOE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after c ne unit. units and switches up to 3 meters in lengt any abnormal noise as well as leakage te pe of supply for Ceiling Mount / Cassette co to the roof. aling the Refrigerant piping/cabling tabilizer./ Stand for ODU/Drain pipe/Ang for Floor Standing / Tower type Split AC units at the respective locations. ing with indoor and outdoor units after c ne unit.	the Department of Expenditure (D // No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes lrilling hole/holes in the wall, if req th. st of entire AC: les lrilling hole/holes in the wall, if req	10.00 सर लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold or 013 may also be referred to wherein appliances and into the roof, if required. juired.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of ins Mounting/F Laying of re Checking / 1 Suitable ele Testing for The followin Refrigerant Set of 4 nos Chiselling / Switches/ S Scope of ins Mounting/F Laying of re Checking / 1 Suitable ele Testing for The followin Mounting/F Laying of re Checking / 1 Switches/ S Scope of ins Mounting/F Laying of re Switches/ S Scope of ins Mounting/F Laying of re Switches/ S Scope of ins Mounting/F Laying of re Checking / 1 Switches/ S Scope of ins Mounting/F Laying of re Switches/ S Scope of ins Mounting/F Switches/ S Scope of ins Mountin	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ms and conditions- Version: histries/ Departments while pro Rating of the Bureau of Energy tar ratings have been circulated LIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor u effigerant piping and connecti Charging Refrigerant gas in the ectric wiring between indoor u satisfactory working without a ng are not included in the scop stallation and Commissioning Fitting of indoor and outdoor u satisfactory working without a ng are not included in the scop stallation and Commissioning Fitting of indoor and outdoor u satisfactory working without a ng are not included in the scop stallation and Commissioning Fitting of indoor and outdoor u stallation and commissioning fitting of indoor and outdoor u st	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DOE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after of re unit. units and switches up to 3 meters in lengt any abnormal noise as well as leakage te pe of supply for Ceiling Mount / Cassette cut to the roof. aling the Refrigerant piping/cabling tabilizer./ Stand for ODU/Drain pipe/Ang for Floor Standing / Tower type Split AC units at the respective locations. ing with indoor and outdoor units after of the unit. units and switches up to 3 meters in lengt any abnormal noise as well as leakage te pe of supply for Floor Standing / Tower type	the Department of Expenditure (D // No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes lrilling hole/holes in the wall, if req th. st of entire les lrilling hole/holes in the wall, if req th. st of entire	10.00 सर लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold or 013 may also be referred to wherein appliances and into the roof, if required. juired.	
Advisory Bank   PBG Percentag The bidder shall Terms and ( 1. Special term 1.1 Central Min higher Star threshold s STC FOR SP Scope of ins Mounting/F Laying of re Checking / 1 Suitable ele Testing for The followin Refrigerant Set of 4 nos Chiselling / Switches/S Scope of ins Mounting/F Laying of re Checking / 1 Switches/S Scope of ins Mounting/F Laying of re Checking / 1 Switches/S Scope of inst Mounting/F Laying of re Checking / 1 Switches/S Scope of inst Mounting/F Switches/S Scope of inst Switches/S Scope of inst Switches/Scope of inst Switc	e(%)   ईपीबीजी प्रतिशत (%) : furnish ePBG as applicable as Conditions   नियम और शर्ते ms and conditions- Version: histries/ Departments while pro- Rating of the Bureau of Energy tar ratings have been circulate LIT AIR CONDITIONERS stallation and Commissioning Fitting of indoor and outdoor to efrigerant piping and connecti Charging Refrigerant gas in the ectric wiring between indoor u satisfactory working without a ng are not included in the scop stallation and Commissioning Fitting of the required length. s. of Rods for fixing Cassette A Ducting / grooving for conceat isting of indoor and outdoor to estillation and Commissioning Fitting of indoor and outdoor to stallation and Commissioning Fitting of indoor and outdoor to charging Refrigerant gas in the score wiring between indoor u satisfactory working without a ing are not included in the scop spipe of the required length. Ducting / grooving for conceating the score working without a stalisfactory working wi	1 effective from 27-01-2023 ocuring electrical appliances notified by gy Efficiency (BEE). In this regard, DOE ON ed. for Ceiling Mount / Cassette AC units at the respective locations after cut ing with indoor and outdoor units after c e unit. units and switches up to 3 meters in lengt any abnormal noise as well as leakage te pe of supply for Ceiling Mount / Cassette co to the roof. aling the Refrigerant piping/cabling tabilizer./ Stand for ODU/Drain pipe/Ang for Floor Standing / Tower type Split AC units at the respective locations. ing with indoor and outdoor units after of ne unit.	the Department of Expenditure (D A No.26/6/2012-PPD dated 21.01.2 ting the false ceiling/drilling holes Irilling hole/holes in the wall, if req th. st of entire AC: les Irilling hole/holes in the wall, if req th. st of entire ype Split AC	10.00 सर लागू ईपीबीजी प्रस्तुत करना होगा oE) shall ensure that they carry the notified threshold or 013 may also be referred to wherein appliances and into the roof, if required. juired.	

Mounting/Fitting of indoor and outdoor units at the respective locations.

Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall, if required.

Checking / Charging Refrigerant gas in the unit.

Suitable electric wiring between indoor units and switch upto 3 meters in length

Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system

The following are not included in the scope of supply for Wall Mount / High wall Split AC

Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling, Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic.

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

a. Copy of PAN Card.

b. Copy of GSTIN.

c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

#### 3.2 Generic.

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.3 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

# 3.4 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

### 3.5 Warranty.

Warranty period of the supplied products shall be as given in specifications from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

# 3.6 Service & Support.

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

# 3.7 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

#### 3.8 Inspection.

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not Applicable

Post Receipt Inspection at consignee site before acceptance of stores: As deputed by GM (E&M) I/c.

3.9 *Buyer Added Bid Specific ATC*: Buyer Added text based ATC clauses

(a) Copy of Valid BIS License as per IS 1391, Part-2 for Offered AC to be uploaded

(b) Copy of Proof of Relevant document in support of BEE Star Marking (5 star) as per BEE Notification dated 19.4.2022 shall be uploaded by bidder a nd confirmation that Offered AC shall be labeled as per the same.

C)The service center for all the items should be locally estabilished.

3.10 *Forms of EMD and PBG*: Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Bharat Coking Coal Limited payable at Dhanbad

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

#### 3.11 Generic.

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।