

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687710808790

Generated Date | अनुबंध तिथि: 14-Oct-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3579983](#)

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU Ministry मंत्रालय: Ministry of Coal Department विभाग: Materials Management Organisation Name संगठन का नाम: Bharat Coking Coal Limited Office Zone कार्यालय क्षेत्र: Bclcl Dhanbad	Designation पद: Deputy Manager MM Contact No. संपर्क नंबर: - Email ID ईमेल आईडी: anils.yadav@nic.in GSTIN जीएसटीआईएन: 20AAACB7934MFZB Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: No Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: D (P), BCCL Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: GM (MM), BCCL	Role: PAO Payment Mode भुगतान का तरीका: Offline Designation पद: Senior Manager Email ID ईमेल आईडी: pay8.bclcl.dhn@gembuyer.in GSTIN जीएसटीआईएन: 20AAACB7934MFZB Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: 82F1180000114893 Company Name कंपनी का नाम: AARYA TECHNOLOGIES Contact No. संपर्क नंबर: 09923810197 Email ID ईमेल आईडी: gemaaryaprotech@gmail.com Address पता: 4, SAYALI DARSHAN, WING A,,RADHA NAGAR, BEHIND SWAMI SAMARTH KENDRA,,MAKHMALABAD ROAD,,PANCHVATI,, Nashik, MAHARASHTRA-422003, - MSME verified एमएसएमई सत्यापित: No MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-MH-23-0024139 MSE Social Category एमएसएमई सामाजिक श्रेणी: OBC MSE Gender एमएसएमई लिंग श्रेणी: Female GSTIN जीएसटीआईएन: 27AIYPJ2538A1Z6	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: Kindly deliver material as per

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: SMART BUDDY 2 - seater portable toilet 915mm X 915mm x 1980mm (for 1- seater) with Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater) Brand ब्रांड: SMART BUDDY Brand Type ब्रांड प्रकार: Registered Brand Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: Portable Toilet (Q3) Model मॉडल: AT-PT-MDL1-2023B3579983 HSN Code एचएसएन कोड: 94060099	61	pieces	75,500	NA	4,605,500
Total Order Value कुल ऑर्डर मूल्य (in INR)						4,605,500

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनों के बाद डिलीवरी शुरू करना है	Delivery To Be Completed By वितरण पूरा कब तक करना है

1	Designation पद :- Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	SMART BUDDY 2 - seater portable toilet 915mm X 915mm x 1980mm (for 1- seater) with Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1- seater and 2-seater)	-	61	14-Oct-2023	12-Jan-2024
---	--	--	---	----	-------------	-------------

Product Specification for SMART BUDDY 2 - seater portable toilet 915mm X 915mm x 1980mm (for 1- seater) with Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1-seater and 2-seater)

Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य
GENERIC	Mode of Supply	Assembled Ready To Use
	Number of Compartments	2 - seater portable toilet
	Type of WC	Indian with ceramic base
	Number of WC	1
	Number of Urinals (For Gents and Ladies to be mentioned separately)	1
	Number of Bathrooms	0
	Water facility	By mean of overhead tank(Capacity 200Ltrs)
	Wash basin	1 No. in each WC unit(inside)
	Sewage facility	Sludge tank(Capacity 200 Ltrs) with 75mm outlet facility through butterfly valve and hosepipe(for 1- seater and 2-seater)
	ventilation	Two No.
	Lifting hook	four number heavy lifting hook provided
	Top(roof) shape	Slanting/tapper
	Projection of Roof	50mm projection on all the four sides
	Installation and commissioning	To be done by seller
	Plumbing and Sanitary fitting connection	To be done by seller
	Electrical connection	To be done by Consignee himself
	Waste extraction fittings	To be done by seller
Civil foundation	Required - To be done by seller	
FRAME MATERIAL	Bottom frame material	35mm X 35mm X 5mm(thick) SS angle for one seater
	Bottom frame support material	25mm X 25mm X 3mm(thick) MS angle (for 1-seater, 2-seater & 3-seater)
	Side panel frame material	35mm X 35mm X 5mm(thick) MS angle
	Top(roof) frame material	35mm X 35mm X 5mm(thick) MS angle
	Top(roof) support frame structure	25mm X 25mm X 3mm(thick) MS angle
	Partition frame material	No partition frame structure
	Ventilation frame material	25mm X 25mm X 3mm(thick) flat MS
	Door frame material	35 mm x 35 mm x 5 mm (thick) MS ANGLE
	Support material for Door panel fixing	SS U-channel of 18gauge
	Door hinges(two numbers)	75mm size with 1.2-1.5mm thickness MS
	Tank holder frame material	25mm X 3mm(thick) MS flat
	Unit understructure	Supported by 4-legs of size 35mm X 35mm X 5mm MS angle with corner support of 25mm x 25mm X 3mm MS angle for 1-seater
	Stairs frame material	No stairs
	Stairs material	No stair material
	Door Tee material	40mm X 40mm x40mm X 5mm(thick) MS Tee
PANEL MATERIAL	Side panel material	Single layer 3mm thick FRP
	Top(Roof) panel material	5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm)
	Door panel material	Single layer 3mm thick FRP
	partition panel material	Single layer 3mm thick FRP

	Floor material	5mm thick FRP material
DIMENSION	Cabin size(LXWXH) ± 25mm	915mm X 915mm x 1980mm (for 1- seater)
	Door size(WxH) ± 20mm	585mm x 1830mm
	Ventilation size(WXH) ± 10mm	838mm X 150mm(above door) plus 838mm X 75mm(opposite side)
	Partition height ± 20mm	NO partition
	Single pan size ± 10mm	As per buyer's choice
	Stairs size ± 10mm	NO stairs
	Leg height ±10mm	NO legs
MISC	Door locking bolts	Size 100mm SS
	Towerbolt locking	Towerbolt of SS size 75mm
	Overhead tank material	Made of PVC
	Wash basin material	made of FRP(fiber reinforced plastic)
	WC material	made of Ceramic
	Towel rail/ring	NO towel rail
	Cloth hook	made of chrome plated
	P-trap material	made of PVC(75mm)
	Footrest(WC) material	made of Ceramic integrated with Indian WC and floor
	Sewage tank material	made of FRP 4mm thick(for 2-seater & 3- seater)
	Dia of lifting hook	25mm
	Size of Mirror	455mm X 305mm
	Electric provision	By mean of connection from main line
	Sewage provision	provided
	Level indicator provision	N.A
	Water supply connection	UPVC pipe connection with all toilet interconnecting
	Seat cistern fitting	NO cistern
	Soap stand	Plastic made
	Tap	PVC push cock
Base floor surface	To be suitably slanted towards WC for proper drainage(for Indian WC)	
Movement facility for 2-seater and 3-seater	N.A	
Provision for vent pipe	N.A	
COLOUR & FINISH	Colour of cabin	As per buyer's choice
CERTIFICATION	Test reports to be furnished to buyer's on demand	YES
	OEM of offered product is ISO 9001:2015 certified	YES
WARRANTY	Warranty period in number of years	2

ePBG Detail | ईपीबीजी विवरण

Advisory Bank | सलाहकार बैंक :

State Bank of India

ePBG Percentage(%) | ईपीबीजी प्रतिशत (%) :

10.00

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

2.2 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

2.3 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.4 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.5 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.6 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Bharat Coking Coal Limited

payable at

Dhanbad

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.7 Inspection:

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

Not Applicable

Post Receipt Inspection at consignee site before acceptance of stores:

GM (Security) or his representative

2.8 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Bidder have to submit following documents,

1. Supply point details for item

2. GST rate on Item

3. a. The bidder must submit documentary evidence i.e. authenticated copy of such contracts/purchase orders received by them & their satisfactory performance.

b. Considering the practical difficulties in obtaining the performance reports in cases where provenness of the offered product is being ascertained on the basis of supply made in other subsidiaries of CIL or other PSUs/ Govt. Departments, the bidder will submit a Self-Certificate in the following format, along with Proof of Payment against the Purchase Order(s)/ Rate Contract(s) and Commissioning Certificate (s) (In case of Equipment ,P&M,etc, where installation & commissioning is required) :

"The items covered in the Purchase Order(s)/ Rate Contract(s) copies enclosed with our offer have been fully executed and have performed satisfactorily as per the provisions of respective Purchase Order(s)/ Rate Contract(s) and all the complaints/ claim (s) lodged by the purchaser, if any, have been attended to and no complaints/ claims(s) are pending."

2.9 Generic

Experience Criteria: The Bidder or its OEM (themselves or through reseller(s)) should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 2 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।