

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687756705783

अनुबंध तिथि | Generated Date : 29-Mar-2025

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/5385543](#)

अनुसूची नाम | Schedule Name: Schedule 3, Schedule 1, Schedule 2

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रारूप   Type : Central PSU मंत्रालय   Ministry : Ministry of Coal विभाग   Department : COAL INDIA LIMITED संगठन का नाम   Organisation Name : Bharat Coking Coal Limited कार्यालय क्षेत्र   Office Zone : BCCL Dhanbad Jharkhand	पद   Designation : Assistant Manager5 संपर्क नंबर   Contact No. : - ईमेल आईडी   Email ID : rohit.raj38@nic.in जीएसटीआईएन   GSTIN : - पता   Address : MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : DT(PP) वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : GMMM	Role: PAO भुगतान का तरीका   Payment Mode: Offline पद   Designation : Senior Manager ईमेल आईडी   Email ID : pay8.bccldhn@gembuyer.in जीएसटीआईएन   GSTIN : 20AAACB7934MFZB पता   Address : MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : STQT230009454471 कंपनी का नाम   Company Name : ULTRA FIRE PROTECTION ENGINEERS संपर्क नंबर   Contact No. : 09818122815 ईमेल आईडी   Email ID : gem.ultrafire@gmail.com पता   Address : Ground Floor, Kh. No. 19/1, Street No. 13, Village Libaspur, Swaroop Nagar, North West delhi, DELHI-110042, - एमएसएमई पंजीकरण संख्या   MSME Registration number : - जीएसटीआईएन   GSTIN : 07AAHFU1260F1ZD (R)

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Foam Based (as per IS 4989) Class -A ब्रांड   Brand : ultra fire ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model: ULTRA FIRE/UF-FOAM-09 cartridge type एचएसएन कोड   HSN Code: HSN not specified by seller	16	pieces	1,724	NA	27,584
2	उत्पाद का नाम   Product Name : ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -B ब्रांड   Brand : ultra fire ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model: ULTRA FIRE/UF-CO2-4.5 एचएसएन कोड   HSN Code: HSN not specified by seller	10	pieces	3,563	NA	35,630
	उत्पाद का नाम   Product Name : ultra fire Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Powder Based (as per IS 4308 ) Class -B					

3	<b>ब्रांड   Brand :</b> ultra fire <b>ब्रांड प्रकार   Brand Type :</b> Registered Brand <b>कैटलॉग की स्थिति   Catalogue Status :</b> OEM verified catalogue <b>कैसे बेचा जा रहा है   Selling As :</b> OEM verified Reseller <b>श्रेणी का नाम और चतुर्थांश   Category Name &amp; Quadrant :</b> Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) <b>मॉडल   Model :</b> ULTRA FIRE/UF-DCP-09 cartridge type <b>एचएसएन कोड   HSN Code :</b> HSN not specified by seller	30	pieces	1,734	NA	52,020
---	--	----	--------	-------	----	--------

कुल ऑर्डर मूल्य   Total Order Value (in INR)						115,234
--	--	--	--	--	--	---------

**परोक्षिती विवरण | Consignee Detail**

क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	<p>पद   Designation :-  ईमेल आईडी   Email ID : con1.bccl.jh@gembuyer.in  संपर्क   Contact : 90316-66224-  जीएसटीआईएन   GSTIN : 20AAACB7934MFZB  पता   Address : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., Dhanbad, JHARKHAND-828101, India</p>	ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Foam Based (as per IS 4989) Class -A	-	16	29-Mar-2025	28-May-2025
		ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -B	-	10	29-Mar-2025	28-May-2025
		ultra fire Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure ≤19 bar) Powder Based (as per IS 4308 ) Class -B	-	30	29-Mar-2025	28-May-2025

**Product Specification for ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Foam Based (as per IS 4989) Class -A**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Gas Cartridge Type (as per IS 4947)
	Extinguishing Media	Foam Based (as per IS 4989)
	Expellant Medium	CO2 Cartridge Based
Constructional Material	Type of Extinguisher	High Pressure Extinguisher (Service Pressure >19 bar)
	Material Specification for the body of High Pressure Extinguisher	Steel body (as per latest IS 7285)
	Material Specification for the body of Low Pressure Extinguisher	NA
Construction	Foam Based Extinguishing Media	Aqueous Film Forming Foam (AFFF)
	Powder Based Extinguishing Media	NA
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	9
	Powder Based Fire Extinguisher Capacity in Kg	NA
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	NA
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	NA
	Water Mist Fire Extinguisher Capacity in Liters	NA
Weight of Filled Portable Fire Extinguisher	14.5 kilogram	

	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3\text{ Kg}$ or Litres), NA
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Yellow (Foam)
	Pressure Gauge Range for Low-Pressure Extinguishers	20 bar
	Class of fire for which Fire Extinguisher is suitable	Class -A
Performance	Operating Temperature ( $^{\circ}\text{C}$ )	$-30^{\circ}\text{C}$ to $+60^{\circ}\text{C}$
	Test Pressure for all Fire extinguisher except CO2	35 bar
	Burst Pressure for all Fire extinguisher except CO2	55 bar
	Minimum Effective discharge time for Fire Extinguisher	13 second
	Fire Rating of different class of fires	144B
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq 2$ in case applicable on Class-A or Class A & B both / $\geq 1$ in case applicable on Class-B only)	2 meter
Certification	BIS Marking	Yes
	CM/L No With Validity Period	8100063499 till 2025
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory
	Test Report No	001
	Test Report Date	01.08.2022
	Name of the lab	FTRL
	Address of the lab	SONIPAT
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 8100063499

**खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure  $> 19$  bar) Foam Based (as per IS 4989) Class -A**

विनिर्देश   Specification	मूल्य   Value
1. Discharge range of Class-A and Class-B Fire Extinguishers	1) 4 meters
2. Weight of Filled Portable Fire Extinguisher	2) 12Kg 2 Kg

**Product Specification for ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure  $> 19$  bar) Carbon Dioxide Based (as per IS 15222) Class -B**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Stored Pressure
	Extinguishing Media	Carbon Dioxide Based (as per IS 15222)
	Expellant Medium	CO2 Extinguishing Medium
Constructional Material	Type of Extinguisher	High Pressure Extinguisher (Service Pressure $> 19$ bar)
	Material Specification for the body of High Pressure Extinguisher	Steel body (as per latest IS 7285)
	Material Specification for the body of Low Pressure Extinguisher	NA
	Foam Based Extinguishing Media	NA
	Powder Based Extinguishing Media	NA
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	NA
	Powder Based Fire Extinguisher Capacity in Kg	NA

Construction	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	4.5
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	NA
	Water Mist Fire Extinguisher Capacity in Liters	NA
	Weight of Filled Portable Fire Extinguisher	16.5 kilogram
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass $\geq$ 1.5Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres)
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Black (CO2)
	Presssure Gauge Range for Low-Pressure Extinguishers	0 bar
	Class of fire for which Fire Extinguisher is suitable	Class -B
Performance	Operating Temperature (°C)	-20°C to +60°C
	Test Pressure for all Fire extinguisher except CO2	0 bar
	Burst Pressure for all Fire extinguisher except CO2	0 bar
	Minimum Effective discharge time for Fire Extinguisher	10 second
	Fire Rating of different class of fires	34B
Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq$ 2 in case applicable on Class-A or Class A & B both / $\geq$ 1 in case applicable on Class-B only)	4 meter	
Certification	BIS Marking	Yes
	CM/L No With Validity Period	8100063499 till 2022
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory
	Test Report No	001
	Test Report Date	01.08.2022
	Name of the lab	FTRL
	Address of the lab	SONIPAT
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes
उत्पाद का बीआईएस लाइसेंस   BIS license of the product: 8100063499		
<b>खरीदार परिभाषित अतिरिक्त विशेषता के लिए   Buyer Defined Additional Specification for ultra fire Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure &gt;19 bar) Carbon Dioxide Based (as per IS 15222) Class -B</b>		
<b>विनिर्देश   Specification</b>		<b>मूल्य   Value</b>
1. DISCHARGE RANGE OF CLASS-A AND CLASS-B FIRE EXTENGUISHER (As per table 1 of CL 7-2-2) (Hint: ? 2 in case applicable on Class-A or Class-A & B both / ? 1 in case applicable on Class-B only)		1) 5 Meter
2. WEIGHT OF FILLED PORTABLE FIRE EXTENGUISHER NOT MORE THAN		2) 17 KILOGRAM
3.Colour Coding Band (As per CL 10-1)		3) Red
4. Pressure Gauge Range for Low-Pressure Extengishers		4) 20 Bar
<b>Product Specification for ultra fire Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure <math>\leq</math>19 bar) Powder Based (as per IS 4308 ) Class -B</b>		
<b>विनिर्देश   Specification</b>	<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>
Generic	Conformity to Standard	IS: 15683: 2018 (Latest amendments)
	Type	Gas Cartridge Type (as per IS 4947)
	Extinguishing Media	Powder Based (as per IS 4308 )
	Expellant Medium	CO2 Cartridge Based
	Type of Extinguisher	Low Pressure Extinguisher (Service Pressure $\leq$ 19 bar)

Constructional Material	Material Specification for the body of High Pressure Extinguisher	NA
	Material Specification for the body of Low Pressure Extinguisher	Welded low carbon steel cylinders (as per Clause 9.2.5 of IS 15683)
Construction	Foam Based Extinguishing Media	NA
	Powder Based Extinguishing Media	BC
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)	NA
	Name of Clean Agent as per (CL 5-1-3)	NA
	Foam Based Fire Extinguisher Capacity in Liters	NA
	Powder Based Fire Extinguisher Capacity in Kg	9
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg	NA
	Water Based Fire Extinguisher Capacity in Liters	NA
	Clean Agents Fire Extinguisher Capacity in Kg	NA
	Water Mist Fire Extinguisher Capacity in Liters	NA
	Weight of Filled Portable Fire Extinguisher	14.5 kilogram
	Features of Fire Extinguisher	Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5$ Kg or Cylinder diameter,Safety Devices (Mandatory for High Pressure Extinguisher),Rechargeable,Hose Assemblies (Mandatory If mass or volume of Extinguishing medium $> 3$ Kg or Litres),NA
	Marking	As per clause 10.2 of IS 15683 (latest)
	Colour Coding Band (As per CL 10-1)	Blue (Powder)
Performance	Operating Temperature ( $^{\circ}$ C)	-30 $^{\circ}$ C to +60 $^{\circ}$ C
	Test Pressure for all Fire extinguisher except CO2	35 bar
	Burst Pressure for all Fire extinguisher except CO2	55 bar
	Minimum Effective discharge time for Fire Extinguisher	8 second
	Fire Rating of different class of fires	144B
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq 2$ in case applicable on Class-A or Class A & B both / $\geq 1$ in case applicable on Class-B only)	3 meter
Certification	BIS Marking	Yes
	CM/L No With Validity Period	8100063499 till 2025
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification	Availability of Test Report from NABL accredited Laboratory
	Test Report No	001
	Test Report Date	01.08.2022
	Name of the lab	FTRL
	Address of the lab	SONIPAT
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 8100063499

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for ultra fire Portable Fire Extinguishers as per IS 15683 (2018) Low Pressure Extinguisher (Service Pressure  $\leq 19$  bar) Powder Based (as per IS 4308 ) Class -B

विनिर्देश   Specification	मूल्य   Value
1. Portable Fire Extinguishers Powder Based	1) DCP 9 Kg
2. Discharge Range of Class-A and Class-B fire Extinguishers	2) 3 Meter
3. Weight of Filled Portable Fire Extinguisher	3) 12 Kilogram 02 Kg

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 1.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

### 2. Buyer Added Bid Specific Terms and Conditions-

#### 2.1 Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- The Seller fails to comply with any material term of the Contract.
- The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- The Seller becomes bankrupt or goes into liquidation.
- The Seller makes a general assignment for the benefit of creditors.
- A receiver is appointed for any substantial property owned by the Seller.
- The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

#### 2.2 Generic

- The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer.
- The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer.
- The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under.

#### 2.3 Generic

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

#### 2.4 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

#### 2.5 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

#### 2.6 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

#### 2.7 Warranty:

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

#### 2.8 Inspection:

Nominated Inspection Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would be conducting inspection of stores before acceptance: Pre-dispatch Inspection at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):

NA

Post Receipt Inspection at consignee site before acceptance of stores:  
GM(S&R) or his representative.

#### 2.9 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

**0. Following document must be provided by supplier at the time of supply,**

- Supplier's invoice showing Contract Number, Goods description, quantity, unit price, total amount.**
- Railway receipt/ Transporter's consignment note /acknowledgement of receipt of Goods from the consignee(s);**
- Manufacturer's/Supplier's warranty / guarantee certificate;**
- Manufacturer's Test & Inspection certificate (if any).**

**V. Manufacturer's Authorization certificate and hydro-static pressure test certificate**

**1. TReDS: Trade Receivables Discounting System (TReDS) is an initiative of Reserve bank of India (RBI) to facilitate MSME receivable payments from corporates. BCCL has on boarded on following three TReDS platforms**

- i. Receivables Exchange of India Limited (RXIL), website- [www.rxil.in](http://www.rxil.in)**
- ii. A-treds Ltd (Invoicemart) , website- [www.invoicemart.com](http://www.invoicemart.com)**
- iii. Mynd Solutions Pvt.Ltd. (M1 exchange) , website- [www.m1exchange.com](http://www.m1exchange.com)**

**MSE bidders willing to get payment through this system may get registered on TReDS platform and confirm the respective member code of TReDS Portals in their offer. The bidder may contact respective portals for any queries /details.**

**2.10 Certificates:**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**2.11 Past Project Experience:**

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:  
a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.  
b. Execution certificate by client with contract value.  
c. Any other document in support of contract execution like Third Party Inspection release note, etc.  
Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:  
a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.  
b. Execution certificate by client with contract value.  
c. Any other document in support of contract execution like Third Party Inspection release note, etc.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.