अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687785002797

अनुबंध तिथि | Generated Date : 29-Oct-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4921529</u>

संगठन विवरण|Organisation Details

प्ररूप|Type: Central PSU मंत्रालय|Ministry: Ministry of Coal COAL INDIA LIMITED विभाग | Department : संगठन का नाम|Organisation Name : **Bharat Coking Coal Limited** कार्यालय क्षेत्र|Office Zone: BCCL Dhanbad Jharkhand

खरीदार विवरण|Buyer Details

पद | Designation : Manager I संपर्क नंबर|Contact No. : 94705-95938-ईमेल आईडी|Email ID : sonu.gupta@nic.in जीएसटीआईएन|GSTIN: 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

पता|Address : Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमित। IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम| DTOP Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details PAO

भुगतान का तरीका| Offline Payment Mode:

पद|Designation :

Senior Manager ईमेल आईडी|Email ID : pay8.bccl.dhn@gembuyer.in जीएसटीआईएन|GSTIN: 20AAACB7934MFZB

MM Department, level 3, Commercial Building, Koyla

पता|Address: Bhawan, Koyla Nagar,

DHANBAD, JHARKHAND-826005, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 2206180000513964

कंपनी का नाम|Company Name : CLOUD TECH PRIVATE LIMITED

संपर्क नंबर|Contact No.: 08930345768 ईमेल आईडी|Email ID : vimal@cloudtec.in

207-A, HSIIDC, Manakpur Industrial Estate, Phase-1, Manakpur, पता| Address :

Not Verified

Not Verified

Yamunanagar, HARYANA-135001, -

GMMM

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-HR-19-0003701 जीएसटीआईएन|GSTIN: 06AAGCC4158A1Z3 (R), (M)

खरीदार द्वारा मूल्यांकित एमआईआई स्थिति | MII Status as

evaluated by buyer :

खरीदार द्वारा सत्यापित एमएसएमई स्थिति | MSME Status as

verified by buyer :

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender: Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

	# आइटम विवेरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहिते) Price (Inclusive of all Duties and Taxes in INR)	
	उत्पाद का नाम Product Name: CLOUD TECH Mobile Type on Trolly 27000 to 31000 sqmtr for 100 meter Coverage Area Fog or Mist Generators ब्रांड Brand: CLOUD TECH ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थित Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant: Fog or Mist Generators (Q3) मॉडल Model: CTFC100 एचएसएन कोड HSN Code: 84248990	16	pieces	430,700	NA	6,891,200	
-	कुल ऑर्डर मूल्य Total Order Value (in INR)						

परेषिती विवरण।	Consignee	Detail
----------------	-----------	--------

Transfer Jeonsignee Detail	444M 1444-1 Consigned Detail					
क्र.सं. S.No परेषि	प्रती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है	वितरण पूरा कब तक करना है Delivery To Be

					Delivery Start After	Completed By
1	पद Designation : - ईमेल आईडी Email ID : con1.bccl.jh@gembuyer.in संपर्क Contact : 90316-66224- जीएसटीआईएन GSTIN : 20AAACB7934MFZB पता Address : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., Dhanbad, JHARKHAND-828101, India	CLOUD TECH Mobile Type on Trolly 27000 to 31000 sqmtr for 100 meter Coverage Area Fog or Mist Generators	-	16	29-Oct-2024	28-Nov-2024

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Working Principle	Based on a jet of finely atomised water carried by a stream of air generated by a fan.
	Uses of Mist Generator	Urban development zone construction land, demolition site, station storage coal yard, coal washing plant, coking plant, iron ore plant, port and other blowing sand control. The main function is spray dust suppression and the function of sprinkler and road flushing can effectively inhibit the production of dust.
	Hydraulic Pressure to obtain the required Throw Distance and Droplet Size	10 bar
	Throw Distance ±5%	100 meter
Generic	Water Droplet Size (μm)	30μm to50μm
	Coverage Area in sq meter for higher ratings	27000 to 31000 sqmtr for 100 meter
	Coverage Area in sq meter for other ratings (write NA for 80,100 and 120 meter)	0 square meter
	Angle of rotation	adjustable automatically up to a maximum of 320 degree and overridden by allowing full manual control of the machine
	Elevation Pitching Lower and Raise	adjustable between 0 and 45 degrees for the efficient management of range
	System mounting Type	Mobile Type on Trolly
	Sound suppression inbuilt	Yes
	Overall Length of Fog Canon	3 meter
	Overall Width of Fog Canon	1.9 meter
	Overall Height of Fog Canon	2.3 meter
	Overall Weight without Trolly	1200 kilogram
	Overall Weight with Trolly (write NA if not applicable) (Kg)	1600
	Power Consumption of Turbine Fan Motor (KW)	37 kiloWatt
	Nominal Current of Turbine Fan Motor (A)	68 Ampère
	Nominal Voltage & Frequency	3 Phase / 415 V/ 50 Hz
	High Pressure Booster Water Pump	Yes
	Power Consumption of High Pressure Booster Water Pump	11 kiloWatt
	Nos of Nozzles in Fog Canon	100
onstruction	Water Consumption at 10 Bar Pressure	250 liter
	Water Consumption at 15 Bar Pressure	133 liter
	Water Consumption at 20 Bar Pressure	50 liter
	Water Filter size (μm)	150
	Material Used for construction	Steel
	Grade of steel	Mild Steel
	Upward rotational Angle	90 degrees from horizontal position
	Rotation left to right	320 degrees
	Water consumption at declared throw distance	250 liter
	Nozzles Type	Solid Cone

	Water Nozzle Material	SS304
	Water Supply Connection diameter	63 millimeter
	Operating Control System	with remote operations through wired operator's panel and wireless operators panel
	Remote Control Range	100 meter
	Exhaust air velocity	33.5
	Water Discharge capacity (liter/minute)	250
	Throw length at 0 Beaufort Wind Condition (wind < 1 km/h)	100 meter
	Throw length at 4 Beaufort Wind Condition(wind 20–28 km/h)	10 meter
	Throw width at 0 Beaufort Wind Condition (wind < 1 km/h)	10 meter
Performance	Throw height Maximum	33 meter
	Covering surface area in fixed position	31000 square meter
	Noise level at full performance for Inbuilt sound suppression system at 1 meters	90 decibel
	Noise level at full performance for Inbuilt sound suppression system at 20 meters	65 decibel
	Degree of Protection (IP Rating)	IP 55
	Availability of Test Report from Central Govt/ NABL/ ILAC accredited lab to prove conformity of declared parameters	Yes
	Test Report Number and Date	20055000071 28/5/20
	Comprehensive annual maintenance contract plan should be delivered in India	Yes
Certification	Training of operation and maintenace at consignee end by supplier	Yes
	List of initial spares	Nozzles, Filter
	Pre dispatch Inspection by third Party agency	Yes
	On Site Warranty period	2 year
	Spares and Service support shall be available locally for minimum 7 years by its OEM or authorized Dealer	Yes

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the <u>General Terms and Conditions</u>, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2. Buyer Added Bid Specific Terms and Conditions-
- 2.1 Scope of Supply

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.2 Warranty.

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete

the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buver.

2.3 Past Proiect Experience:

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc. Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

2.4 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- 1. "Water Droplet Size(μm): 30μm to 50μm".
- 2. Water Hose and Cable of sufficient length (min 20 m) must be supplied for making n ecessary connections at the site of operation.
- 3. Considering the practical difficulties in obtaining the Performance Reports in cases w here provenness of the offered product is being ascertained on the basis of supply m ade in other subsidiaries of CIL or other PSUS/Govt. Departments/Private organizatio ns, the bidder shall submit a self-certificate in the following format along with proof of payment against the Purchase Order/Rate Contract add commissioning certificate s (in case of Equipment, P&M etc. where erection & commissioning is required):" Th e items covered in the purchase order /rate Contract(s) copies enclosed with our offe r have been fully executed and have performed satisfactorily as per the provisions o f the respective purchase order/Rate Contract(s) and all the complaints lodged by th e purchaser, if any, have been attended to and no complaints /claims are pending." 4. Satisfactory Performance certificate of the offered item with same or higher specification
- n, for at least 1 year from the date of commissioning, issued by respective Buyer Organiza tion for the above Orders shall be uploaded with bid.
- 5. Warranty of Equipment: 2 years from the Date of final acceptance of Goods. Warranty sh all include COST OF SPARES, CONSUMABLES, PERIODIC SITE VISIT ETC

2.5 Buyer Added Bid Specific ATC: Buyer uploaded ATC document Click here to view the file. 2.6 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

pavable at

Dhanbad

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.7 Forms of FMD and PRG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

BHARAT COKING COAL LIMITED

Account No.

10976596836

IFSC Code SBIN000066

Bank Name

Branch address

BANK MORE

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.