अनुबंध|Contract



to and Including 33 KV as per IS 7098 (Part 2) (Q3) **मॉडल|Model:** 3 Core x 120 Sq.mm 6.35/11 KV - A2XFY **अनुबंध क्रमांक|Contract No:** GEMC-511687788740454

अनुबंध तिथि| Generated Date : 17-Oct-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/5003023</u>

		खरीदार विवरण Buyer	Details				
ररूप Type : iत्रालय Ministry : वभाग Department : tंगठन का नाम Organisation Name : कार्यालय क्षेत्र Office Zone:	Central PSU Ministry of Coal COAL INDIA LIMITED Bharat Coking Coal Limited BCCL Dhanbad Jharkhand	पद Designation : संपर्क नंबर Contact No. : ईमेल आईडी Email ID : जीएसटीआईएन GSTIN : पता Address :	Assistant Manager8 62872-42898- buyer8.bccl.dhn@gembuyer.in 20AAACB7934MFZB MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India				
वेत्तीय स्वीकृति विवेरण Financial Appro	wal Dotail	भुगतान प्राधिकरण विवरप		Authority Do	staile		
पत्ताय स्थाकृति विवरण [Finalicial Appio आईएफडी सहमति] IFD Concurrence :	Yes	Role:	PAO	Authonity De			
ग्रशासनिक अनुमोदन का पदनाम	D(T) OP, BCCL	भुगतान का तरीका	Offline				
Designation of Administrative Approval:	D(I) OF, DCCL	Payment Mode:					
वेत्तीय अनुमोदन का पदनाम Designation of Financial Approval :	GM(MM)/HOD-MM(P), BCCL	पद Designation : ईमेल आईडी Email ID :	Senior Ma pav8.bccl.	nager dhn@gembuyer.i	in		
		जीएसटीआईएन GSTIN :	20AAACB7				
		पता Address:	Bhawan, K	aartment, level 3, Commercial Building, Koyla n, Koyla Nagar, AD, JHARKHAND-826005, India			
		भुगतान समयसीमा Payment Timelines:	of consign on-line sul	shall be made to ee receipt-cum-a bmission of bills ovided in clause	acceptance certi (This is in supers	ficate (CRAC) a	
<mark>ग्रेंकेता विवरण Seller Details</mark> म विक्रेता आईडी GeM Seller ID :	7DWP200001686407						
फ़ंपनी का नाम Company Name :	V-MARC INDIA LIMITED						
पक नबर Contact No. : मेल आईडी Email ID :	नंबर Contact No. : 01334239638 आईडी Email ID : sanjeev.sharma@v-marc.in						
त्ता। Address :	Plot No 3, 4, 18 & 20A,Sector- IIDC,,S	SIDCUL,,Haridwar,,					
	Haridwar, UTTARAKHAND-249403, -						
रमएसएमई पंजीकरण संख्या MSME Registration nı नीएसटीआईएन GSTIN:	umber: -						
	05AAMCA4908L1ZG (B) , (R) , (M) , (M	1)					
[•] जिसके नाम के पक्ष में GST/TAX इन	05AAMCA4908L1ZG (B), (R), (M), (M वॉइस पेश किया जाएगा GST / Tax inv		n the na	ime of - Cor	nsignee		
	वॉइस पेश किया जाएगा GST / Tax inv		n the na	ime of - Cor	nsignee		
वेतरण निर्देश Delivery Instructi	वॉइस पेश किया जाएगा GST / Tax inv		n the na	ime of - Cor	nsignee		
वतेरण निर्देश Delivery Instructi क्र्साद विवरण Product Details	वॉइस पेश किया जाएगा GST / Tax inv		इकाई Unit	ime of - Cor इकाई मूल्य (INR) Unit Price (INR)	at विभाजन (INR) Tax Bifurcation (INR)	(Inclusive all Duties a	
वतेरण निर्देश Delivery Instructi उत्पाद विवरण Product Details आइटम	वॉइस पेश किया जाएगा GST / Tax inv ions : NA	voice to be raised in आइटम विवरण Orderec Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price	कर विभाजन (INR) Tax Bifurcation	(INR में सभ शुल्क और क सहिते) Price (Inclusive	
वतेरण निर्देश Delivery Instruct त्याद विवरण Product Details आइटम अाइटम जयाद का नाम Product Name : V-MARC XLP mm बांड Brand : V-MARC बांड प्रकार Brand Type : Registered Brand केटलॉग की स्थिति Catalogue Status: OEM ver केसे बेचा जा रहा है Selling As : OEM	वॉइस पेश किया जाएगा GST / Tax inv ions : NA विवरण Item Description E Cable Working Voltage from 3.3 kV to 33 kV S rified catalogue uadrant : XLPE Cables for Working Voltages Fr rt 2) (Q3) KV - A2XFY	voice to be raised in आइटम विवरण Orderec Quantity Size 240 sq. 3,500	इकाई Unit	इकाई मूल्य (INR) Unit Price	कर विभाजन (INR) Tax Bifurcation	(INR में सभ शुल्क और व सहित) Price (Inclusive all Duties a Taxes in IN	
वतेरण निर्देश Delivery Instructi	वॉइस पेश किया जाएगा GST / Tax inv ions : NA विवरण Item Description E Cable Working Voltage from 3.3 kV to 33 kV S rified catalogue uadrant : XLPE Cables for Working Voltages Fr rt 2) (Q3) KV - A2XFY	voice to be raised in आइटम विवरण Orderec Quantity Size 240 sq. 3,500	इकाई Unit /	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	(INR में सभ शुल्क और क सहिते) Price (Inclusive all Duties a	

उत्पाद का नाम Product Name : V-MARC XLPE Cable Working Voltage from 3.3 kV to 33 kV Size 185 sq. mm ब्रांड Brand : V-MARC ब्रांड प्रकार Brand Type : Registered Brand केटलॉग की स्थिति Catalogue Status: OEM verified catalogue केसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांथ Category Name & Quadrant : XLPE Cables for Working Voltages From 3.3 KV up to and Including 33 KV as per IS 7098 (Part 2) (Q3) मॉडल Model: 3 Core x 185 Sq.mm 6.35/11 KV - A2XFY एचएसएन कोड HSN Code: HSN not specified by seller		1,900	mete	er 1,080	NA		2,052,000	
nd : V-MARC Brand Type : जे स्थिति Catalo जा रहा है Selling गाम और चतुर्थांश ncluding 33 K odel: 3 Core x	: Registered Brand gue Status: OEM verified catalogue g As : OEM Category Name & Quadrant : XLPE Cables for Working Volt V as per IS 7098 (Part 2) (Q3) : 70 Sq.mm 6.35/11 KV - A2XFY		1,000	mete	er 593	NA		593,000
य Total Order	Value (in INR)						11	1,160,000
	gnee Detail परेषिती Consignee	वस्तु Item		•	मात्रा Quantity	डिलीवरी शु करना है	।। इरू tart	वत्तेरण पूरा कब तक करना है Delivery To Be Completed By
		Working Voltage fr	rom	-	3,500	17-Oct-202	24	15-Jan-2025
पद Designation : - ईमेल आईडी Email ID : con1.bccl.jh@gembuyer.in संपर्क Contact : 90316-66224-		Working Voltage fr	rom	-	5,050	17-Oct-202	24	15-Jan-2025
पता Addres BANSJORA,	जीएसटीआईएन GSTIN : 20AAACB7934MFZB पता Address : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., Dhanbad, JHARKHAND-828101, India		rom	-	1,900	17-Oct-202	24	15-Jan-2025
		Working Voltage fr	rom	-	1,000	17-Oct-202	24	15-Jan-2025
Specificati	ion for V-MARC XLPE Cable Working Voltage fr	rom 3.3 kV to 33 k	V Size 2	40 sq. m	m			
pecification	उप-विनिर्देश Sub-Spec						मूल्य \	/alue
	Crosslinked Polyethylene Insulated Thermoplastics Sheath conforming to	ned Cables, for Working	g Voltages	from 3.3 k	V up to and Inclu	ding 33 kV	IS:7098 latest	3-Part 2:2011
	BIS Marked					Yes		
	BIS Marekd if "Yes" BIS License Number (CM/L Number) -) - Must declare					830002	20394
Types of cable GENERIC Voltage Grade							core red, screenec	
		Voltage Grade					d systems: 1 kV	
						Yes		
	Low temperature appliction (If "Yes" manufacturer shall h	ave valid BIS License fo	or the sam	e)			No	
Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest		est	_	-			Alumir	nium
	Outer sheath (Type ST2)							
	Outer sheath (Type ST2)						PVC	
	Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm)						PVC 240	
	nd : V-MARC (]Brand Type : ते स्थिति]Catalo ना रहा है Selling IIम और चतुर्थांश ncluding 33 K odel: 3 Core × कोड HSN Cod ना रहा है Selling IIम और चतुर्थांश ncluding 33 K odel: 3 Core × को स्थिति]Catalo ना रहा है Selling IIम और चतुर्थांश तरा है Selling IIम और चतुर्थांश तरा है Selling III की चतुर्थांश हे Selling III की चतुर्थांश तरा है Selling III की चतुर्थांश हे Selling III की चतुर्थांश तरा है Selling III की चतुर्थांश तरा है Selling III की दिवा III की चतुर्थांश हे Selling III की Gonta की स्पत्त Contai जीरस्टीआईएन पता Addres: BANSJORA, Dhanbad, J	nd : V-MARC [Firand Type : Registered Brand ने सिति [Catalogue Status: OEM verified catalogue जा रहा है] Selling As : OEM mr और खुर्ख [Category Name & Quadrant : XLPE Cables for Working Volt ncluding 33 KV as per IS 7098 (Part 2) (Q3) odel: 3 Core x 185 Sq.mm 6.35/11 KV - A2XFY सौद्र]HSN Code: HSN not specified by seller साम गिरप्रदेश (Status: OEM verified catalogue आ रहा है] Selling As : OEM mr और खुर्ख [Category Name & Quadrant : XLPE Cables for Working Volt ncluding 33 KV as per IS 7098 (Part 2) (Q3) odel: 3 Core x 70 Sq.mm 6.35/11 KV - A2XFY सौद्र]HSN Code: HSN not specified by seller at rol [Category Name & Quadrant : XLPE Cables for Working Volt ncluding 33 KV as per IS 7098 (Part 2) (Q3) odel: 3 Core x 70 Sq.mm 6.35/11 KV - A2XFY सौद्र]HSN Code: HSN not specified by seller at Total Order Value (in INR) at rol [Consignee Detail] at [Total Order Value (in INR) at rol [Consignee Detail] at [Address : Depto Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Danbad, JhArkhand-828101., Dhanbad, JHARKHAND-828101, India Specification for V-MARC XLPE Cable Working Voltage for pecification at - faff&t [Sub-Spec Crosslinked Polyethylene Insulated Thermoplastics Sheatl conforming to BIS Marked BIS Marked if "Yes" BIS License Number (CM/L Number) - Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this stand. 21.2.1 of IS7098 (Part 2):2011 (If "Yes" manufacturer shall 21.2.1 of IS7098 (Part 2):2011 (If "Yes" manufacturer shall	nd: V-MARC IBrand Type : Registered Brand i RetRI (Catalogue Status: OEM verified catalogue मार श्रेर geding Actegory Name & Quadrant : XLPE Cables for Working Voltages From 3.3 KV up including 33 KV as per 15 7098 (Part 2) (Q3) odde: 3 Core x 185 sq.mm 6.35 /11 KV - A2XFY stig [JSMC Code: ISN not specified by seller TIP (Product Name : V-MARC XLPE Cable Working Voltage from 3.3 KV to 33 KV Size 70 sq. mm int : V-MARC I BriRI (Catalogue Status: OEM verified catalogue an eqit [Selling As : OEM III stig [Status] Status: OEM verified catalogue an eqit [Selling As : OEM III stig [Status] Status: OEM verified catalogue an eqit [Selling As : OEM IIII stig [Status] Status: OEM verified catalogue an eqit [Selling As : OEM IIII stig [Status] Status: OEM verified catalogue an eqit [Selling As : OEM IIII stig [Status] Status: OEM verified catalogue an eqit [Selling As : OEM IIIII stig [Status] Status: OEM verified catalogue an eqit [Selling As : OEM IIIII stig [Status] Status: OEM verified catalogue an eqit [IStat Order Value (In INR)	ni : WARC (Brand Type : Registered Brand) 1,900 NMRIC (Laulogue Status: OEM verified catalogue mr aft styling A: OEM mr aft styling A: OEM 1,900 Im aft styling A: OEM mr aft styl	nd :: WMARC [Brand Type : Registered Brand PREFICATAGOUS Status: DEM verified catalogue are R1 Selling As : 0EM are R	mit : V-MARC [IR-and Type : Registered fit and if effect (Catago Status: CMA vertified catalogue wite 8) Selfic (Catago Status: CMA vertified catalogue wite 8) Selfic (Catago Status) (CMA vertified	d: VAARC Image: Registered Brand Image: Registered Brand Image: Registered Brand Image: Registered Brand Image: Registered Brand Image: Registered Brand Image: Registered Brand Image: Start	dir. VAAAC If Shord Type: Registered Fand If Shord Ty

CONSTRUCTIONAL	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
	Availability of Type test report from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	
	Report date - Must declare	
CERTIFICATIONS	Name of lab - Must declare	
	Address of lab - Must declare	
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes
		ļ
उत्पाद का बीआईएस लाइसेंस	BIS license of the product: 8300020394	
Product Specificat	ion for V-MARC XLPE Cable Working Voltage from 3.3 kV to 33 kV Size 120 sq. mm	
বিনির্देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	BIS Marked	Yes
	BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare	8300020394
	Types of cable	Three-core armoured, screened
GENERIC	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same)	No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Area of Conductor (in Sq.mm)	120
	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	cross linked polyethylene
CONSTRUCTIONAL	Armouring	Galvanized formed wires armoured
CONSTRUCTIONAL	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
	Availability of Type test report from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	
	Report date - Must declare	
CERTIFICATIONS	Name of lab - Must declare	
	Address of lab - Must declare	
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes
उत्पाद का बीआईएस लाइसेंस	BIS license of the product: 8300020394	
Product Specificat	ion for V-MARC XLPE Cable Working Voltage from 3.3 kV to 33 kV Size 185 sq. mm	
বিনির্देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV conforming to	IS:7098-Part 2:2011 latest
	BIS Marked	Yes
	BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare	8300020394

	Types of cable	Three-core armoured, screened
GENERIC	Voltage Grade	Earthed systems: 6.35/11 kV
	Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	Yes
	Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same)	No
	Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	Aluminium
	Outer sheath (Type ST2)	PVC
	"Nominal Area of Conductor (in Sq.mm)	185
	Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	cross linked polyethylene
CONSTRUCTIONAL	Armouring	Galvanized formed wires armoured
	Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	Wooden drum
	Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	Yes
	Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest	Yes
	Availability of Type test report from Central government/NABL/ILAC accridiated laoratory to prove conformity to the specification	Yes
	Test report number - Must declare	
	Report date - Must declare	
CERTIFICATIONS	Name of lab - Must declare	
	Address of lab - Must declare	
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand	Yes
		Į
उत्पाद का बीआईएस लाइसेंस	BIS license of the product: 8300020394	
Product Specifica	tion for V-MARC XLPE Cable Working Voltage from 3.3 kV to 33 kV Size 70 sq. mm	-
বিনির্देश Specificatio		मूल्य Value
	Crosslinked Polyethylene Insulated Thermoplastics Sheathed Cables, for Working Voltages from 3.3 kV up to and Including 33 kV	
	conforming to	IS:7098-Part 2:2011 latest
	conforming to	latest
	conforming to BIS Marked	latest Yes
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare	latest Yes 8300020394 Three-core
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable	latest Yes 8300020394 Three-core armoured, screened Earthed systems:
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl.	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same)	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same)	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium
GENERIC	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2)	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC
	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3, 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm)	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 cross linked
GENERIC	conforming to Image: Conforming to the requirement as per Table.1 of IS:7098 (Part 2):2011 latest BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm) Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 cross linked polyethylene Galvanized formed
	conforming to Image: Conforming to BIS Marked BIS Marked if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Image: Conforming to the specified in this standard are suitable for use in mines (as per Cl. 1.3, 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature application (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm) Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 cross linked polyethylene Galvanized formed wires armoured
	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3, 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm) Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest Armouring Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 Cross linked polyethylene Galvanized formed wires armoured
	conforming to BIS Marekd BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3, 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl.4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm) Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest Armouring Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 cross linked polyethylene Galvanized formed wires armoured Wooden drum
	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3 , 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl. 4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm) Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest Armouring Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest Marking on cable (as per Cl. 22.1 of I:7098 (Part 2):2011 latest	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 Cross linked polyethylene Galvanized formed wires armoured Wooden drum Yes
	conforming to BIS Marked BIS Marekd if "Yes" BIS License Number (CM/L Number) - Must declare Types of cable Voltage Grade Armoured cables upto 11 kV Grade specified in this standard are suitable for use in mines (as per Cl. 1.3, 4.1.1, Cl. 17.5 and Cl. 21.2.1 of IS:7098 (Part 2):2011 (If "Yes" manufacturer shall have valid BIS License for the same) Low temperature appliction (If "Yes" manufacturer shall have valid BIS License for the same) Conductor material (as per Cl. 4 of IS:7098 (Part 2):2011 latest Outer sheath (Type ST2) "Nominal Area of Conductor (in Sq.mm) Insulation (conforming to the requiremnt as per Table.1 of IS:7098 (Part 2):2011 latest Armouring Cable packing type (Wound on drum) (as per Cl. 22.1 of I:7098 (Part 2):2011 latest Identification on cable as per Cl. 21 of IS:7098 (Part 2):2011 latest Marking on cable (as per Cl. 22.2 of I:7098 (Part 2):2011 latest Availability of Type test report from Central government/NABL/LLAC accridiated laoratory to prove conformity to the specification	latest Yes 8300020394 Three-core armoured, screened Earthed systems: 6.35/11 kV Yes No Aluminium PVC 70 Cross linked polyethylene Galvanized formed wires armoured Wooden drum Yes Yes

	Name of lab - Must declare					
Address of lab - Must declare						
	All the test reports and certificates shall furnish by the supplier to the buyer/consignee on demand					
उत्पाद का बीआईएस लाइसेंस BIS license of the product: 8300020394						
ईपीबीजी विवरण ePE	ईपीबीजी विवरण ePBG Detail					
सलाहकार बैंक Advisory Ba	सलाहकार बैंक Advisory Bank : State Bank of India					
ईपीबीजी प्रतिशत (%) ePBG	ईपीबीजी प्रतिशत (%) ePBG Percentage(%): 5.00					
बोली लगाने वाले को बोली के निय	म्मों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा The bidder shall furnish ePBG as applicable as per	bid's terms and conditions				
नियेम और शर्तें Terms	and Conditions					
1. General Terms and	Conditions-					
1.2 This Contract betwe	erned by the <u>General Terms and Conditions</u> , conditions stipulated to this Product/Service as pro en the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the sche less otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and	dule above, in accordance with the Ge				
2. Buyer Added Bid Sp	pecific Terms and Conditions-					
2.1 <i>Scope of Supply</i> . Scope of supply (Bid pri	ce to include all cost components) : Only supply of Goods					
2.2 <i>Certificates</i> : Bidder's offer is liable to	be rejected if they don't upload any of the certificates / documents sought in the Bid documer	nt, ATC and Corrigendum if any.				
=	o upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, ap n given in the bid document.	proval certificates and other certificate	es as prescribed in			
-	Agency: On behalf of the Buyer organization, any one of the following Inspection Agency would at Seller Premises (applicable only if pre-dispatch inspection clause has been selected in ATC):	be conducting inspection of stores be	fore acceptance:			
nominated agency of Bo	CCL, central Mine Planning & Design Institute Ltd (CMPDIL). ATTACHED BELOW					
Post Receipt Inspection GM(E&M) I/C or his auth	at consignee site before acceptance of stores: norized representative					
2.5 <i>Warranty:</i> Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.						
-	2.6 Generic: Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.					
2.7 Generic: Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid						
2.8 <i>Generic</i> . Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.						
2. The Seller shall not su 3. The Seller shall, notw	 2.9 Generic: 1. The Seller shall not assign the Contract in whole or part without obtaining the prior written consent of buyer. 2. The Seller shall not sub-contract the Contract in whole or part to any entity without obtaining the prior written consent of buyer. 3. The Seller shall, notwithstanding the consent and assignment/sub-contract, remain jointly and severally liable and responsible to buyer together with the assignee/ sub-contractor, for and in respect of the due performance of the Contract and the Sellers obligations there under. 					
by a written notice to th	yer's right to price adjustment by way of discount or any other right or remedy available to Buy le Seller, if: ply with any material term of the Contract.	rer, Buyer may terminate the Contract	or any part thereof			
ii) The Seller informs Bu iii) The Seller fails to del iv) The Seller becomes b	yer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Periver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/reparkrupt or goes into liquidation.	=				
vi) A receiver is appointe	v) The Seller makes a general assignment for the benefit of creditors. vi) A receiver is appointed for any substantial property owned by the Seller. vii) The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.					

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria: Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

2.12 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

(A) In addition to technical specification mentioned above, following additional technical parameters shall also be required to be fulfill by the bidder for all schedules.

sl	Specification Name	Bid Requirement (Allowed Values)
1	BIS License	(a) Offered Cables shall be BIS Marked and Copy of Valid BIS Licens e as per IS 7098, Part-2 for cab les shall be uploaded with bid subm ission.
2	Test Certificate	(b)Copy of Type Test Certificate for same or highe r rating cables(b oth voltage and size) from NABL accredited labs/Govt test house a s per IS 7098 Pa rt-2 with latest amendments.
3	Self-declaration	(c) A self-declaration to submit Valid BIS License, routine test repo rt for offered cables along with s upply

(B) Satisfactory Performance: The PO copy shall be supported by satisfactory Performance certificate. issued by respective Buyer Organization. However Considering the practical difficulties in obtaining the Performance Reports in cases where provenness of the offered product is being ascertained on the basis of supply made in other subsidiaries of CIL or other PSUs/Govt Department/Private Organizations, the bidder shall submit a self-certificate in the following format along with proof of payment against the Purchase Order/ Rat e Contract add commissioning certificates (in case of equipment, P&M etc. where erection & commissioning is required): "The items covered in the purchase order/ rate contract(s) copies enclosed with our offer have been fully executed and have performed satisfactorily as per the provisions of the respective purchase order/ rate contract(s) and all the co mplaints lodged by the purchaser, if any, have been attended to and no complaints/ claims are pending".

(C) Exemption from Experience Criteria/Performance criteria If bidders have submitted documents to prove the Startup/MSE status for the tendered item and their products are I SI marked/DGMS approved/ P roven in CIL or its Subsidiary companies/Proven product of the ancillary unit of a Subsidiary Company of CIL, they will be required to submit the foll owing applicable related documents, for relaxation from the criteria of prior experience and prior turnover:

·a valid BIS Marking License for the quoted items or

Rate contract issued by CIL/its Subsidiary Companies for the quoted items

or

• A valid DGMS Approval certificate for the quoted items

or

Proven Ancillary certificate issued by BCCL for the quoted items.

or

if bidders have submitted documents to prove the Startup/MSE status for the tendered item without cert ificate towards quality, assurance and capability from some authority lik e MSME, NSIC, etc, the bidder nee ds to submit Proforma for Equipment and Quality Control' (as per Annexure-1) duly filled along with the bid for assessing the techno-commerci al capability of the vendors to manufacture and deliver goods as per the prescribed quality and technical specification. The document(s) / certificate(s) furnished by the bidders fo r ISI markings or DGMS approval for any relaxation should be valid on the date of tender opening and a copy of such document(s)/certificate(s) valid on the date of supply, must accompany their bill(s). (Proforma attached in buyer added bid specific ATC document)

(D) DOCUMENTS TO BE SUBMITTED BY BIDDERS WHO HAVE SUBMITTED EMD IN FORM OF DD/R TG S / INTERNET BANKING Bidders submitting EMD in the form of DD/RTGS / int ernet banking shall also submit the following documents along with their bid for Vendor Code Creation to return the EMD amount post finalization of tender:

a. Copy of PAN Card.

b. Copy of GSTIN.

c. Copy of Cancelled Cheque.

d. Copy of EFT Mandate duly certified by Bank.

(E) Pre-dispatch Inspection shall be done by nominated agency of BCCL i.e. Central Mine Planning & De sig n Institute Ltd (CMPDIL) Ranchi / their Regional Office (for details visit www.cmpdi.co.in). Inspection fee @ 1% of total consignment billing (plus statutory levis like GST etc. as applicable on inspection fee) is to be p aid to CMPDIL along with inspection n call letter payable by SBI Collect b y seller. The price is to be quote d by the seller inclusive of inspection fees. Minimum 7 calendar days notice shall be given by the ma nufactur er to CMPDIL for arranging inspection within valid delivery period as per contract. The format for C MPDIL inspection is attached in buyer uploaded ATC document

F) Performance Bank Guarrantee (PBG)

Apart from 5 % e-PBG as per GeM format (which is towards security Deposit), the successful bidder shall be req uired to furnish performance bank Guarantee, PBG (s) as per following,

1. The successful bidder shall be required to furnish a Performance Guarantee equivalent to 10% value of the co ntract to cover the warranty/guarantee period.

2. The Performance Guarantee shall be in the form of a Bank Guarantee issued by a RBI scheduled bank in India i n the prescribed format as below on a non-judicial stamp paper.

3. The Performance Bank Guarantee (PBG) shall be in the same currency in which contract has been signed.

4. The PBG (s) shall remain valid till 3 months after the completion of warranty period.

5. The PBG shall be submitted sufficiently in advance (say 3-4 weeks) to enable its verification from the issuing

bank, before submission of the invoice.

6. The release of the Performance Bank guarantee after above indicated period, shall be subject to satisfactory performance of the equipment/ items during the warranty period and fulfilment of contractual obligations failing which, action for further extension or encashment of PBG, as deemed suitable shall be taken. The Performance B ank Guarantee shall be released after expiry of validity period if no claim is pending, with the approval of the co ncerned HOD (MM)/ Area GM after expiry of validity period after obtaining the following:

1. 'No Claim Certificate' from the concerned HOD (User Dept.) indicating that there is no claim pending.

2. 'No Claim Certificate' from the contractor indicating that there is no claim pending and that there is no disput e pending as per Annexure-2.

7. The PBG will be submitted through Structured Financial Management System (SFMS).

8. The PBG issued by Issuing bank on behalf of the bidder in favour of "Bharat Coking Coal Limited" shall be in p aper form (Stamp Paper) as well as issued under "Structured Financial Messaging System". The details of benefi ciary Bank for issue of BG through SFMS Platform shall be as under, Issuing Bank should send the underlying con firmation to either of following banks:

Name of benefici		Bharat Coking Coal Limite	
ary	Name	d	
& its details	Area	HQ,BCCL	
	Bank Account no		
		35160317947	
	Deptt.	MM Department	
Beneficiary	State Bank of India		
Bank,			
Branch & Addr	Main Branch Dhanbad		
ess			
IFSC code	SBIN0000066		

Or

Name of benefici	Name	Bharat Coking Coal Limited	
ary	Area	HQ,BCCL	
& its details	Bank Accoun		
	t no.	019605001057	
	Deptt.	MM Department	
Beneficiary	ICICI Bank		
Bank,			
Branch & Addr	ICICI Bank, Dhanbad ICIC0000196		
ess			
IFSC code			

9. Original copy of the Bank Guarantee issued by the Issuing Bank along with SFMS confirmation shall be sent by the issuing bank to MM department, BCCL.

10. In cases where the supplier does not submit the PBG in time or as per the prescribed format in line with the contract stipulations, the PBG amount may be deducted from the first bill or in case of insufficient amount, from subsequent bill(s) of the supplier till the full PBG amount is deducted. This amount shall be refunded to the supp lier upon acceptance of PBG submitted by them.

G) TReDS: Trade Receivables Discounting System (TReDS) is an initiative of Reserve bank of India (RBI) to facilit ate MSME receivable payments from corporates. BCCL has on boarded TReDS platform through Receivables Exch ange of India Ltd (RXIL) (URL - https://www.rxil.in/Home/Index). MSE bidders willing to get payment through this system may get registered on TReDS platform and confirm the member code of RXIL in their offer. The bidder m ay contact Mr. Avinil Dey, Assistant Relationship Manager-Business Development, RXIL, Mob: +91 9875460974, (email-avinil.dey@rxil.in) for help in registration.

H) Details of Service Centres near consignee destinations need not be uploaded along with the bid (in partial su ppression to Warranty clause no 5 above)

Performance Bank Guarantee Format

KoylaBhawan,KoylaNagar

Dhanbad - 826005

Re: Bank Guarantee in respect of Agreement / Contract / Purchase Order vide no. dated between BHA RAT COKING COAL LIMITED and (Name of Supplier Company)

The..... (Name of the Bank) (hereinafter called 'the Bank') having its office

at..... has at the request of the Contractor agreed to give the guarantee as hereinafter

contained. We......(Name of the Bank) do hereby unconditionally agree with the Compan y that if the Contractor shall in any way fail to observe or perform the terms and conditions of the said Agreeme nt or shall commit any breach of its obligations thereunder, the Bank shall on demand and without any objection or demur pay to the Company, the said sum of Rs...... or any portion thereof without requiring the Compa ny to have recourse to any legal remedy that may be available to it to compel the Bank to pay the same or callin g on the Company to compel such payment by the Contractor.

Any such demand shall be conclusive as regards the liability of the Contractor to the Company and as regards th e amount payable by the Bank under this guarantee. The Bank shall not be entitled to withhold payment on the ground that the Contractor has disputed its liability to pay or has disputed the quantum of the amount or that a ny arbitration proceeding or legal proceeding is pending between the Company and the Contractor regarding th e claim.

We, the Bank, further agree that the guarantee shall come into force from the date hereof and shall remain in fu Il force and effect till the period that will be taken for the performance of the said Agreement which is likely to b e the day of...... but if the period of Agreement is extended either pursuant to the provisions in the said Agreement or by mutual agreement between the Contractor and the Company, the Bank shall renew the period of the guarantee failing which it shall pay to the Company the said sum of Rs......, or such lesser amount out o f the said sum of Rs...... as maybe due to the Company and as the Company may demand. This guarantee s hall remain in force until the dues of the Company in respect of the said sum of Rs...... are fully satisfied and th e Company certifies that the Agreement has been fully carried out by the contractor and discharges the guarant ee.

The Bank further agrees with the Company that the Company shall have the fullest liberty without the consent o f the Bank and without affecting in any way the obligations hereunder to vary any of the terms and conditions of the said Agreement or to extend the time for performance of the said Agreement from time to time or to postpo ne for any time or from time to time any of the powers exercisable by the Company against the contractor and t o forbear to enforce any of the terms and conditions relating to the said Agreement and the Bank shall not be re lieved from its liability by reason of such failure or extension being granted to the contractor or through any for bearance, act or omission on the part of the Company or any indulgence by the Company to the contractor or an y other matter or thing whatsoever which under the law relating to sureties would but for this provisions have th e effect of relieving or discharging the Guarantor.

The Bank further agrees that in case this guarantee is required for a longer period and it is not extended by the Bank beyond the period specified above, the Bank shall pay to the Company the said sum of Rs...... or s uch lesser sum as may then be due to the Company and as the Company may require.

Notwithstanding anything herein contained the liability of the Bank under this guarantee is restricted to Rs...... only. The guarantee shall remain in force till the.....day of20... and unless the guarantee is renewed or a clai m is preferred against the Bank within the validity period and/or the claim period from the said date, all rights o f the Company under this guarantee shall cease and the Bank shall be released and discharged from all liability hereunder except as provided in the preceding clause.

person(s)] who have signed it on behalf of the Bank has authority to do so.

Dated this.....day of20.....

Place.....

ized person(s)

Signature of the author

the Bank.

For and on behalf of

No Claim Certificate

(On company letterhead)

Τo,

(Contract Executing Officer)

Procuring Entity_____

NO CLAIM CERTIFICATE

We have received the sum of Rs. (Rupees ______ only) in full and final settlement of all the payments due to us for the supply of

under the above mentioned contract agreement, between us and BHARAT COKING COAL LIMITED. We hereby unconditionally and without any reser

vation whatsoever, certify that we have no claim whatsoever, of any description, on any account, against Procuring Entity, against aforesaid contr act agreement executed by us. We further declare unequivocally, that we have received all the amounts payable to us, and have no dispute of any description whatsoever, regarding the amounts worked out as payable to us and received by us, and that we shall continue to be bound by the ter ms and conditions of the contract agreement, as regards performance of the contract. Yours faithfully, Signatures of contractor or Officer authorized to sign the contract documents on behalf of the contractor (Company stamp) Date: Place:___ 2.13 Buyer Added Bid Specific ATC: Buyer uploaded ATC document <u>Click here to view the file</u>. 2 14 Forms of FMD and PBG Bidders can also submit the EMD with Account Payee Demand Draft in favour of BHARAT COKING COAL LIMITED payable at Dhanbad Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date. 2.15 Forms of EMD and PBG: Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name BHARAT COKING COAL LIMITED Account No. 10976596836 IFSC Code SBIN0000066 Bank Name State Bank of India Branch address Bank More, Dhanbad Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid. नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है। Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.