

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687790155280

अनुबंध तिथि | Generated Date : 15-Oct-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4754198](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : COAL INDIA LIMITED संगठन का नाम Organisation Name : Bharat Coking COAL Limited कार्यालय क्षेत्र Office Zone : BCCL Dhanbad Jharkhand	पद Designation : Deputy Manager MM संपर्क नंबर Contact No. : 62876-95937- ईमेल आईडी Email ID : buyer9.bocl.dhn@gembuyer.in जीएसटीआईएन GSTIN : 20AAACB7934MFZB पता Address : MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : D(T) OP वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : GM(MM)/HOD (MM)-Pur	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Senior Manager ईमेल आईडी Email ID : pay8.bocl.dhn@gembuyer.in जीएसटीआईएन GSTIN : 20AAACB7934MFZB पता Address : MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : A682180000095678 कंपनी का नाम Company Name : NILGIRI DATA SYSTEMS PRIVATE LIMITED संपर्क नंबर Contact No. : 09339080511 ईमेल आईडी Email ID : nilgiridatasystems@gmail.com पता Address : 29B,2ND FLOOR,WESTON STREET,WESTON STREET, KOLKATA, WEST BENGAL-700012, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-WB-10-0035971 जीएसटीआईएन GSTIN : 19AAECN7037P1ZS (R)

खरीदार द्वारा मूल्यांकित एमआईआई स्थिति MII Status as evaluated by buyer : Not Verified खरीदार द्वारा सत्यापित एमएसएमई स्थिति MSME Status as verified by buyer : Not Verified
एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Polycom Point to Point, non upgradable Video Conferencing End Point ब्रांड Brand : Polycom ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Video Conferencing End Point (Q2) मॉडल Model : Poly Studio X50 with TC8 एचएसएन कोड HSN Code : HSN not specified by seller	1	pieces	555,000	NA	555,000
2	उत्पाद का नाम Product Name : Sony Professional Large Format Display, Size 189 cm Non Touch Screen ब्रांड Brand : Sony ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Professional Large Format Display (Q2) मॉडल Model : FW-75BZ35L एचएसएन कोड HSN Code : HSN not specified by seller	2	pieces	278,000	NA	556,000

3	उत्पाद का नाम Product Name : Sony Professional Large Format Display, Size 139 cm Wi-Fi Screen Share HotSpot Screen ब्रांड Brand : Sony ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Professional Large Format Display (Q2) मॉडल Model: FW-55BZ40L एचएसएन कोड HSN Code: HSN not specified by seller	3	pieces	93,900	NA	281,700
4	उत्पाद का नाम Product Name : Uniline Online UPS of Rating 1.0 KVA With Battery Of Backup Time 30 Minutes ब्रांड Brand : Uniline ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Online UPS (V2) (Q2) मॉडल Model: GreenLine GLX - 1000 एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	56,900	NA	227,600

कुल ऑर्डर मूल्य | Total Order Value (in INR)

1,620,300

परोक्षिती विवरण | Consignee Detail

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : aman.singh3226@nic.in संपर्क Contact : 94705-97987- जीएसटीआईएन GSTIN : 20AAACB7934MFZB पता Address : 0 Level, Administration Department, Koyla Bhawan, Koyla Nagar, Dhanbad, Pin Code-826005, Dhanbad, JHARKHAND-826005, India	Polycom Point to Point, non upgradable Video Conferencing End Point	-	1	15-Oct-2024	13-Jan-2025
		Sony Professional Large Format Display, Size 189 cm Non Touch Screen	-	2	15-Oct-2024	13-Jan-2025
		Sony Professional Large Format Display, Size 139 cm Wi-Fi Screen Share HotSpot Screen	-	3	15-Oct-2024	13-Jan-2025
		Uniline Online UPS of Rating 1.0 KVA With Battery Of Backup Time 30 Minutes	-	4	15-Oct-2024	13-Jan-2025

Product Specification for Polycom Point to Point, non upgradable Video Conferencing End Point

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Type of End Point		Point to Point, non upgradable
Does it require mandatory registration with MCU		NA
Video Conferencing System Resolution		4K, 30 fps
Minimum Bandwidth Required for Specified video quality at End point/far-site end (Kbps)		2048
Type of Camera		Non PTZ
Camera Positioning System		Automatic Voice Activated
Type of sensor		CMOS
Camera Control (focusing, brightness, and white balance)		Automatic
Multiple Camera System in case of Automatic Voice activated CameraTracking		Single
Optical zoom		NA
Digital zoom		5X
Field of View at zoom (Degree)		100
Pan range Minimum to Maximum (+/- Degree)		0
Tilt Range (Degree)		0
Cord and Connector to be supplied		Yes
System delivers Full HD video and voice & Full HD content for an overall Full HD experience at specified bandwidth		Yes

Specification	Video coding support Protocol	H.264AVC,H.264 High Profile,H.265
	System has G-722/ G-711/ G-729 or equivalent nt wideband audio coding support	Yes
	System supports sharing of video and graphics content during the video call	1080p, 30fps
	It is possible to see both the near and far site on one Screen thus making most efficient use of a single display area	Yes
	System is equipped with one or more Omni directional High Definition Microphones as required to cover large conference room	Yes
	Number of microphone supported	6
	Number of microphone supplied	6
	Number of camera support from the same OEM	3
	Number of Ethernet connection points for System supports for RJ-45, 10/100/1000 Mbps Base-T Ethernet connection	1
	Wi Fi Connectivity	No
	If Yes, Type of Wi Fi Connectivity	NA
	System supports AES encryption video calls; System has Encryption On and Off capability	Yes
	Video Codec shall support 16:9 format	Yes
	Power supply: 230 + or - 10% volts, 50 Hz	Yes
	Shall come with easy to use infra-red hand held remote control / Touch Panel with operating distance	Yes
	All equipment are in compliance with the requirements of ITU-T (SIP Protocol & H Dot 323) Standard related to Video Conferencing	Yes
	System to be IPv6 ready from day one	Yes
	System uses standards based protocols & the offered system is inter operable with any existing H-323 AVC/SVC based VC equipment in a P to P call on VC end point; All H/W and S/W required to make it interoperable is included in the scope of supply	Yes
	Number of Input DVI Ports	0
	Number of Input HDMI or equivalent Ports	1
	Number of Input USB Ports	2
	Number of Output DVI Port	0
	Number of Output HDMI or equivalent Port	2
	Number of output USB Port	1
	Calendering Feature	Yes
	Recording @1080p on the end point	No
	System supplied complete with the following components from the same OEM (a) Codec (b) Camera (c) At least one Microphones with suitable connectivity (d) Remote Control/Touch Panel (e) Data sharing capability using H/W or S/W (f) Necessary Cables	Yes
	Type of Microphone	Integrated
	System is also tropicalized and report available from ILAC/NABL/Govt Lab with all add on including Environmental Sequence	No
	(a) Dry Heat- For 16 hrs at 55 deg C as per IS:9000/pt-3/sec-5/1977(b) Cold-For 4 hrs at 0 deg C as per IS:9000/pt-2/sec-4/1977 (c) Damp Heat- For 2 Cycles of 24 h each at 40 deg C & 95% RH as per IS:9000/pt- 5/sec-1/1991 (All Reaffirmed 2007)	No
	After each environmental test and a recovery period of two hours, the video conferencing system has been checked for complete functional parameters, and the results found satisfactory	No
	Type Test Report from ILAC/NABL/Govt lab confirming conformance to above technical specifications - to be made available to buyer	No
	BIS Registration under CRS of Meity	NA
	BIS Registration Number and its Validity	-
	UL/CE certification	Yes
	If Yes, UL/CE certificate Number (Corresponding UL/CE Certificate to be furnished when demanded by the buyer)	RGCA-T3020
	Minimum Operating temperature (Degree C)	0
	Maximum Operating Temperature (Degree C)	35
	Minimum Operating humidity (%RH)	15
	Maximum Operating humidity (%RH)	75
Free installation and commissioning	Yes	
On Site OEM Warranty (Year)	5	

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Polycom Point to Point, non upgradable Video Conferencing End Point

विनिर्देश Specification	मूल्य Value
Package	It should be All-In-One Video Bar (with Integrated Microphones, Speakers, 4K Codec, 4K Camera with Privacy Cover/Shutter) and Touch Control Panel from the same OEM.
Video Standards and Resolutions	It should support 4K 30 fps, 1080p 60 fps, 1080p 30 fps, 720p 60 fps, 720p 30 fps.
Content Standards and Resolutions	1. It should support inbuilt feature for wireless content sharing from Windows, MacOS, Android, iOS Smartphones & Tables without downloading any application on the user device. 2. It should support Content Annotation and WhiteBoarding/Blackboaring capability when connected to Touch Enabled Display/Monitor.
USB Pass-Thru Mode 1	1. The system should have inbuilt functionality to use the VC system as an external camera and microphones when connected to a Laptop/PC over a single USB cable without using any external hardware components to connect to any Cloud Based VC platform like Cisco Webex, Zoom, Blue Jeans, Microsoft Teams, Google Meet, etc. 2. The system should be able to support up to 1080p30fps video transmit in USB Pass-thru mode.
USB Pass-Thru Mode 2	3. It should be possible to Mute/Unmute all the microphones and control camera functionality from the same touch control panel during USB pass-thru mode. 4. The system should be supplied with 2 minimum 5 mtrs. Single USB cable from the same OEM for USB Pass-thru mode for seamless functionality.

Product Specification for Sony Professional Large Format Display, Size 189 cm Non Touch Screen

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Ungrouped	Technology	LED Backlit
	Screen Size (Diagonal) Minimum (cm)	189
	Screen Type	Non Touch
	Panel Technology	In Plane Switching (IPS)
	Orientation	Portrait and Landscape
	Native Resolution (Pixels)	3840 x 2160 (UHD)
	Aspect Ratio	16:9
	Brightness (Nits) Minimum	550
	Native Contrast Ratio (Minimum)	1200:1
	Viewing Angle (Horizontal:Vertical)	178:178
	Response Time (milli seconds)	8
	Bezel width (mm)	16
	Number of Speakers	2
	Arrangement of Speakers	Inbuilt
	Wattage of Speaker (with maximum 10% THD) (Watt)	20
	Output Port for audio output if internal speakers are not there	Available
	VGA Port	Not Available
	HDMI Port	Available
	DVI-D Port	Not Available
	Display Port	Not Available
	USB Port	Available
	RS 232C Port	Available
	RJ 45	Available
	In built Sinage Software	Available
	Power Consumption in Operating Mode (Maximum) (Watt)	235
	Power Consumption in Sleep Mode (Maximum) (Watt)	0.5
	Duty Cycle	24 x 7
	Mounting arrangement	Table and Wall
	BIS Registration under CRS of Meity	Yes
	If Yes, BIS Registration number	R-41193194
ROHS Compliance	Yes	
Power Supply	230 V AC, 50 Hz	
Operating Temperature Range (Degree C)	0 - 40	

Operating Humidity (%RH)	10 - 80
Dimensions (L X B) (cm x cm)	1,686 x 969 mm
Weight (Kg)	31.7
Accessories to be supplied : AC Power cord, remote control, user manual, wall mount bracket, necessary cables and connectors	Yes
On Site OEM Warranty (Year)	5

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 41193194

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for Sony Professional Large Format Display, Size 189 cm Non Touch Screen

विनिर्देश Specification	मूल्य Value
a. Number of HDMI Port, b. USB Port, c. Ethernet Connection	a. 4 or more, b. 2 or more, c. 1 or more
The proposed TV should have inbuilt Airplay & Chromecast feature	Yes
The proposed TV should have inbuilt Wi-Fi	Yes
The proposed TV should have Warranty of 5 years	Yes

Product Specification for Sony Professional Large Format Display, Size 139 cm Wi-Fi Screen Share HotSpot Screen

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Ungrouped	Technology	LED Backlit
	Screen Size (Diagonal) Minimum (cm)	139
	Screen Type	Wi-Fi Screen Share HotSpot
	Panel Technology	Vertical Alignment (VA)
	Orientation	Portrait and Landscape
	Native Resolution (Pixels)	3840 x 2160 (UHD)
	Aspect Ratio	16:9
	Brightness (Nits) Minimum	600
	Native Contrast Ratio (Minimum)	6000:1
	Viewing Angle (Horizontal:Vertical)	178:178
	Response Time (milli seconds)	8
	Bezel width (mm)	17.1
	Number of Speakers	2
	Arrangement of Speakers	Inbuilt
	Wattage of Speaker (with maximum 10% THD) (Watt)	20
	Output Port for audio output if internal speakers are not there	Available
	VGA Port	Not Available
	HDMI Port	Available
	DVI-D Port	Not Available
	Display Port	Not Available
	USB Port	Available
	RS 232C Port	Available
	RJ 45	Available
	In built Sinage Software	Available
	Power Consumption in Operating Mode (Maximum) (Watt)	173
	Power Consumption in Sleep Mode (Maximum) (Watt)	0.5
	Duty Cycle	24 x 7
	Mounting arrangement	Table and Wall
BIS Registration under CRS of Meity	Yes	
If Yes, BIS Registration number	R-41193194	

ROHS Compliance	Yes
Power Supply	230 V AC, 50 Hz
Operating Temperature Range (Degree C)	0 - 40
Operating Humidity (%RH)	10 - 80
Dimensions (L X B) (cm x cm)	1231 x710 mm
Weight (Kg)	16.5
Accessories to be supplied : AC Power cord, remote control, user manual, wall mount bracket, necessary cables and connectors	Yes
On Site OEM Warranty (Year)	3

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 41193194

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for Sony Professional Large Format Display, Size 139 cm Wi-Fi Screen Share HotSpot Screen

विनिर्देश Specification	मूल्य Value
a. Number of HDMI Port, b. USB Port, c. Ethernet Connection	a. 4 or more, b. 2 or more , c. 1 or more
The proposed TV should have inbuilt Airplay & Chromecast feature	Yes
The proposed TV should have inbuilt Wi-Fi	Yes
The proposed TV should have Warranty of 5 years	Yes

Product Specification for Uniline Online UPS of Rating 1.0 KVA With Battery Of Backup Time 30 Minutes

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Generic	Rating in KVA	1.0 KVA
	Switching Technology	IGBT-PWM
	Input Voltage	AC Single phase 160V - 260V 50Hz
	Output Voltage	AC Single phase 230V +/-1% 50 Hz
	Warranty for UPS (Years)	5
Battery/Backup Bank	Battery/Backup Bank Provided with Online UPS (Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021)	With Battery
	Type of Battery (hint: NA in case Battery not provided)	SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest
	Backup time (Minutes) (hint: NA in case battery not provided)	30 Minutes
	Battery Make	UPLUS OR EQUIVALENT
	Battery Model Number	UPLUS OR EQUIVALENT
	Battery capacity (Ah)	26
	Weight of the Battery (kg)	8
	Number of Batteries	3
	Minimum Guaranteed VAH	1600 X Per KVA X Per hour of backup time
	Warranty for battery (Years) by Battery Manufacturer/Brand hint: NA in case battery not provided	3
Accessories with Battery	NA	
Installation and Commissioning or Service	Installation and Commissioning (Covered in the Scope of Supply)	Provided
	After sales service (Turn Around Time)	Within 48 hours
	Preventive Maintenance (Hint: Mention Timeline if provided, NA if not provided)	Quarterly

	Other Services provided	PAN India service support on 24 x 7 basis,AMC support available warranty,Availability of spares in close proximity (Spares should be easily available close to the site),NA
Performance / Functional	Inbuilt isolation transformer	Without
	Overall Efficiency (%)	>=90% & <94% without Inbuilt isolation transformer
	Power Factor Load Supported	0.8 or better
	Overload limit	20% Overload for minimum 5 minute,50% Overload for minimum 3 seconds
	Total Harmonic Distortion(THD) (%)	3% Maximum @ 100% Linear Load
	Other Functional Features	Crest factor on full non-linear load is not less than 3:1,Noise level (1 meter distance from UPS) should be less than 70dB,Input power factor at full output load leading to unity with active power factor correction (APFC) >=0.92,Transient response time (for 100% load change,output must remain within +/-1% and recovery) as <20 milliseconds,Battery recharge time (after complete discharge to 90% charge) and charge rating: Battery recharge time to 90% charge after 100% DoD : 8 to 10 Hours,Maximum overshoot and Under shoot of output rated voltage (in percentage) (4%),Voltage Regulation from no load to full load (%) (< / = 2%)
Accessories	Accessories	Cablings 6 meters (input upto 3m and output upto 3m),Rack for Batteries
Salient Features	Protection	Protection for under voltage at battery terminal,Protection of Over voltage,Short Circuit & over load at UPS output terminal,Over temperature protection
	Metering	Input Voltage,Output Voltage,Input Frequency,Output Frequency
	Alarms and Indications	Indicator for Mains presence,Indicator for Battery charging and discharging,Indicator for Output Over Load with Audible Alarm,Indicator for Low Battery Voltage with Audible Alarm,Alarm for Over temperature,Alarm for Low Battery
	Additional Features	Pure Sinewave AC Output,NA
	Provide URL of the catalogue	www.unilineindia.com
Design / Construction	Type of Design / Construction	Floor Standing
	Form factor of UPS	NA (for Floor Standing)
	Enclosure (mm)	1.0 mm Minimum Thickness of M.S. Sheet duly powder coated
	Degree of Protection	IP20
	DC Bus Voltage (In Volts)	36
	Other Constructional Features	Mains ON/OFF MCB,Battery ON/OFF MCB,Battery Fuse,Inverter reset push button,Static by pass facility,Manual by pass facility,Expandable rack facility,Shall be complete with rack rail kit for mounting of UPS in the rack and shall be housed in rugged enclosure made of steel sheet having 1.2 mm (minimum) thickness, aesthetically finished,duly pretreated and powder coated,UPS shall be free from workmanship defects, sharp edges, nicks, scratches, burst, etc. All fasteners shall be fixed properly. The equipment shall be complete with all parts and all parts shall be functional,NA
Operating Conditions	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Relative Humidity Non Condensing at 40 deg C	95 percent
Buyer Specific Requirement	Environmental Test Report Requirements	Damp Heat Test : in accordance with IS:9000(part 5/sec.2)1981 at Temperature of 40 degree C
	Battery Test Report	Type Test Report as per relevant governing specifications from Govt Lab/NABL accredited lab
	Intended Applications	Critical Infrastructure,Network IT Equipment,Medical Equipment,Support for Data Centers, Network operating centers, Security operation centers, State and District centers, Command and Control center etc., across the Country to provide impetus to the e-Governance services e.g. Public food distribution, e Way bill, Counseling, e-Office, IVFRT etc., services under Digital India Programme,NA
	Other Requirements	ROHS compliance,KW rating shall be 0.8 time of KVA rating,NA
Reports And Certification	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)
उत्पाद का बीआईएस लाइसेंस BIS license of the product: 81000264		
खरीदार द्वारा जोड़ी गई बोली का विशिष्ट अतिरिक्त कार्य Buyer added Bid Specific Additional Scope of Work		

क्र.सं S.No	दस्तावेज़ का शीर्षक Document Title	विवरण Description	लागू आईआरओ सामान Applicable i.ro. Items
1	Scope of work View	Scope of Work	Video Conferencing End Point(1)
2	Scope of work View	Scope of Work	Professional Large Format Display(2)
3	Scope of Work View	Scope of Work	Professional Large Format Display(3)

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक | Advisory Bank :

State Bank of India

ईपीबीजी प्रतिशत (%) | ePBG Percentage(%):

5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा | The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 06-07-2022

1.1 In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS (Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

3.2 Generic:

Installation, Commissioning, Testing, Configuration, Training (if any - which ever is applicable as per scope of supply) is to be carried out by OEM / OEM Certified resource or OEM authorised Reseller.

3.3 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.4 Warranty:

Warranty period of the supplied products shall be 5 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

3.5 Generic:

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.6 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.7 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

BHARAT COKING COAL LTD.

payable at
Dhanbad

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3.8 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

Bharat Coking Coal Limited

Account No.

10976596836

IFSC Code

SBIN0000066

Bank Name

State Bank of India

Branch address

Bank More, Dhanbad

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

3.9 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

A. Proven-ness Criteria:-

For Proven-ness of quoted items, Bidder must submit satisfactory performance certificates (scanned copy duly notarized) of the quoted model or similar equipment of same make of the TV and Video conferencing offered in the BOQ from respective customer where the system has been successfully supplied, installed, commissioned and performed satisfactorily for a minimum period of one year from the date of successful installation /commissioning. The copy of the Contracts (scanned copy duly notarized) against which the performance certificates are issued also required to be submitted. However, it is not necessary that supply/purchase order/contract copy and performance certificate should be on the name of Bidder.

"Similar Item" shall be such item, which performs similar operations and can be of Same or higher ratings/specifications.

In order to claim exemption from Proven-ness Criteria, the bidder have to be MSE/Startup manufacturer of that item and Items should be clearly mentioned in submitted document. For the rest of the item (if any), the Bidder have to submit proven-ness documents as mentioned above.

Exemption from Past Project Experience / Proveness Criteria for MSE / Startup

If bidders have submitted documents to prove the Startup/MSE status for the tendered item and their products are ISI marked/DGMS approved/Proven in CIL or its Subsidiary companies/Proven product of the ancillary unit of a Subsidiary Company of CIL, they will be required to submit the following applicable related documents, for relaxation from the criteria of prior experience and prior turnover:

• a valid BIS Marking License for the quoted items

or

• Rate contract issued by CIL/its Subsidiary Companies for the quoted items

or

• a valid DGMS Approval certificate for the quoted items

or

• Proven Ancillary certificate issued by BCCL for the quoted items.

or

if bidders have submitted documents to prove the Startup/MSE status for the tendered item without certificate towards quality, assurance and capability from some authority like MSME, NSIC, etc, the bidder needs to submit Proforma for Equipment and Quality Control' (as per Annexure-1) duly filled along with the bid for assessing the techno-commercial capability of the vendors to manufacture and deliver goods as per the prescribed quality and technical specification.

The document(s) / certificate(s) furnished by the bidders for ISI markings or DGMS approval for any relaxation should be valid on the date of tender opening and a copy of such document(s)/certificate(s) valid on the date of supply, must accompany their bill(s).(Proforma attached in buyer added bid specific ATC document).

B. Performance Bank Guarantee (PBG)

Apart from 5 % e-PBG as per GeM format (which is towards security Deposit), the successful bidder shall be required to furnish a performance bank Guarantee as per following,

- i. The successful tenderer shall be required to furnish a Performance Guarantee equivalent to 10% value of the contract to cover the warranty/guarantee period.
- ii. The Performance Guarantee shall be in the form of a Bank Guarantee issued by a RBI scheduled bank in India as per given format attached in buyer added bid specific ATC document on a non-judicial stamp paper.
- iii. The Performance Bank Guarantee (PBG) shall be in the same currency (ies) in which contract has been signed/created. In case of multi-currency contract, separate PBG in respective currency for required values

shall be submitted.

- iv. The PBG (s) shall remain valid till 3 months after the completion of warranty period of all the equipment/ items covered in the contract. The PBG is of total 63 months duration from the date of successful installation, commissioning etc. as per GeM contract terms in present case.
- v. The PBG shall be submitted, sufficiently in advance (say 3-4 weeks) to enable its verification before submission of the invoice for payment of the supplied material(s).
- vi. The PBG issued by Issuing bank on behalf of the bidder in favour of "Bharat Coking Coal Limited" shall be in paper form (Stamp Paper) as well as issued under "Structured Financial Messaging System". The details of beneficiary Bank for issue of BG through SFMS Platform shall be as under, Issuing Bank should send the underlying confirmation to either of following banks:

Name of beneficiary & its details	Name	Bharat Coking Coal Limited
	Area	HQ,BCCL
	Bank Account no.	35160317947
	Deptt.	MM Department
Beneficiary Bank, Branch & Address	State Bank of India	
	Main Branch Dhanbad	
IFSC code	SBIN0000066	

Or

Name of beneficiary & its details	Name	Bharat Coking Coal Limited
	Area	HQ,BCCL
	Bank Account no.	019605001057
	Deptt.	MM Department
Beneficiary Bank, Branch & Address	ICICI Bank	
	ICICI Bank, Dhanbad	
IFSC code	ICIC0000196	

- vii. Original copy of the Bank Guarantee issued by the Issuing Bank shall be sent by the issuing bank to MM department, BCCL.
- viii. The release of the Performance Bank guarantee(s) after above indicated period, shall be subject to satisfactory performance of the equipment/items during the warranty period and fulfilment of contractual obligations failing which, action for further extension or encashment of PBG, as deemed suitable shall be taken. The Performance Bank Guarantee shall be released after expiry of validity period if no claim is pending, with the approval of the concerned HOD (MM) after expiry of validity period after obtaining the following:
1. 'No Claim Certificate' from the concerned HOD (User Dept.) indicating that there is no claim pending.
 2. 'No Claim Certificate' from the contractor indicating that there is no claim pending and that there is no dispute pending as per attached annexure in buyer added bid specific ATC document.
- ix. After completion of warranty period successful tenderer needs to submit 'No Claim Certificate' indicating that there is no claim pending and that there is no dispute pending as per attached annexure in buyer added bid specific ATC document.
- x. In cases where the supplier does not submit the PBG in time or as per the prescribed format in line with the contract stipulations, the PBG amount may be deducted from the first bill or in case of insufficient amount, from subsequent bill(s) of the supplier till the full PBG amount is deducted. This amount shall be refunded to the supplier upon acceptance of PBG submitted by them.

C. DOCUMENTS TO BE SUBMITTED BY BIDDERS WHO HAVE SUBMITTED EMD IN FORM OF DD/ RTGS / INTERNET BANKING

Bidders submitting EMD in the form of DD/RTGS / internet banking shall also submit the following documents along with their bid for Vendor Code Creation to return the EMD amount post finalization of tender:

- a. Copy of PAN Card.
- b. Copy of GSTIN.
- c. Copy of Cancelled Cheque.
- d. Copy of EFT Mandate duly certified by Bank.

D. TReDS: Trade Receivables Discounting System (TReDS) is an initiative of Reserve bank of India (RBI) to facilitate MSME receivable payments from corporates. BCCL has on boarded TReDS platform through Receivables Exchange of India Ltd (RXIL) (URL - <https://www.rxil.in/Home/Index>). MSE bidders willing to get payment through this system may get registered on TReDS platform and confirm the member code of RXIL in their offer. The bidder may contact Mr. Avinil Dey, Assistant Relationship Manager-Business Development, RXIL, Mob: +91 9875460974, (email-avinil.dey@rxil.in) for help in registration."

F. The same Video Conferencing system should be certified from Microsoft Team, Zoom & Google meet and it should be online verifiable.

3.10 *Buyer Added Bid Specific ATC:*

Buyer uploaded ATC document [Click here to view the file.](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.