

Contract | अनुबंध



Contract No | अनुबंध क्रमांक: GEMC-511687723245461

Generated Date | अनुबंध तिथि: 30-Nov-2023

Bid/RA/PBP No. | बोली/आरए/पीबीपी संख्या: [GEM/2023/B/3754623](#)

Schedule Name | अनुसूची नाम: Schedule 3

Organisation Details संगठन विवरण	Buyer Details खरीदार विवरण
Type प्ररूप: Central PSU	Designation पद: Assistant Manager8
Ministry मंत्रालय: Ministry of Coal	Contact No. संपर्क नंबर: 62872-42898-
Department विभाग: Materials Management	Email ID ईमेल आईडी: buyer8.bcl.dhn@gembuyer.in
Organisation Name संगठन का नाम: Bharat Coking Coal Limited	GSTIN जीएसटीआईएन: 20AAACB7934MFZB
Office Zone कार्यालय क्षेत्र: Bclcl Dhanbad	Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Financial Approval Detail वित्तीय स्वीकृति विवरण	Paying Authority Details भुगतान प्राधिकरण विवरण
IFD Concurrence आईएफडी सहमति: No	Role: PAO
Designation of Administrative Approval प्रशासनिक अनुमोदन का पदनाम: DT(P&P)	Payment Mode भुगतान का तरीका: Offline
Designation of Financial Approval वित्तीय अनुमोदन का पदनाम: GM(MM)/C	Designation पद: Senior Manager
	Email ID ईमेल आईडी: pay8.bcl.dhn@gembuyer.in
	GSTIN जीएसटीआईएन: 20AAACB7934MFZB
	Address पता: MM Department, level 3, Commercial Building, Koyla Bhawan, Koyla Nagar, DHANBAD, JHARKHAND-826005, India

Seller Details विक्रेता विवरण	
GeM Seller ID जेम विक्रेता आईडी: ABE7180000431629	Company Name कंपनी का नाम: ACROMAX INDUSTRIES PRIVATE LIMITED
Contact No. संपर्क नंबर: 09990578955	Email ID ईमेल आईडी: acromaxindustries@yahoo.com
Address पता: F-407, SECTOR-63, NOIDA, Gautam Buddha nagar, UTTAR PRADESH-201307, -	MSME Registration number एमएसएमई पंजीकरण संख्या: UDYAM-UP-28-0011286
MSE Social Category एमएसएमई सामाजिक श्रेणी: General	MSE Gender एमएसएमई लिंग श्रेणी: Male
GSTIN जीएसटीआईएन: 09AANCA4241K1ZF	

*GST / Tax invoice to be raised in the name of | जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा - Consignee

Delivery Instructions | वितरण निर्देश: NA

Product Details उत्पाद विवरण						
#	Item Description आइटम विवरण	Ordered Quantity आइटम विवरण	Unit इकाई	Unit Price (INR) इकाई मूल्य (INR)	Tax Bifurcation (INR) कर विभाजन (INR)	Price (Inclusive of all Duties and Taxes in INR) मूल्य (INR में सभी शुल्क और कर सहित)
1	Product Name उत्पाद का नाम: Unbranded--ACROMAX INDUSTRIES PRIVATE LIMITED Yes WLed Luminaire Light Brand ब्रांड: Unbranded--ACROMAX INDUSTRIES PRIVATE LIMITED Brand Type ब्रांड प्रकार: Unbranded Catalogue Status कैटलॉग की स्थिति: OEM verified catalogue Selling As कैसे बेचा जा रहा है: OEM Category Name & Quadrant श्रेणी का नाम और चतुर्थांश: LED Luminaire (for Road and Street Lights) as per IS 10322, IS 16107, IS 16108, IS 16103, IS 10322 (Q3) Model मॉडल: AIPLLED5LF-180W (MAKE-ACROMAX LITES) HSN Code एचएसएन कोड: 94051090	2,055	pieces	1,099.76	GST जीएसटी (18%): 344,746.8 GST Cess 1 जीएसटी उपकर 1 (0%): 0 GST Cess 2 जीएसटी उपकर 2 (0 per accounting unit): 0 Input Tax Credit (ITC) on GST जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी)। (100%): 344,746.8 ITC on GST Cess 1 जीएसटी उपकर पर आईटीसी 1 (0%): 0 ITC on GST Cess 2 जीएसटी उपकर पर आईटीसी 2 (0%): 0	2,260,006.8
Total Order Value कुल ऑर्डर मूल्य (in INR)						2,260,006.8

Consignee Detail परेषिती विवरण						
S.No क्र.सं.	Consignee परेषिती	Item वस्तु	Lot No. लॉट नंबर	Quantity मात्रा	Delivery Start After दिनांक के बाद डिलीवरी शुरू	Delivery To Be Completed By

					करना है	वितरण पूरा कब तक करना है
1	Designation पद : - Email ID ईमेल आईडी : con1.bccl.jh@gembuyer.in Contact संपर्क : 62876-95727- GSTIN जीएसटीआईएन : 20AAACB7934MFZB Address पता : Depot Officer, Central Store, Ekra, BCCL, Post Office- BANSJORA, Dhanbad, Jharkhand-828101., DHANBAD, JHARKHAND-828101, India	Unbranded--ACROMAX INDUSTRIES PRIVATE LIMITED Yes WLed Luminaire Light	-	2,055	30-Nov-2023	14-Jan-2024
Product Specification for Unbranded--ACROMAX INDUSTRIES PRIVATE LIMITED Yes WLed Luminaire Light						
Specification विनिर्देश	Sub-Spec उप-विनिर्देश	Value मूल्य				
STANDARDS	LED Luminaire conformity to IS:10322/Part 5/Section 3/2012 latest and IS: 16107 (Part 2/Sec 1):2012 latest	Yes				
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes				
	Types of LED Luminaire as per the IS: 16107(Part-2/ Sec.-1)/2012	Type B				
	Types of LED Modules as per the IS:IS: 16103(Part-2)/2012	Type 3				
	LED Rating (in Watts)/System Wattage/Rated Power	180W				
	Luminaire System Efficacy (Lumen/watt)	>= 100 Lm/Watt				
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest	IP66				
	Warranty for free replacement (in years)	2				
ELECTRICAL EFFICIENCY	Input operating Voltage range and frequency	90 to 300 Volts AC at 50 Hz+/-2				
	Automatic Higher Cut off voltage above 300 volt	Yes				
	Rated voltage	230 V AC 50 Hz				
	AC Power Factor at full load	≥ 0.95				
	Driver Efficiency (in %age) Upto 100W: ≥85%, Above 100W: >=90%	Yes				
	Total Harmonics Distortion	≤ 10				
	"The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl. 8 of IS:16104:2012 lates)"	Yes				
OPTICAL	LED chip Efficacy	≥130 Lm/Watt				
	Colour temperature	6000+/-500K				
	Working life for LED (Minimum 50,000 burning hours as per LM-80 and LM 21 reports)	Yes				
	Colour Rendering Index(CRI)	≥70				
	LED Beam Angle	≥120				
	Optic lense material (UV stabilised)	Poly carbonate lense				
THERMAL MANAGEMENT	Heat sink should be die-cast aluminium along with sufficient heat sink fins to dissipate heat effectively	Yes				
	Junctiojn / Soldering point temperature shall not exceed 85 deg.c as per LM 80 report	Yes				
	Capacitor shall be rated for a temperature of 105 deg. celsius or better	Yes				
	Operating temperature range	-10 deg C to +50 deg C				
	Operating Humidity Range	10 % to 95% RH				
PROTECTION	Short circuit Protection	Yes				
	Over load protecton	Yes				
	Over Voltage protection	Yes				
	Reverse polarity	Yes				
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes				
	Insulation resistance between earth and current carrying part	>100 M Ohm				
	The luminaire shall be protected against surges and transients (Internal)	>=5KV				
	The luminaire shall be protected against surges and transients of >=10KV (External)	Yes				
	The Luminaires casing/housing (single piece housing) shall be pressure die casted aluminium alloy with higher thermal conductivity	Yes				
	The luminaire body must be corrosion resistant powder coated	Yes				
	All fastners must be of stainless steel	Yes				

CONSTRUCTIONAL	Protection of the entire housing (both LED section and driver section) as per IS:10322 (Part 1):1982 latest	IP66
	Extruded silicon loop gasket shall be provided in the lantern body to ensure a weather proof seal between the UV Glass cover and the metal housing to exclude the entry of the dust, water, insects etc.,	Yes
	Luminaries light transparency should be of Toughened glass	Yes
	Toughned transparent glass cover thickness	>=4 mm
	Toughned Glass shall not get discoloured shall not suffer degradation due to heat and ageing within warranty period	Yes
	Number of electronic control gear (power supplies)	3 Nos.
	Light Source	SMD LED Chip as per LM 80/IS16106
	Driver components shall be industrial grade or above	Yes
	PCB shall be FR4 grade minimum 0.8 to 1.0 mm thick or more	Yes
	The Luminaires works on single phase three wires system (Phase, Neutral and Earth)	Yes
	Suitable connector shall be provided for LED connection between driver output and LED	Yes
Length of ISI marked three core wire (shall be provided along with supply of material)	50 cm	
MARKING	"Manufactures Name and and brand on the aluminium die cast body "	Engraved/Embossed
	Manufacturer's name, model number, serial number	Yes
	Date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes
	The operation characteristics voltage and power be marked inside of each LED luminaire unit	Yes
	Diameter of pole Luminaire suitable for: (upto 45W Pole OD: shall be 40mm), (>45W<120W Pole OD: Shall be 50 mm), (above 120W: OD shall be 60 mm for which luminaire is suitable	Yes
Reports And Certifications	LED Make	OSRAM / NICHIA / CREE / SAMSUNG / SEOUL / LUMILEDS / PHILIPS / SYSKA / LUMENMAX / EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / REFOND
	System must have EMI/EMC compliance as applicable (Test reports shall be furnish to the buyer / consignee on demand)	Yes
	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer / consignee on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc.,	Yes
	LM 80 & TM 21 (Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer / consignee on demand (LM-80 report shall have the Pphoto Biological re	Yes
	Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standard IS:10322/part 5/sec-3/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes
	Seller shall furnish the Type test reports to the buyer / consignee on demand	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	LED Luminaire for road and street lighting shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 3): 2012 as applicable on date	Yes

ePBG Detail | ईपीबीजी विवरण

Advisory Bank सलाहकार बैंक :	State Bank of India
ePBG Percentage(%) ईपीबीजी प्रतिशत (%) :	10.00

The bidder shall furnish ePBG as applicable as per bid's terms and conditions | बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा

General Clauses w.r.t RCM/FCM | आरसीएम/एफसीएम के संबंध में सामान्य खंड

- Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA , unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST Cess will be the liability of buyer.
- For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer . Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

Terms and Conditions | नियम और शर्तें

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Only supply of Goods

2.2 Generic:

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

2.3 Generic:

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2.4 Warranty:

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.5 Certificates:

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

2.6 Generic:

Supplier shall ensure that the Invoice is raised in the name of Consignee with GSTIN of Consignee only.

2.7 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

BHARAT COKING COAL LIMITED
payable at
DHANBAD

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

2.8 Forms of EMD and PBG:

Bidders can also submit the EMD with Payment online through RTGS / internet banking in Beneficiary name

BHARAT COKING COAL LIMITED
Account No.
10976596836
IFSC Code
SBIN0000066
Bank Name
STATE BANK OF INDIA
Branch address
BANK MORE , DHANBAD

Bidder to indicate bid number and name of bidding entity in the transaction details field at the time of on-line transfer. Bidder has to upload scanned copy / proof of the Online Payment Transfer along with bid.

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।