

BHARAT COKING COAL LIMITED

(A Subsidiary of Coal India Limited)
Office of the Chief General Manager(MM)
Koyla Bhawan: Koyla Nagar

Dhanbad: 826 005

GRAM; KOKINGKOL (Phone No. 0326 – 2230181 (Fax No. 0326 -2230183)

Ref. No. BCCL/PUR/614029/COILS & COMMUTATORS/14-15/233

dtd. 11.02.2015

PURCHSE ORDER BY REGD/SPEED POST

٦ Dhanbad 828106 P.O. Dhansar OM Bhawan M/s. R Traders PAN No.: Vendor Type: Vender code: AAGFR6353M Mfr. 1/13/M/X/135

Sub: Supply of Coils and Commutators for Motor/ Generators of Excavators

Ref: i) Our tender no. BCCL/Pur/614029/Coils and Commutators /14-15/43.

Cover-I opened on 14.08.14 and Price bid opened on 19.11.14 ii) Your On-Line Offer Id No 7661 dtd 08.08.2014

Dear Sirs,

price, value and terms & conditions: Coils and Commutators for Motor/ Generators of Excavators at the following specification, With reference to above, we, for and on behalf of BCCL, hereby place order for Supply of

					SHOVEL	
		coils)			5.0 Cu.M	
•		= 35			/ EQC 4.6 Cu.M /	
	02020.00	(1 set	10.00		MOTOR OF EKG	
UN OUCACE	32620 M		19 99		/ PROPEL	
		SET			KW DC CROWD	
				1414038040	COIL FOR 54	
				BHEL DRAWING NO.	ARMATURE	ы
					MC: 15501987266	
		coils)			SHOVEL	
		= 43			5.0 Cu.M	
		(1 set			/ EQC 4.6 Cu.M /	
150125.00	30025.00	·	5.00		MOTOR OF EKG	
		SET		Spl	/ PROPEL	
				FRAME NO. KMDC 808	KW DC CROWD	
		***************************************		CO. LTD. MAKE MOTOR	COIL FOR 54	
				KIRLOSKAR ELECTRIC	ARMATURE	
						no
(Rs)	(Rs)		Sets	REFERANCE		2
Ext value	Basic price	M	Qty	DRAWING	Description	Z
					M/s R Traders	

to the

美

		coils)			5.0 Cu.M /
		04		7	MOTOR OF EKG
149688.00	24948.00	(1 set =	6.00	FRAME NO. KMDC 808	KW DC CROWD
				CO. LTD. MAKE MOTOR	COIL
				KIRLOSKAR ELECTRIC	9 COMPOLE
		cons)			MC 15501975266
		Gile)			SIOVET CU.M
		(1 set =			QC 4.6 C
229600.00	22960.00	SET	10.00		MOTOR OF EKG
					NW DC CNOWD
				24113238062	COIL FOR 54
	Makadhak			BHEL DRAWING NO.	8 COMPOLE
					MC: 15501972105
		coils)			OVEL
		04			/ EQC 4.5 CU.VI /
/38000.00	/3800.00	SET -	10.00		MOTOR OF EKG
30000))		/ PROPEL
		***************************************		24113238032	6 MAINPOLE 54
				DITTI DE AUTRIC NO	<u></u>
		37coils)			SHOVEL
		11			Cu.M / 5.0 Cu.M
		(1 set			EKG / EQC 4.6
67696.00	16924.00	SEI	4.00		- CENERATOR OF
) 		FRAME NO. DC 280/E	KW DC
				CO. LTD. MAKE MOTOR	LEOK
				KIRLOSKAR ELECTRIC	5 ARMATURE
					MC: 15501975126
		coils)			SHOVEL
		(] set	1		EKG / EQC 4.6
93105.00	31035.00		3.9 0		GENERATOR OF
		SET			C CROV
				34134038016	4 ARMATURE
					MC: 15501975131
		coils)			SHOVEL
		= 37			Cn M / 50 Cn M
91500.00	30500.00	<u> </u>	3.00	Spl	RATOR
		SET		FRAME NO. KMDC 810	KW DC CROWD
				CO. LTD. MAKE MOTOR	3 COIL FOR 50
					MC: 15501480592



玄

						a 1																							<u> </u>				•	····	 				· · · · · · · · · · · · · · · · · · ·				T	
	**					·····								16							ᅜ				**********			رن دن			·				 	73						Ę	2	
INC: ISSS/YYSSO/	SHOVEL	_	EKG / EOC 4.6	CENERATOR OF		COMPOLE	MC: 15501950973	SHOVEL	Cu.M / 5.0 Cu.M	ENG / EQC 4.0	NATOR SEA	KW DC CROWD	COIL FOR 42	HOLE	MC: 15504993718	SHOVEL	/ 5.0 C	EKG / EOC 4.6		COL FOR 45	TO PO	MC: 15557995563				CKOWE CKOWE	FOR 130HF DC	POLE C	MC: 15501148146	SEGMENT - 139	OVEL N	S ECC TO CHINE	/ FOC A C D M /	VOIG OF EXA	FOR 54 KW DC	TAT	MC: 15557995543		7	OF BF195R /	ACTON CROWS	FOR 130HP DC	TOTAL CONTROL	SHOVEL MC: 15501975278
			ANO. ISIMIDO OTO SPI	NO KMDC 810 Spl	GENERATOR FRAME	KIRLOSKAR ELECTRIC						34133238018(STAB)	24133238070(COMPOLE),	BHEL DRAWING NO.					24133236006 (SEF)	24133238007 (SELF),	BHEL DRAWING NO.	The state of the s					MD 1808E/MDV 1808E	BHEL make motor type							24114238014	BHEL DRAWING NO.						MDV808 / MD808		
			2.00								3.00							1.00							2.00								3.00							4.00				
	coils)	04	(1 set =	SET				coils)	04	(1 set =	SEI				C0110)	coile)	04	(1 set = 1)	SET				coils)	04	(1 set =	SFT				NO							cons	coile)	04	() set =	THE			
			34270.00	; ;			Transferritoria po trapas de la compansa del compansa de la compansa de la compansa del compansa de la compansa				23338.00	·	Wayi waka Adam					25000.00							30294.00								36120.00					,		30965.00				
		· · · · · · · · · · · · · · · · · · ·	68540.00	•				**********			70014.00							25000.00	 			•			60588.00								108360.00	· · · · · · · · · · · · · · · · · · ·						123860.00				

Sapi.

太

\neg	$\neg \Gamma$	***																	_
											20							5	
			MC: 15501975199	SHOVEL	Cu.M / 5.0 Cu.M	EKG / EQC 4.6	GENERATOR OF	PROPEL	KW DC SWING	COIL FOR 100	MAIN POLE	MC: 15501972164	SHOVEL	.Cu.M / 5.0 Cu.M	EKG / EQC 4.6	GENERATOR OF		FOR 132 KW DC	
	14000					34133238014(STAB)	24133238061(COMPOLE),	BHEL DRAWING NO.						***************************************		NO. KMDC 814 Spl	GENERATOR FRAME	CO. LTD. MAKE	KIRI OSKAR FLECTRIC
							2.00))								2.00			
				coils)	04	(1 set =	SET						coils)	24	(1 set =	SEI			
Total	VAT @5%						82080.00									35640.00	nogoginy (Albaniani		
26,64,601.80	126885.80	2537716.00					104100.00	1/1/000								71280.00			

Rounded off to Rs 26.64.601.00 (Rupees Twenty six lakh sixty four thousand six hundred and one only)

Terms and Conditions:

	The state of the s	o I O I Darkinskin kocic
01	Price	Firm till execution of the contract & r U K Desultation Dasis.
02.	Excise Duty & Ed	ED Not applicable
	cess	
ឩ	Sales Tax	Extra as applicable. Present rate is VAI@5%
2	Packaging &	NIL
	forwarding	
25	Frt. & Ins.	NIL
8	Payment Term	100% payment within 21days from the date of receipt and acceptance of
	•	materials or date of submission of bill whichever is later at the consignee
		end.
07	Delivery	The delivery should start within 02 months from the date of receipt of order and it should be completed within 06 months thereafter.
		in the second second
8	Guarantee/ wananty	whichever is earlier against faulty materials or bad workmanship.
99	Price Fall & L.D.	Applicable as Annexure-I(enclosed)
	Clause	
10	Logo /Identification	Supplied items should have either embossing or print indicating specifications of print indicating the supplied items should have to be supplied items should have to be supplied items should have to be supplied items.
	mark	accept this condition in their technical bid. If embossing or printing is
		not possible ten proper tag to be provided for identification
	After Sales Service	
12:	Fitment Guarantee	The offered items should be suitable for applications in mining conditions & suitable for fitment to the subject accessories/
		equipment/machine without any modification / alteration.
13	Integrity Pact:	You have signed Integrity pact issued with NIT. Shri Naresh Chaturvedt, IAS (Retd.), CL-14, Sector-II, Salt lake, Kolkata- 700 091, will be
		independent external monitor against this tender/ contract.
14	Consignee	The Depot Officer, SWS Store, BCCL, Dhanbad, Jharkhand.





5	Faying Aumonty	SHARAL COKING COALL
16	Inspection	representative.
17	Mode of Despatch	y Road on freight paid basis.
19	Security Deposit	period stipulated in the contract / supply order as a result of out-break of hostilities, declaration of an embargo / curfew or blockade or fire, flood, acts of nature or any other contingency beyond the supplier's control due to act of God then BCCL may allow such additional time by extending the delivery period, as it considers to be justified by the circumstances of the case and its decision shall be final. If and when additional time is granted by BCCL the contract/supply order shall be read and understood as if it had contained from its inception the delivery date as extended. Further this clause state that: a) The successful bidder will, in the event of his having to resort to this clause by a registered letter duly certified by the local Chamber of Commerce or statutory authority, the beginning and end of the causes of the delay, within fifteen days of the occurrence and cessation of such Force Majeure, BCCL will reserve the right to cancel the contract and provisions governing termination of contract, as stated in the bid documents will apply. b) For delays arising out of Force Majeure, the bidder will not claim extension in completion date for a period exceeding the period of delay attributable to the causes of Force Majeure and neither BCCL nor the bidder shall be liable to pay extra costs provided it is mutually established that Force Majeure Conditions exists in the place of operation of the bidder even at the time of submission of bid, he will categorically specify them in his bid and state whether they have been taken into consideration in their quotations. Not applicable.
19	Security Deposit	Not applicable.
20	Price Certification	You will certify on their bills that the prices charged to BCCL is not higher than as charged to other Govt. Under Taking / Deptt and others organisations
21	Jurisdiction	Any disputes will have jurisdiction of Dhanbad Court & Jharkhand High court only
22	Inspection and Test clause	i) The purchaser or its authorized representative shall have the right to inspect and/or to test the goods to confirm their conformity to the contract. Ii) The purchaser shall notify the supplier in writing of the identity of any representative retained for these purposes. iii) If the inspections and tests is conducted on the premises of the supplier or its subcontractor(s) at point of delivery and/or at the goods final destination when conducted on the premises of the supplier or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the purchaser. iv) Should any inspected or tested Goods fail to conform to the specifications, the purchaser may reject them and the supplier shall replace the rejected goods and make all alternatives necessary to meet specification requirements free of cost to the Purchaser. v) The materials will be inspected on arrival at site by the consignee, which will be considered as final. This shall in no way be limited or waived by reason of the Goods having previously been inspected, tested

files



	25	24	. 23
CTITED DEMAINING	Packing & test certificate	Performance Bank Guarantee	Submission of Bills
- 17	I he items should be supplied with proper packing for sure storage fitment without deterioration of insulation conditions. Three copies of test certificates as per requirement shall be produced along with the supplied materials.	The successful tenderer shall submit a Performance equivalent to 10% of the total value of the supply order / contract (by adding Excise Duty and Sales Tax etc to the FOR destination price of the items ordered. The performance guarantee shall be submitted in the form of a Bank Guarantee issued by a scheduled bank/Nationalise Bank in India in the format attached as Annexure-III (on a non judicial stamp paper of value Rs.250.00 only). This Bank Guarantee shall be valid for the period for 30 months from the date of first supply. This Performance Guarantee shall be as coverage towards the supplier's performance against the contract performance of the Contract / Supply Order. No payment will be made without submission of Performance Bank Guarantee. If delivery period of supply is extended by any reason, the validity of BG would be extended correspondingly.	

ALL OTHER REMAINING COMMERCIAL TERMS & CONDITIONS AND TECHNICAL SPECIFICATIONS ALONG WITH SCOPE OF SUPPLY WILL STRICTLY BE AS PER OUR NOTICE INVITING TENDER AS CONFIRMED IN YOUR OFFER AND YOUR SUBSEQUENT LETTERS. This contract is concluded with the issuance of this order. You are requested to kindly acknowledge receipt and acceptance of order within 15 days from date of issue of order. In case no reply is

received, it will be presumed that the order has been accepted by you for execution.

This order is placed against Indent No.: BCCL/EXC/SWS/INDENT/2014/MB/19 dtd 28.03.2014, IR no. 614029 dtd 19.05.2014.

Budget Certification No.: BCCL/HQ/Pur-Fin/Store Budget/Advance Action/2014-15/SWS/51 dt 06.05.14 for Rs 30,07,310.00 & FC no 126 dt 30.01.15 for Rs 31,75,213.00 and eBC no. 26 & eFC

Encl: Annexure-I

Annexure-II: Technical Specifications

Yours faithfully, For & on behalf of Bharat Coking Coal Ltd.

Chief Manager (MM) (A.D.Santhish) 11/02/5

Asst. Manager (MM) (Saquib Aftab)

- General Manager (Excv.), Koyla Bhavan
- Depot Officer, SWS Stores, BCCL, Dhanbad
- GM(F)MM, Purchase Fin Deptt. Koyla Bhavan.
- Master copy / Office copy
- lake, Kolkata- 700 091 External Independent Monitor: Shri Naresh Chaturvedi, IAS (Retd.), CL-14, Sector-II, Salt

ANNEXURE-I

PENALTY FOR FAILURE TO SUPPLY IN TIME
The time and date of delivery of stores stipulated in Purchase order shall be deemed to be of the essence of the contract and delivery of the stores must be completed by the date specified. No obtained from the purchaser. materials should be supplied beyond the specified delivery period, unless specific approval has been

reserves the right: breach of any terms and conditions mentioned in the supply order. Bharat Coking Coal Limited In the event of failure to delivery or dispatch the stores within the stipulated date/ period in accordance with the samples and/or specification mentioned is the supply order, and in the event of

- limit of 10% can be increased to 15% at the discretion of Head of the Materials Management purpose part of a unit supplied will not be considered) as aforesaid for each week or part of a week during which the delivery of such stores may be in arrears limited to 10%. Where felt necessary the percentage) of the price of the stores which successful tenderer has not been able to supply (for this a) To recover from successful tenderer, as agreed liquidated damages, a sum not less than 0.5% (half
- supply order in respect of consignment not yet due for supply or cancel the supply order or a portion thereof, and if so desired to purchase the store at the risk the defaulting supplier the stores not supplied or others of a similar description without cancelling the b) To purchase elsewhere, after due notice to the successful tenderer on the account and at the risk of
- and cost of the defaulting supplier and also
- d) To extend the period of delivery with or without penalty as may be considered fit and proper. The penalty, if imposed shall not be more than the agreed liquidated damages referred to in clause (a)
- e) To encash any Bank guarantee which is available for recovery of the penalty or
- f) To forfeit the security deposit full or in part.
- amount. The supplier shall not be entitled to any gain under this clause. The supplier must confirm the acceptance of this Penalty clause, which will not be altered g) Whenever under the contract a sum of money is recoverable from and payable by the supplier, cover the full amount recoverable, the successful tenderer shall pay BCCL on demand the remaining Bharat Coking Coal Ltd. or any subsidiary of Coal India Ltd. Should this sum be not sufficient to or which at any time thereafter may be due to the successful tenderer in this or any other contract with BCCL shall be entitled to recover such sum by appropriating, in part or whole by deducting any sum

PRICE FALLCLAUSE.

- till validity of the contract. the lowest price at which the supplier sells the stores of identical description to any other organization i)The prices charged for the stores supplied under the contract by the supplier shall in no event exceed
- coming into force of such reduction or sale, shall stand correspondingly reduced. The above stipulated Nagar, Dhanbad and the price payable under the contract for the stores supplied after the date of stores to any other organization at a price lower than the price chargeable under this contract, the supplier shall forthwith notify such reduction or sale to the consignee concerned under intimation to ii) If at any time during the said period the supplier reduces the sale price of such stores or sells such will not, however apply to exports by the supplier. CGM (MM), Bharat Coking Coal Limited, Commercial Block, Level -III, Koyla Bhawan,

ANNEXURE IV FORMAT OF BANK GUARANTEE FOR SECURITY DEPOSIT

M/s. Bharat Coking Coal Ltd. Koyla Bhawan Koyla Nagar <u>Dhanbad</u> – 826005

The Bank has under its constitution power, to give this Guarantee and Mr	We, the	We, the	In consideration of M/s Bharat Coking Coal Ltd. having its office at Koyla Bhawan, Koyla Nagar, Dhanbad hereinafter called "the Purchaser" (which expression shall unless repugnant to the subject or context including its successors and assigns) having agreed under the terms and condition of Contract No
as signed pplier. d/Kolkata ler.	have the ury any of ms in the ble by the o the said ion being or or any or the law nat in case specified be due to currency	the Bank shall not puted the puted the regarding exceeding come into emand or all	Dhanbad iincluding dated dated made by Bank Bank Bank Bank get call the modertake by or that iny of the ed by the

Datedday of
For Bank Limited.

Emp. Code.

Signature of the authorized person For and on behalf of the Bank

Annexure-III

FORMAT OF PERFORMANCE BANK GUARANTEE

Signature of the authorized person For and on behalf of the Bank	atedday of or
courts at Dhanbad District only.]	he BG shall be subject to the jurisdiction of the competent courts at Dhanbad District only.]
n case the BGs are from outstation branch of Dhanbad then BG shall be encashable at Dhanbad/Kolkata branch of issuing ank with address and location of the said branch at Dhanbad/ Kolkata will be as under. fame of the Bank: fame of the Branch: focation & Address:	n case the BGs are from outstation branch of Dhanbad then BG shall be encashable a ank with address and location of the said branch at Dhanbad/ Kolkata will be as underwame of the Branch: ocation & Address:
juarantee and Mr it on	The Bank has under its constitution power to give this guarantee and Mr. chalf of the Bank has authority to do so.
onditions relating to the said contract and we shall not be relived from our liability by reason or any such variation or xtension being granted to the said seller or for any forbearance act or omission on the part of the purchaser, or any indulgence by the purchaser to the said seller by any such matter or thing whatsoever which under the law relating to sureties would be for this provision have effect of an relieving us. The Bank further agrees that in case this guarantee is required for a single period and it is not extended by the bank beyond the period specified above, the bank shall pay to this purchaser the raid sum of	onditions relating to the said contract and we shall not I stension being granted to the said seller or for any for idulgence by the purchaser to the said seller by any such in could be for this provision have effect of an relieving us. To make the provision have effect of an elieving us. To make the provision have effect of any selleving us. To make the purchaser in writing the purchaser in w
. We., (Name of the Bank) further agree with the purchaser, that the purchaser, shall have the fullest liberty without our onsent and without affecting in any manner no obligations hereunder to vary any of the terms and conditions of the said ontract or to extend time of performance by the said seller(s) from time to time or to postpone for any time or from time to make a part of the power exercisely by the purchaser against the said seller and to forther or enforce any of the terms and	We., (Name of the Bank) further agree with the purcha onsent and without affecting in any manner no obligation ontract or to extend time of performance by the said seller may any of the powers exercisely by the purchaser again.
We,————————————————————————————————————	We,————————————————————————————————————
uch demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. We shall not withhold the payment on the ground that the seller has disputed its liability to pay or has disputed the quantum of the amount or that any arbitration proceeding or legal proceeding is pending between purchase and the seller regarding the laim. However, our liability under this guarantee shall be restricted to an amount not exceeding	uch demand made on the Bank shall be conclusive as regards the amount due and payable by the shall not withhold the payment on the ground that the seller has disputed its liability to pay if the amount or that any arbitration proceeding or legal proceeding is pending between purchast laim. However, our liability under this guarantee shall be restricted to an amount not exceeding laim.
We,————————————————————————————————————	We,————————————————————————————————————
conditions contained in the said contract. t has at the request of seller agreed to give the	uffered by the purchaser by reason of any of the terms or conditions contained in the said contract. The
eller in the terms of the said Contract on the seller furnishing to the Purchaser a Bank Guarantee for the sum of	eller in the terms of the said Contract on the seller furnishing to the Purchaser a Bank Guarantee for the sum of equivalent to 10 % of the value of each equipment and accessories dispatched by the seller as security for the aithful performance of the terms of the said contract and against any loss or damage caused to or would be expected by the seller as security for the aithful performance of the terms of the said contract and against any loss or damage caused to or would be expected.
	supply equip
- a company having its office at	. Messers

Emp. Code.

Annexure-II

TECHNICAL SPECIFICATION OF COILS & COMMUTATOR

CONDUCTOR FOR ALL COILS:

99.94% or above electrolytic grade class - F / class - H (for motor coils only) enameled

copper strip/round conductor as per original size with class -F / class - H (for motor coils only) varnished double glass covering as per IS specification no. - 10114.

HOWEVER, FOR COMPOLE COILS OF BHEL MAKE ONLY THE CONDUCTOR WILL BE 99.94% OR ABOVE ELECTROLYTIC GRADE & ANNEALED COPPER STRIP WITHOUT ANY SHARP EDGE, CRACKS & VOIDS

INSULATION SCHEME: -

- ARMATURE COILS FOR D. C. GENERATOR / MOTOR

 i) Interlayer separation by 3 mills silicone glass-mica sheet throughout the coil length.
- TEFLON FER tape only. ii) Coil conductors to be bunched together without void or bulged out portion. Bend protection by
- strength of 2KV DC for one minute. iii) Slot portion insulation to be mould with samicaflex & epoxy bonding for a minimum dielectric
- iv) Overhang portion insulation by samicaflex tapes only.
- v) Conductor lead taping by samica tape & 3 mills superfine quality glass-fiber tape with proper varnishing. Conductor end leads are to be tinned properly with 2% silver contained solder.
 vi) Overhang portion to be final taped by 5 mills superfine quality glass-fiber tape as per IS: 5352-13-4 half overlap & to be varnished properly.
 vii) Class of insulation Class-F (for generator coils) / class H (for motor coils).

MAIN POLE COIL ASSY. FOR DC GENERATORS

- provided for firm holding of the coil layers. The end connection terminals are to be properly secured will be uniform for all four sides at the time of fitting. Proper bindings of the coil packs are to be without any bulged out portion and smooth corner finish, so that the gap between core & coil inside wall within the coil pack & to be tinned properly. i) The conductor to be wound as per size of coil with layer to layer epoxy bonding
- make, the coils are to be formed in pre-mould glass-epoxy based bobbin. For BHEL/ USSR make no overall taping of the coils are required.
- ii) Spray type epoxy based insulating paint to be used for final finish.
 iii) Coil pack separators as per size of the coils & core made out of high quality glass epoxy laminated sheet (specific gravity not less than 1.8) are to be provided. The thickness of the sheets will be ranging from 2mm to 4mm &four nos for each coil assly.
- iv) Class of insulation -'F'

COMPOLE COIL ASSLY. FOR DC GENERATOR

For commutating coils:--

- bonding of the layers. based ceramic sheet with proper curing at required temp. & pressure for gapless & i) Inter layer separation & bonding by PERMACEL * INTERCEM or eqvt. epoxy resin void free rigid
- ii) No overall taping of any kind will be provided considering the heat dissipation factors, but proper end connection leads to be provided.

For stabilizing coils:--

connection leads are to be provided with appropriate size Silicon The stabilizing coils are to be wound with layer to layer epoxy bonding & overall taping of the coil packs to be provided with SAMICAFLEX tape & PERMACEL P--300 or eqvt. tapes . All end cable including end lugging etc. rubber insulated multi core copper

- iii) Coil pack separators as per size of coil & core made out of high quality epoxy- laminated glass-fiber sheet (specific gravity not less than 1.8) are to be provided. Thickness of sheet ranging from 2mm to 4mm & three nos. for each coil are required.
- iv) Spray type epoxy paint are to be used for final coating & finish
- v) Class of insulation: -- 'F'.

epoxy bobbin. For KIRLOSKAR Make the insulation scheme will be same as MP Coil in pre - mould glass -

MAIN POLE COIL FOR DC MOTORS

layer epoxy bonding as per the shape of original coils sample. i) For BHEL / USSR make - conductor to be wound as per size of coil in layers with layer to

coils. in a pre-mould bobbin made out of high quality glass epoxy & as per shape & size of original sample For Kirloskar make - Conductors to be wound in layers with layer to layer epoxy bonding

- ii) For both type proper end terminal connectors are to be provided. The terminal connectors are to be properly secured within the coil pack to avoid any chance of breakage or loosening of the
- For Kirloskar make, no ground insulation is required. samicaflex tape only with epoxy bonding for ground insulation. Overall taping to be done by PERMACEL *P-- 300 or eqvt. tape completely cured at 125 deg. C for 8 hours as per process of curing. iii) For BHEL / USSR make - The coil conductor pack to be wrapped with multi-layer
- iv) Spray type epoxy paint to be used for final finish for both the models.
- v) Class of insulation --'H'

COMPOLE COIL FOR DC MOTOR

- bonding of the layers. I) Inter layer separation & bonding by PERMACEL * INTERCEM or epoxy resin based ceramic sheet with proper curing at required temperature & pressure for gapless & void free rigid
- PERMACEL *P--300 or eqvt. tape completely cured as per process of curing as stated above. ii) Ground insulation by SAMICAFLEX tapes with epoxy bonding. Overall taping by

which the conductor are to be wound in layers with epoxy resin bonding.

iii) Spray type epoxy paint to be used for final finish. For Kirloskar make bobbin as per size of coil & core made out of glass epoxy to be used in

- iv) Class of insulation--'H'.

TESTING OF THE COILS

- for each set of coils. chemical grade of copper from GOVT. APPROVED test house/ conductor manufacturer or by the OEM i) Conductor test certificate indicating size of conductor for conductivity, enamel grade &
- ii) High voltage test by the coil manufacturer for each set of coils.
- set of coils iii) Inter-turn insulation / impulse test/tan-delta test certificate and short circuit test for each
- iv) Resistance / voltage drop test for each set of coils.

ANY SUPPLY WITHOUT ABOVE TEST CERTIFICATES WILL BE TREATED AS NON-SUPPLY. ALL THE TEST CERTIFICATES ARE TO BE PROVIDED ALONGWITH SUPPLY.

COMMUTATORS

- All commutators are to be strictly as per IS: 5885 1977.

 i) Type of segment:- High conductivity hard drawn oxygen free silver bearing (silver content 0.06% or more) copper trapezoidal section with proper vee-groove & dimensions. The hardness & electrical conductivity will be as per IS--4519/1977& without any sharp edge, crack, void, concave/convex surface, pitting marks etc.
- appropriate size with proper thermal compressive &bonding property. ii) Inter-segment insulation:- Alkyd vinyl treated hard pressed commutator mica sheet of
- of segment groove in separate molds with commutator mica sheet. iii) Mica V-cones; - All mica vee-cones are to be formed separately by alkyd vinyl as per size
- steel with provision of nut -bolts/check-nuts fastening arrangement as per requirements. The commutator iv) Steel V-rings: - Steel vee - rings are to be made from forged steel/high quality structural

hub are to be of same materials. Proper locking of each parts are to be done so that the complete commutator must act as a rigid single piece. All Vee rings must be protected from the copper segments on both side.

- v) Sealing:- Gaps between vee-ring & copper segments are to be sealed with high quality RTV silicone sealant. The vee-ring projected portion to be banded with resi-glass only.
 vi) Risers: Risers for flexible/ sprocket type are to be made out of virgin silver bearing copper
- sheet & must be tinned. Size & shape will be as per sample/ drawing.
- vii) Ground insulation: 5KV for one minute & bar to bar test at 500 volts.
- of 1.2 times of the rated rpm of the commutator to be done. ix) Seasoning: - All commutators must be seasoned static & dynamically as per recommended load & cycles depending on duty & size of the commutator. Spin test certificate at a speed viii) Class of insulation - Class 'F' (for generators)/class-'H' (for motors). ix) Seasoning: - All commutators must be seasoned static & d dynamically as per IS
- x) Dynamic balancing: All commutators are to be dynamically balanced at 1500 RPM.

Testing:-

- i) Copper & silver percentage (in exact) of commutator segments by chemical tests from GOVT. APPROVED test house or by the OEM to be done.
- ii) Following tests are to be done by the commutator manufacturer.
- * High voltage test
- * Dynamic Balancing
- Bar to bar test.

SUPPLY. Spin test & seasoning certificate for each commutator to be submitted at 1500RPM.

THE ABOVE TEST CERTIFICATES ARE TO BE PRODUCED ALONGWITH THE ABOVE

PURCHASE ORDER NO.:(

DATED 11/02/15

Format for vigilance Report & purchase order/Rate contract uploading

20,

TWO OME Interpreted Electric DELECTRICAL Micanite Confinitio 19/11/14 Ro 26,64,601.00 HO29 6/4/05/14	9 No and names of Tenderers not qualified after tech. evaluation. 1 O Price Bid Opening Date 1 Total landed Value(in Rs) 2 Whether contract awarded to lowest tenderer evaluated 3 Whether Integrity pact is applicable? 4 Indent registration No. 5 Indent registration Date 6 Supplier Type(mark $\sqrt{\ }$)	9 10 11 12 13 13 15 16
Scaller John Jender Two Two Mis R. Traders Two Mis Charlet Environments O) Mis Charlet Environments	 1 Tender no. 2 Mode of tender enquiry 3 Date of publication of Tender. 4 Type of bidding(Single/ two bid) 5 Last date of receipt of tender. 6 Tech.Bid Opening Date 7 No. of valid tender received. 8 No and names of Tenderers qualified after tech. evaluation. 	

4

integration graphs and a second graph of the second graphs and a second graph of the second graphs and a second graph of the second graphs and graphs are second graphs and graphs are second graphs and graphs are second graphs ar		
		;* ,,
		SP J