

BHARAT COKING COAL LIMITED

Koyla Bhawan : Koyla Nagar (A Subsidiary of Coal India Limited)
Office of the Chief General Manager(MM)

> (Phone No. 0326 – 2230181 (Fax No. 0326 -2230183) GRAM: KOKINGKOL

Dhanbad: 826 005

dtd. 11.02.2015

Ref. No. BCCL/PUR/614029/COILS & COMMUTATORS/14-15/234

BY REGD./SPEED POST PURCHSE ORDER

To, Post- Cossipore 1C, Nilmoni Row M/s. Spares & Equipments Kolkata- 700 002 PAN No.: Vendor Type: Vender code: ADCPR3906K Mfr. 1/12/M/S/095

Sub: Supply of Coils and Commutators for Motor/ Generators of Excavators

Ref: i) Our tender no. BCCL/Pur/614029/Coils and Commutators /14-15/43, Cover-I opened on 14.08.14 and Price bid opened on 19.11.14 ii) Your On-Line Offer Id No 7761 dtd 10.08.2014

Dear Sirs,

price, value and terms & conditions: With reference to above, we, for and on behalf of BCCL, hereby place order for Supply of Coils and Commutators for Motor/ Generators of Excavators at the following specification.

Z	M/s R Traders Description	DRAWING	Qty		UM
SI	Description	REFERANCE	Sets	IAIO	
no					
7	MAIN POLE	KIRLOSKAR ELECTRIC	5.00	SET	
***************************************	COIL FOR 54	CO. LTD. MAKE MOTOR		(1 set =	II
	KW DC CROWD	FRAME NO. KMDC 808		04	
	/PROPEL	Spl		coils)	<u>s</u>
	MOTOR OF EKG	,			
	/EQC 4.6 Cu.M /				
	5.0 Cu.M				
	SHOVEL				
	MC: 15501981682			***************************************	
II	MAIN POLE	GE make motor type	1.00	SET	
	COIL FOR 130HP	MDV808 / MD808		(1 set =	<u> </u>
	DC CROWD /			04	
	SWING MOTOR			coils)	<u> </u>
	OF BE195B /				
	MARION 182M				

					••••						21									19								14		
			MC: 15501972302	TEVEN	Cn.M / 5.0 Cu.M	EKG/EQC 4.6	GENERATOR OF	EXCITER	KW DC	COIL FOR 12	COMPOLE	MC:15501975313	SHOVEL	Cu.M / 5.0 Cu.M	EKG/EQC 4.6	GENERATOR OF	PROPEL	KW DC SWING	COIL FOR 120	COMPOLE	MC: 15557995575	10Cu.M SHOVEL	MARION 182M	OF BE195B /	SWING MOTOR	DC CROWD /	COIL FOR 130HP	MAIN POLE	MC: 15557995551	10Cu.M SHOVEL
										34233238016	BHEL DRAWING NO.						34133238017 (STAB)	(COMPOLE),	24133238066	BHEL DRAWING NO.							MD 1808E / MDV 1808E	BHEL make motor type		
											3.00									2.00								1.00		
								coils)	04	(1 set =	SET		***************************************		·		coils)	04	(1 set =	SET					coils)	04	(1 set =	SET		
Total	CST @2%										11700.00									38950.00								60800.00		
5,10,612.00	10012.00	500600.00									35100.00									77900.00								60800.00		

(Rupees Five lakh ten thousand six hundred and twelve only)

Terms and Conditions:

T C I	TOTAL CONCERNATION	
01	Price	Firm till execution of the contract & F O K Destination basis.
02	Excise Duty & Ed	ED Not applicable
	cess	
03	Sales Tax	Extra as applicable. Present rate is CS1 @2% against Form C.
04	Packaging &	NIL ,
	forwarding	
05	Frt. & Ins.	NIL
90	Payment Term	100% payment within 21days from the date of receipt and acceptance of
		materials or date of submission of bill whichever is later at the consigner
		end,
07	Delivery	The delivery should start within 02 months from the date of receipt of
•		order and it should be completed within 06 months thereafter.
80	Guarantee/ Warranty	18 months from the delivery or 12 months from the date of fitment whichever is earlier against faulty materials or bad workmanship.
3	Price Fall & L.D.	Applicable as Annexure-I(enclosed)
	Clause	
10	Logo /Identification	Supplied items should have either embossing or print indicating
	mark	manufacturers name / logo & item description. Vendor will have to





07	19	16 17 18	<u> </u>	ū	12 .
Price Certification	Security Deposit	Inspection Mode of Despatch Force Majeure Clause	Consignee	Integrity Pact:	After Sales Service Fitment Guarantee
You will certify on their bills that the prices charged to BCCL is not higher than as charged to other Govt. Under Taking / Deptt and others		Bhawan, Koyla Nagar, Dhanbad. Final inspection by consignee end by GM (Excv) or his authorised representative. By Road on freight paid basis. If the execution of the contract/supply order is delayed beyond the period stipulated in the contract / supply order as a result of out-break of hostilities, declaration of an embargo / curfew or blockade or fire, flood, acts of nature or any other contingency beyond the supplier's control due to act of God then BCCL may allow such additional time by extending the delivery period, as it considers to be justified by the circumstances of the case and its decision shall be final. If and when additional time is granted by BCCL the contract/supply order shall be read and understood as if it had contained from its inception the delivery date as extended. Further this clause state that: a) The successful bidder will, in the event of his having to resort to this clause by a registered letter duly certified by the local Chamber of Commerce or statutory authority, the beginning and end of the causes of the delay, within fifteen days of the occurrence and cessation of such Force Majeure BCCL will reserve the right to cancel the contract and provisions governing termination of contract, as stated in the bid documents will apply. b) For delays arising out of Force Majeure , the bidder will not claim extension in completion date for a period exceeding the period of delay attributable to the causes of Force Majeure and neither BCCL nor the bidder shall be liable to pay extra costs provided it is mutually established that Force Majeure Conditions exists in the place of operation of the bidder shall be liable to pay extra costs provided it is mutually specify them in his bid and state whether they have been taken into consideration in their quotations.		You have signed Integrity pact issued with NIT. Shri Naresh Chaturvedi, IAS (Retd.), CL-14, Sector-II, Salt lake, Kolkata- 700 091, will be independent external monitor against this tender/ contract.	accept this condition in their technical bid. If embossing or printing is not possible ten proper tag to be provided for identification You will extend after sales service to the end user. The offered items should be suitable for applications in mining conditions & suitable for fitment to the subject accessories/ equipment/machine without any modification / alteration.



ALL OTHER REMAINING COMMERCIAL TERMS & CONDITIONS AND TECHNICAL SPECIFICATIONS ALONG WITH SCOPE OF SUPPLY WILL STRICTLY BE AS PER OUR NOTICE INVITING TENDER AS CONFIRMED IN YOUR OFFER AND YOUR SUBSEQUENT LETTERS

This contract is concluded with the issuance of this order. You are requested to kindly acknowledge receipt and acceptance of order within 15 days from date of issue of order. In case no reply is received, it will be presumed that the order has been accepted by you for execution.

This order is placed against Indent No.: BCCL/EXC/SWS/INDENT/2014/MB/19 dtd 28.03.2014, IR no. 614029 dtd 19.05.2014.

Budget Certification No.: BCCL/HQ/Pur-Fin/Store Budget/Advance Action/2014-15/SWS/51 dt 06.05.14 for Rs 30,07,310.00 & FC no 126 dt 30.01.15 for Rs 31,75,213.00 and eBC no. 26 & eFC

Encl: Annexure-I

Annexure-II: Technical Specifications

For & on behalf of Bharat Coking Coal Ltd. Yours faithfully,

(Saquib Aftab)

Asst. Manager (MM)

Chief Manager (MM) (A.D.Santhish)

Copy to:-

- General Manager (Excv.), Koyla Bhavan Depot Officer, SWS Stores, BCCL, Dhanbad GM(F)MM, Purchase Fin Deptt. Koyla Bhavan. Tech. Cell, MM Divn.
- Master copy / Office copy
- lake, Kolkata- 700 091 External Independent Monitor: Shri Naresh Chaturvedi, IAS (Retd.), CL-14, Sector-II, Salt

ANNEXURE-I

PENALTY FOR FAILURE TO SUPPLY IN TIME

materials should be supplied beyond the specified delivery period, unless specific approval has been The time and date of delivery of stores stipulated in Purchase order shall be deemed to be of the essence of the contract and delivery of the stores must be completed by the date specified. No obtained from the purchaser.

accordance with the samples and/or specification mentioned is the supply order, and in the event of breach of any terms and conditions mentioned in the supply order. Bharat Coking Coal Limited reserves the right: the event of failure to delivery or dispatch the stores within the stipulated date/ period

- percentage) of the price of the stores which successful tenderer has not been able to supply (for this purpose part of a unit supplied will not be considered) as aforesaid for each week or part of a week a) To recover from successful tenderer, as agreed liquidated damages, a sum not less than 0.5% (half limit of 10% can be increased to 15% at the discretion of Head of the Materials Management during which the delivery of such stores may be in arrears limited to 10%. Where felt necessary the
- supply order in respect of consignment not yet due for supply or the defaulting supplier the stores not supplied or others of a similar description without cancelling the b) To purchase elsewhere, after due notice to the successful tenderer on the account and at the risk of
- and cost of the defaulting supplier and also c) To cancel the supply order or a portion thereof, and if so desired to purchase the store at the risk
- d) To extend the period of delivery with or without penalty as may be considered fit and proper. The penalty, if imposed shall not be more than the agreed liquidated damages referred to in clause (a)
- e) To encash any Bank guarantee which is available for recovery of the penalty or
- f) To forfeit the security deposit full or in part.
- amount. The supplier shall not be entitled to any gain under this clause. cover the full amount recoverable, the successful tenderer shall pay Bharat Coking Coal Ltd. or any subsidiary of Coal India Ltd. Should this sum be not sufficient to or which at any time thereafter may be due to the successful tenderer in this or any other contract with BCCL shall be entitled to recover such sum by appropriating, in part or whole by deducting any sum Whenever under the contract a sum of money is recoverable from and payable by the supplier, BCCL on demand the remaining

The supplier must confirm the acceptance of this Penalty clause, which will not be altered

PRICE FALLCLAUSE.

- the lowest price at which the supplier sells the stores of identical description to any other organization i)The prices charged for the stores supplied under the contract by the supplier shall in no event exceed till validity of the contract.
- stores to any other organization at a price lower than the price chargeable under this contract, the supplier shall forthwith notify such reduction or sale to the consignee concerned under intimation to CGM (MM), Bharat Coking Coal Limited, Commercial Block, Level –III, Koyla Bhawan, Koyla ii) If at any time during the said period the supplier reduces the sale price of such stores or sells such coming into force of such reduction or sale, shall stand correspondingly reduced. The above stipulated Nagar, Dhanbad and the price payable under the contract for the stores supplied after the date of will not, however apply to exports by the supplier.

ANNEXURE IV

FORMAT OF BANK GUARANTEE FOR SECURITY DEPOSIT

Koyla Bhawan Koyla Nagar

M/s. Bharat Coking Coal Ltd.

<u>Dhanbad</u> – 826005

This Bank Guarantee will not be discharged due to the change in the constitution of the Bank or the Supplier it on behalf of the Bank has authority to do so. the Purchaser and as the Purchaser may demand. above. The Bank shall pay to the Purchaser the said sum ofor such lesser sum as may then be due to this Guarantee is required for a longer period and it is not extended by the Bank beyond the period specified relating to sureties would but for this provision have effect of so relieving us the Bank further agrees that in case indulgence by the Purchaser to the said Supplier or by any such matter or thing whatsoever which under the law Name of the Branch: Name of the Bank: [In case the BGs are from outstation branch of Dhanbad then BG shall be encashable at Dhanbad/Kolkata branch of issuing bank with address and location of the said branch at Dhanbad/ Kolkata will be as under. The Bank has under its constitution power, to give this Guarantee and Mr. except with the previous consent of the Purchaser in writing. granted to the said Supplier or for any forbearance act or omission on the part of the Purchaser or any contract we shall not be relieved from our liability by the reason or any such variations or extension being Purchaser against the said supplier and to forebear or enforce any of the terms and conditions relating to the said Contract from time to time or to postpone for any time or from time to time any of the powers exercisable by the the terms and conditions of the said Contract or to extend the time of delivery of the specified items in the fullest liberty without our consent and without affecting in any manner our obligations hereunder to vary any of liabilities under this Guarantee thereafter. Purchaser on demand and without demur to the extent aforesaid. terms and conditions contained in the said Contract and to unconditionally pay the amount claimed by the may be caused to suffered by Purchaser by reason of any breach or breaches by the said supplier or any of the and agree to indemnify and keep indemnified that Purchaser from time to time the extent of Rs. the supplier for their due fulfillment of the terms contained in the said Contract, we, the accept a Deed of Guarantee as herein provided for Rs. (hereinafter called the supplier in connection with supply of its successors and assigns) having agreed under the terms and condition of Contract No. dated hereinafter called "the Purchaser" (which expression shall unless repugnant to the subject or context including Limited (hereinafter referred to as the said Bank having its office at ... consideration of M/s Bharat Coking Coal Ltd. having its office at Koyla Bhawan, Koyla Nagar, Dhanbad BG shall be subject to the jurisdiction of the competent courts at Dhanbad District only.]) against any loss. Damage caused charges and expenses caused to or suffered by or that made between M/sday of (Name of the Bank) lastly undertakes not to revoke this Guarantee during this currency (Name of the Bank) further agree with the Purchaser that the Purchaser, shall have the Bank Limited a Company having its office at in lieu of the security deposit to be made by hereinafter called the "said Contract" to For and on behalf of the Bank Signature of the authorized person Manager who has signed do hereby undertake .(Rupees

Emp. Code

Amexure-III

FORMAT OF PERFORMANCE BANK GUARANTEE

Datedday of For Bank Limited.	The BG shall be subject to the jurisdiction of the competent courts at Dhanbad District only.	[In case the BGs are from outstation branch of Dhanbad then BG shall be encashable at Dhanbad/Kolkata branch of issuing bank with address and location of the said branch at Dhanbad/ Kolkata will be as under. Name of the Bank: Name of the Branch: Location & Address:	previous consent of the purchaser; in writing. 6. The Bank has under its constitution power to give this guarantee and Mrbehalf of the Bank has authority to do so.	Huchaser) to supply equipment on the terms and conditions in the said Contract. Purchaser) to supply equipment on the terms and conditions in the said Contract. Purchaser) to supply equipment on the terms and conditions in the said Contract. Purchaser agreed that hundred percentages (10%) payment of the value of the equipment will be made to the seller in the terms of the said contract and against any loss or damage caused to or would be caused to or suffered by the purchaser by reason of any of the terms or conditions contained in the said contract. The———————————————————————————————————	I. Messersa con
Signature of the authorized person For and on behalf of the Bank Emp. Code.	rts at Dhanbad District only.]	G shall be encashable at Dhanbad/Kolkata branch of issuing olkata will be as under.	ntee and MrManager, who has signed it on	that been agreed that hundred percentage(100%) payment of the value of the equipment on the terms and conditions in the sand Contract. It has been agreed that hundred percentage(100%) payment of the value of the equipment will be made to the the terms of the said Contract on the seller furnishing to the Purchaser a Bank Guarantee for the sum of ———————————————————————————————————	-hereinafter called the Seller has entered into a Contract No

Annexure- II

TECHNICAL SPECIFICATION OF COILS & COMMUTATOR

CONDUCTOR FOR ALL COILS:

double glass covering as per IS specification no. - 10114. copper strip/round conductor as per original size with class -F / class - H (for motor coils only) varnished 99.94% or above electrolytic grade class - F / class - H (for motor coils only) enameled

STRIP WITHOUT ANY SHARP EDGE, CRACKS & VOIDS HOWEVER, FOR COMPOLE COILS OF BHEL MAKE ONLY THE CONDUCTOR WILL BE 99.94% OR ABOVE ELECTROLYTIC GRADE & ANNEALED COPPER MAKE ONLY

INSULATION SCHEME: -

ARMATURE COILS FOR D. C. GENERATOR / MOTOR

- i) Interlayer separation by 3 mills silicone glass-mica sheet throughout the coil length. ii) Coil conductors to be bunched together without void or bulged out portion. Bend protection by TEFLON FER tape only.
- strength of 2KV DC for one minute. iii) Slot portion insulation to be mould with samicaflex & epoxy bonding for a minimum dielectric
- iv) Overhang portion insulation by samicaflex tapes only.
 v) Conductor lead taping by samica tape & 3 mills superfine quality glass-fiber tape with proper varnishing. Conductor end leads are to be tinned properly with 2% silver contained solder.
- half overlap & to be varnished properly. vi) Overhang portion to be final taped by 5 mills superfine quality glass-fiber tape as per IS: 5352-13-4
- vii) Class of insulation Class-F (for generator coils) / class H (for motor coils).

MAIN POLE COIL ASSY. FOR DC GENERATORS

without any bulged out portion and smooth corner finish, so that the gap between core & coil inside wall provided for firm holding of the coil layers. The end connection terminals are to be properly secured will be uniform for all four sides at the time of fitting. Proper bindings of the coil packs are to be i) The conductor to be wound as per size of coil with layer to layer epoxy bonding

within the coil pack & to be tinned properly.

For BHEL/ USSR make no overall taping of the coils are required. For KEC make, the coils are to be formed in pre-mould glass-epoxy based bobbin.

- ii) Spray type epoxy based insulating paint to be used for final finish.
- laminated sheet (specific gravity not less than 1.8) are to be provided. The thickness of the sheets will be ranging from 2mm to 4mm &four nos for each coil assly. iii) Coil pack separators as per size of the coils & core made out of high quality glass epoxy
- iv) Class of insulation -'F'

COMPOLE COIL ASSLY. FOR DC GENERATOR

For commutating coils:--

- based ceramic sheet with proper curing at required temp. & pressure for gapless & void free rigid bonding of the layers. i) Inter layer separation & bonding by PERMACEL * INTERCEM or eqvt. epoxy resin
- proper end connection leads to be provided. ii) No overall taping of any kind will be provided considering the heat dissipation factors, but

For stabilizing coils:--

the coil packs to be provided with SAMICAFLEX tape & PERMACEL P--300 or eqvt. tapes . All end connection leads are to be provided with appropriate size Silicon rubber insulated multi core copper cable including end lugging etc The stabilizing coils are to be wound with layer to layer epoxy bonding & overall taping of



- iii) Coil pack separators as per size of coil & core made out of high quality epoxy- laminated glass-fiber sheet (specific gravity not less than 1.8) are to be provided. Thickness of sheet ranging from 2mm to 4mm & three nos. for each coil are required.
- iv) Spray type epoxy paint are to be used for final coating & finish
- v) Class of insulation: -- 'F'.

For KIRLOSKAR Make the insulation scheme will be same as MP Coil in pre - mould glass

MAIN POLE COIL FOR DC MOTORS

layer epoxy bonding as per the shape of original coils sample. For BHEL / USSR make - conductor to be wound as per size of coil in layers with layer to

coils. For Kirloskar make - Conductors to be wound in layers with layer to layer epoxy bonding in a pre-mould bobbin made out of high quality glass epoxy & as per shape & size of original sample

- are to be properly secured within the coil pack to avoid any chance of breakage or loosening of the ii) For both type proper end terminal connectors are to be provided. The terminal connectors
- samicaflex tape only with epoxy bonding for ground insulation. Overall taping to be done by PERMACEL *P-- 300 or eqvt. tape completely cured at 125 deg. C for 8 hours as per process of curing For Kirloskar make, no ground insulation is required. iii) For BHEL / USSR make - The coil conductor pack to be wrapped with multi-layer
- iv) Spray type epoxy paint to be used for final finish for both the models.
- v) Class of insulation --'H'

COMPOLE COIL FOR DC MOTOR

- bonding of the layers. ceramic sheet with proper curing at required temperature & pressure for gapless & void free rigid I) Inter layer separation & bonding by PERMACEL * INTERCEM or epoxy resin based
- ii) Ground insulation by SAMICAFLEX tapes with epoxy bonding. Overall taping by PERMACEL*P--300 or eqvt. tape completely cured as per process of curing as stated above. For Kirloskar make bobbin as per size of coil & core made out of glass epoxy to be used in

which the conductor are to be wound in layers with epoxy resin bonding.

- iii) Spray type epoxy paint to be used for final finish.
- iv) Class of insulation--'H'.

TESTING OF THE COILS

- chemical grade of copper from GOVT. APPROVED test house/ conductor manufacturer or by the OEM for each set of coils. i) Conductor test certificate indicating size of conductor for conductivity, enamel grade &
- ii) High voltage test by the coil manufacturer for each set of coils.
- set of coils iii) Inter-turn insulation / impulse test/tan-delta test certificate and short circuit test for each

iv) Resistance / voltage drop test for each set of coils.

ALL THE TEST CERTIFICATES ARE TO BE PROVIDED ALONGWITH SUPPLY.
ANY SUPPLY WITHOUT ABOVE TEST CERTIFICATES WILL BE TREATED AS NON-SUPPLY.

All commutators are to be strictly as per IS: 5885 - 1977.

- 0.06% or more) copper trapezoidal section with proper vee-groove & dimensions. The hardness & electrical conductivity will be as per IS--4519/1977& without any sharp edge, crack, void, concave/convex surface, pitting marks etc. i) Type of segment:- High conductivity hard drawn oxygen free silver bearing (silver content
- appropriate size with proper thermal compressive &bonding property. ii) Inter-segment insulation:- Alkyd vinyl treated hard pressed commutator mica sheet of
- of segment groove in separate molds with commutator mica sheet. iii) Mica V-cones; - All mica vee-cones are to be formed separately by alkyd vinyl as per size
- iv) Steel V-rings: Steel vee rings are to be made from forged steel/high quality structural steel with provision of nut -bolts/check-nuts fastening arrangement as per requirements. The commutator

, hub are to be of same materials. Proper locking of each parts are to be done so that the complete commutator must act as a rigid single piece. All Vee rings must be protected from the copper segments on both side.

- silicone sealant. The vee-ring projected portion to be banded with resi-glass only. v) Sealing:- Gaps between vee-ring & copper segments are to be sealed with high quality RTV
- sheet & must be tinned. Size & shape will be as per sample/ drawing. vi) Risers: - Risers for flexible/ sprocket type are to be made out of virgin silver bearing copper
- vii) Ground insulation: 5KV for one minute & bar to bar test at 500 volts.
- recommended load & cycles depending on duty & size of the commutator. Spin test certificate at a speed of 1.2 times of the rated rpm of the commutator to be done. viii) Class of insulation - Class 'F' (for generators)/class-'H' (for motors). ix) Seasoning: - All commutators must be seasoned static & d & dynamically as per IS
- x) Dynamic balancing: All commutators are to be dynamically balanced at 1500 RPM.

- i) Copper & silver percentage (in exact) of commutator segments by chemical tests from GOVT. APPROVED test house or by the OEM to be done. Testing:-
- ii) Following tests are to be done by the commutator manufacturer.
- * High voltage test
- * Dynamic Balancing

SUPPLY. * Spin test & seasoning certificate for each commutator to be submitted at 1500RPM.

LL THE ABOVE TEST CERTIFICATES ARE TO BE PRODUCED ALON BE PRODUCED ALONGWITH



Format for vigilance Report & purchase order/Rate contract uploading

Date:	16	15	14	Ü	12	11	10	9		8	7	6	Сī	4	ω	2	 	
	Supplier Type(mark √)	Indent registration Date	Indent registration No.	Whether Integrity pact is applicable?	Whether contract awarded to lowest tenderer evaluated	Total landed Value(in Rs)	Price Bid Opening Date	No and names of Tenderers not qualified after tech. evaluation.	after tech. evaluation.	No and names of Tenderers qualified	No. of valid tender received.	Tech.Bid Opening Date	Last date of receipt of tender.	Type of bidding(Single/ two bid)	Date of publication of Tender.	Mode of tender enquiry	Tender no.	
Signature of Dealing Officer	Mr.	19/05/20/4	614029	Mes.	Ne	Ry 510612		Two (1) MIS Interpreted Eumi (2) Electrical Micanite Cusponition	(2) M/S Spares + Equipments	Two O M/ R. Tradera	Tow	14/08/14	12/08/14	TWD	21107/14		BCCL 19UR 1814029 [Coils & Communitation)	

