



BHARAT COKING COAL LIMITED
(A Subsidiary of Coal India Limited)
Office of the Chief General Manager(MM)
Commercial Block L-III , Koyla Bhawan
Koyla Nagar Dhanbad : 826 005

Phone: (0326)2230181
Fax: (0326)2230183
Under Jurisdiction of
Dhanbad Court and
Jharkhand High
Court only

Ref. No. Pur/616027/Drill Rods/HEMM /16-17/138

dtd. 22.10.2016

PURCHASE ORDER
BY REGD.POST

To
M/s Mining Machine Tools
Plot no 82, Industrial Area
Korba - 495681
Chhatisgarh
Fax-02266 459457

Vendor code -1/21/M/S/001
Vendor Type: Mfr

Sub: For supply of HEMM Drill Rods

- Ref: i) Our tender No. Pur/616027/Drill Rods/16-17/21 opened on 25.07.16
ii) Your on-line offer ID 117432 dated 22-Jul-2016
iii) Your Last Letter Ref No. MMT/KRB/16-17/273 dated 15/10/16

Dear Sirs,

With reference to above, we for and on behalf of BCCL, hereby place order for supply of Drill Rods suitable for IR/Rotacoal /DMDrills as per detailed specification, rate, value and terms and conditions mentioned below:

Item. Sl. no.	Description	Qty	Unit rate (In Rs)	Excise duty@ 12.5%	CST @ 2%	Freight Charges	Subtotal (in Rs)	Extended Value in Rs
1	DRILL ROD, Suitable for I R, ROTACOAL/IDM30 Drills.Size: 5 inches OD, 25 ft length, Wall Thickness: 1/2 inches, Thread: BECO with wrench slots at both rod ends for screwing and unscrewing arrangement. PART NO: 10HIN1372/94024015 MC:11407280191	35	25408.00	3176.00	571.68	2500.00	31655.68	11,07,948.80

Handwritten signature
22/10

Handwritten signature

2	DRILL ROD, Suitable for REL 650 drill. Size: 5 inches OD , 25 ft length, Wall Thickness: 1/2 inches Thread: BECO and flat/hexagon head at rod ends for screwing and unscrewing arrangement. PART NO: A8869 MC:11452190444	20	25408.00	3176.00	571.68	2500.00	31655.68	6,33,113.60
								17,41,062.40

Rounded off to Rs 17,41,062.00

(Rupees Seventeen Lakh Forty One Thousand & Sixty Two Only)

Note: The Drill Rods should be supplied with the following specifications:

- d) For Tube/Pipe: seamless Steel in single length. The material should be ASTM A-106B Grade with minimum tensile strength-42.2 Kg/Sq mm & minimum yield strength -24.6 Kg/sq mm.
- e) Pin & Box Tool joint: The material should be forged EN-19 suitably heat treated with minimum tensile strength- 69.75 Kg/Sq mm & minimum yield strength -52.84 Kg/sq mm.
- f) Thread: The thread should be phosphatised.

TERMS & CONDITIONS

01	Price:	Firm & F O R destination basis till completion of supply.
02	ED and Ed cess	ED extra as applicable. Present rate is @ 12.50%. The excise invoice shall contain the provisions as per NIT for enabling BCCL to avail CENVAT Credit
03	CST	Extra as applicable within scheduled delivery period .Present rate is @ 2% as indicated above against Form 'C'
04	Freight	Freight extra @ Rs2500.00 each
05	Payment term:	100 % payment within 21 days from the date of receipt and acceptance of materials by the consignee or date of receipt of Bills whichever is later by the consignee
06	Delivery:	Delivery should be completed within 120 days from the date of firm order. However due to urgency of requirement, early delivery will be appreciated. Delivery will be reckoned from the 10th day of issue of order.
07	Inspection:	Final inspection will be arranged by the Consignee at Consignee's end.
08	Warranty:	The firm shall furnish the manufacturer's composite guarantee for satisfactory performance for 12 months from the date of fitment or 18 months from the date of receipt and acceptance or 1500 hours, whichever is earlier.
09	Price Fall & L.D. Clause:	Applicable as per NIT
10	Logo:	Drill rods should be embossed with the logo and serial no. of the firm at a non-wearing surface.

Handwritten signatures and date 22/10

