

BHARAT COKING COAL LIMITED

(A Subsidiary of Coal India Limited) Office of the General Manager(MM) Materials Management Department

Commercial Block L-III , Koyla Bhawan : Koyla Nagar Dhanbad : 826005(Fax No- 0326-2230183)

ORIGINAL BY REGD. POST.

SUPPLY / PURCHASE ORDER

Under jurisdiction of Dhanbad Court and Jharkhand High Court only.

Ref. No. PUR/ 530135-138/Horz. Pump/ Block II Barora/10-11/M&P/94

Dt: 19.07.2011

To,

M/s. Mather & Platt Pumps Ltd., Biswamitra Kutir,

Vender Code – 1/22/D/T/018 FAX: 0326 – 2396673

Jayprakash Nagar, Lane No.3, Dhanbad, (JHARKHAND)

Sub.: This Office Tender No.

 $BCCL/PUR/\,530135\text{-}138/Horz.\ Pump/BL\text{-}II/Barora/10\text{-}11/E\text{-}TDR/119$

Due & Opened on 28/02/11(Off-Line), 01/03/11(On-line)

Ref: Your Offer No. E-P-015/BCCL/001 Dt. 26/02/11 & Subsequent correspondence on the above subject .

Dear Sirs.

With reference to the above, we , for and on behalf of BCCL , hereby place PURCHASE ORDER on you for supply of following items as per rate , terms and conditions indicated below :

1. SCOPE OF SUPPLY: HORIZONTAL SPLIT CASING PUMP

The detailed description along with specification / size of the Pump along with Qty. to be supplied, Unit Rate, other charges and Extended Value will be as under:

			Unit Basic	Extended
S/N	Description	Qty.	Rate (Rs)	Value
	Centrifugal Horz. Pump Sets with 6.6 KV NFLP			
	Electrical 150M Head X 2000 GPM Discharge			
1	[Your offered Model – 6/80 GME]	3	1780274.00	5340822.00
	E.D. & Cess @ 4.12%			220041.00
	CST @ 2% (as offered)			111216.00
	Freight & Insurance		53408.00	160224.00
				5832303.00

[Technical Details will be as per Annexure "A" enclosed .]

- 2. <u>TOTAL ORDER VALUE</u>: The total order value will be Rs. 58,32,303.00 (Rupees Fifty Eight Lakh Thirty Two Thoudand Three Hundred and Three) only on F.O.R. Destination basis.
- 3. Excise Duty & CESS: Will be paid at actual on proof of documentary evidence.

 Quoted rate indicated above.
- 4. CST.: Will be paid at actual. However, the offered rate indicated above
- 5. Packing & Forwarding Charges: Inclusive.
- 6. Freight & Insurance Charges: Will be paid at actual, limited to amount indicated above
- 7. $\underline{Mode\ of\ Despatch}$: By Road on F.O.R. Destination , Freight paid basis .

NOTE: You will ensure safe & sound delivery of stores at consignee's end.

- 8. <u>Road Permit</u>: Road Permit, if required, may be obtained directly from the Consignee under intimation to this office.
- 9. <u>Delivery Period</u>: Supply of 2 sets of Pump will be made within 3- 4 months or earlier And balance quantity will be supplied within 6 months or earlier.

However, keeping in view of our extreme urgency, earliest delivery will be appreciated.

[Delivery period will be reckoned from 10^{th} day of placement of this supply order.] Any increase in the rate of taxes & duties beyond delivery period will be to your account.

10. Consignee & Paying Authority: Consignee & Paying Authority for this order will be as under:

Consignee	Paying Authority		
The Depot Officer,	The General Manager(F) (MM), MM Division, Koyla Bhawan, B.C.C.L.,		
Central Stores, Ekra, B.C.C.L.	Dhanbad		

- 11. <u>Payment Term</u>: 100% payment will be made within 21 days of receipt and acceptance of the materials by the consignee or from the date of receipt of Bills, whichever is later.
- 12. <u>Submission of Bill</u>: 100% value of bill duly stamped, signed & pre-receipted in quadruplicate, as per terms of the order should be submitted for payment to the paying authority through consignee.

Bill should be submitted along with challan, Consignment note (if required) , packing list if any, guarantee/warranty certificate, fitment / Test certificate if required , proof of payment of freight charges if freight is claimed , documentary evidence of Excise duty payment if claimed, Price Certificate , Copy of Inspection Note of CMPDIL (If required) and other documents as per order .

 $(\ Note-All\ documents\ to\ be\ submitted\ shall\ be\ duly\ authenticated\)$

No payment will be made without submission of performance Bank Guarantee & security deposit, if covered in order.

13. <u>Guarantee /Warranty</u>: Materials supplied should be guaranteed for a period of 12(twelve) months from the date of fitment or 18 months from the date of receipt and acceptance at consignee end, whichever is earlier, against any manufacturing defects / workmanship / inferior quality. Any defect observed on this account shall be attended within 07 days from the date of receipt of report and replace the materials within 21 days free of cost.

14. <u>PRICE CERTIFICATE</u>: You should submit a certificate along with bill as stated below "The rates of the stores under this contract are the lowest at which we are selling to any other customer/Govt. Deptt./ Subsidiaries of CIL/ Other PSUs. If the materials are sold at any lower

customer/Govt. Deptt./ Subsidiaries of CIL/ Other PSUs. If the materials are sold at any lower rate than that mentioned in this contract to any other agency, the same will automatically be applied to this contract from that date ".

15. Performance Bank Guarantee – A Performance Bank Guarantee on schedule/Nationalized Bank in India valid for three months beyond the expiry of Guarantee/Warranty period for 10 % value of the order (order value means FOR destination price including taxes, duties, transportation & insurance charges & other charges if any) shall have to submitted to MM Division, BCCL, Koyla Bhawan on or before commencement of supply. PBG may be submitted either for the entire order quantity at a time or each equipment wise/lot wise in the standard format Appendix-III enclosed herewith .

No payment will be made without submission of the performance bank guarantee.

- 16. <u>Security Deposit</u> Waived as being registered with DGS&D.
- 17. <u>Inspection</u> Final inspection shall be carried out at the consignee end after receipt of materials by the concerned technical head or their authorized representative.

18. PENALTY FOR FAILURE TO SUPPLY IN TIME

The delivery of stores stipulated in Purchase order shall be deemed to be of the essence of the contract and delivery of the stores must be completed by the date specified. No materials should be supplied beyond the specified delivery period, unless specific approval has been obtained from this office.

In the event of failure to deliver the stores within the stipulated date/ period in accordance with the samples and/or specification mentioned is the supply order, and in the event of breach of any terms and conditions mentioned in the supply order Bharat Coking Coal Limited reserves the right:

- a) To recover from you, as agreed liquidated damages, a sum not less than 0.5% (half percentage) of the price of the stores which you have not been able to supply (for this purpose part of a unit supplied will not be considered) as aforesaid for each week or part of a week during which the delivery of such stores may be in arrears limited to 10%. Where felt necessary the limit of 10% can be increased to 15% at the discretion of Head of the Materials Management Division.
- b) To purchase elsewhere, after due notice to you, on your account and risk , the stores not supplied or others of a similar description without canceling the supply order in respect of consignment not yet due for supply or
- c) To cancel the supply order or a portion thereof, and if so desired to purchase the store at your risk and cost and also
- d) To extend the period of delivery with or without penalty as may be considered fit and proper. The penalty , if imposed shall not be more than the agreed liquidated damages referred to in clause(a) above.
- e) To encash any Bank guarantee which is available for recovery of the penalty or
- f) To forfeit the security deposit full or in part.

g) Whenever under the contract a sum of money is recoverable from and payable by you, BCCL shall be entitled to recover such sum by appropriating, in part or whole by deducting any sum or which at any time thereafter may be due you in this or any other contract with Bharat Coking Coal Ltd. or any subsidiary of Coal India Ltd. Should this sum be not sufficient to cover the full amount recoverable, you will pay BCCL on demand the remaining amount. You will not be entitled to any gain under this clause.

(Contd. Page-4)

-- 4 --

19. PRICE FALL CLAUSE:

- i) The prices charged for the stores supplied under the contract by the supplier shall in no event exceed the lowest price at which the supplier offer to sell the stores of identical description to any other organization from date of offer till completion of supply under the contract.
- ii) If at any time during the said period the supplier offers lower sale price of such stores to any other organization at a price lower than the price chargeable under this contract, the supplier shall forthwith notify such reduction or sale to the consignee concerned under intimation to CGM(MM),Bharat Coking Coal Limited , Commercial Block , Level –III , Koyla Bhawan , Koyla Nagar , Dhanbad and the price payable under the contract for the store65-70s supplied after the date of coming into force of such reduction or sale, shall stand correspondingly reduced. The above stipulated will not, however apply to exports by the supplier.

All other terms & conditions along with Technical Specifications and Scope of supply will strictly be as per our NIT and company's norms .

ALL DISPUTES ARE SUBJECT TO DHANBAD COURT AND JHARKHAND HIGH COURT JURISDICTION ONLY.

This contract is concluded with the issuance of this order. Two copies of the order is being sent to you. You are advised to acknowledge the receipt and acceptance of the order by returning one copy duly signed and stamped to this office positively within 15 days, failing which this order shall be deemed to have been accepted by you for execution.

Yours faithfully, For & on behalf of Bharat Coking Coal Ltd.

(A.K. Choudhary) Chief Manager (MM)

INDENT & BUDGET CERTIFICATION REFERENCE

SN	Indent no. and Date	Budget Certification no. & dt.
1	BCCL/CGM(E&M)/F-C Indent/ B-II/116	
	Dt.14/10/10 of Block – II [I.R. no.	
	138(10-11) Dt.23/12/10]	BCCL/C&B/BE (11-12) /72 Dt. 18.07.11 for
2	CGM/AR-1/ AM(E&M)/F-67/132/10	Rs. 2,48,74,559.00 A/C P&M
	Dt. 10/08/10 of Barora [I.R. No.	Code – CAP ; 7615

Ì	135(10-11) Dt. 16/12/10]	

Copy to:

- 1. Depot Officer, Ekra Central Stores.
- 2. CFM(PUR), MM DIV, Koyla Bhawan.
- 3. CGM(E&M), Koyla Bhawan.
- GM, Block II / Barora Areas, BCCL 4
- MM(Tech Cell), MM Div, Koyla Bhawan. 6.
- Master File/Office Copy. 7.

ANNEXURE 'A'

SPECIFICATION OF HORIZONTAL SPLIT CASING PUMP

The Horizontal Split Casing Pump built up from top and bottom cover, impellers suction delivery branches suitable for handling mine drainage water at 50°C ambient temperature having specific gravity of 1.03 at an altitude not exceeding 300 Mtr. Above Sea level. The net suction lift should not be less than 5 Mtr.

The speed of pump will be 1500 (Synchronous) and a complete pump rotor shall be balanced statically and dynamically to provide vibration free operation. Pump will also be tested hydrostatically and 1 ½ times the working head.

The materials of construction of these pumps shall be as below:

Top & Bottom cover : C.I.as per IS: 210; FG: 20 Shaft : EN8 Steel/Eqvt. Steel

: Bronze as per IS:318, LG2-C/Eqvt. Impeller Bearings with suitable lubrication : Antifriction suitable for axial and radial

arrangement thrust.

All Hydraulic parameter of the pump shall be subject to tolerance as per IS: 9137.

Note:-

- a) Impellers shall be of fully shrouded enclosed type of suitable shall be statically and dynamically balanced for smooth running.
- b) The motor shall be directly coupled to pump through a well-designed pin type couplings, alternatively and other suitable flexible/hydraulic coupling of adequate rating.
- c) The motor and Pump set along with coupling, shall be supplied mounted on a common bed frame of adequate strength.

MOTORS:

The pump shall be coupled directly through suitable flexible coupling to a continuously rated NFLP squirrel cage induction motor 1500 RPM (Sync.) of adequate H.P. suitable for operation in AC 3 Phase, 50 Cycles, 6.6 KV +/- 10%, insulation class 'F', foot mounted, TEFC/TETV, **IP-55** protection.

MAKE OF MOTOR: NGEF / GEC / BHEL / SIEMENS / KIRLOSKAR / ABB / MARATHON/ALSTOM / BHARAT BLJLEE

- a) It should have margin of at least 10% over and above power absorbed by the pump at $\pm 10\%$ of indicated head shown on the performance curves .
- b) Suitable bearings with Lubrication arrangement to withstand axial & radial thrust at DE & NDE .

(Contd. Page -2)

-: 2:-

ADDITIONAL ACESSORIES TO ACCOMPANY EACH PUMP SET:-

a) Cast Steel Sluice valve of adequate size (Class – 300);

Make - Kirloskar / L&T / Fouress/KSB

- b) Cast Steel Non return valve of adequate size with bye-pass arrangement (Class 300); **Make Kirloskar / L&T / Fouress/KSB**
- c) C.I. Foot valve with strainer (Flange type) of adequate size .
- d) Priming Funnel with test cock
- e) M.S. Fabricated bed Plate of adequate strength and size matched to take vibration free load of the pump & Motor.
- f) Coupling guard, gauges to show head in feet / Meter and discharge in GPM (Flow meter)
- g) Standard tools & tackles.

STARTER

- a) The mining type starter would be successfully tested type at CPRI for the offered ratings. A copy of CPRI test report to be submitted to this effect.
- b) Magnetic O/L protection with a range of 50% to 150%
- c) Off- load interlocked reversing isolator of capacity 300% of full load current.
- d) Bus-bar- through going electrolytic copper with shrink fit PVC sleeves and hanging adequate cross section and current rating not less than 200 A.
- e) Incoming-Outgoing and through going cable sealing dividing box suitable for mining type PVCDWA Cable.
- f) Contactor suitable for AC-3 duty and should be operated through Aux. Transformer. The capacity of contactor should be thrice the full load current.
- g) Ammeter and OFF/ON indicating lamp.
- h) All components will be of standard make only
- i) Control wiring will be done by ISI marked copper wire of adequate size.
- j) Printed copy of circuit diagrams to be fixed inside the door panel.

Earth leakage protection on CBT principle of setting 250-750mA with test/reset push button and indicating lamps.