BHARAT COKING COAL LIMITED

(A Subsidiary of Coal India Limited) **Regd. Office: Koyla Bhawan**

OFFICE OF THE GENERAL MANAGER Bastacolla Area, BCCL Jharia (DHANBAD)

1. Name of the Work Repairing and Maintenance of B Type Qtr of Anjani

Kumar and Kajal Ghosh situated at Koyla Nagar under

Bastacolla Area

2. Name of the Contractor :

Address with Pin-code

3. Quotation Ref. No. : BCCL/CIVIL/BA/QTN-41/2024-25/91

Date: 13.08.2024

4. Date of Receipt of Quotation : up to 12.30 PM on 21.08.2024

5. Date of Opening of Quotation : At 01.00 PM on 21.08.2024

6. Documents Issued

Quotation Notice: 8 (Nine) pages

Bill of Quantity : 3 (Two) page

7. Details of E.M.D. :

SIGNATURE OF AGENCY

OUOTATION INVITING NOTICE

1. Sealed quotations in Single envelope are invited from eligible contractors for the following work.

| Description of work | Estimated Cost of Work (Incl. GST) (In Rs.) | Earnest Money (In Rs.) | Period of Completion (In Days) |
|---------------------------|---------------------------------------------------|---------------------------|--------------------------------------|
| Repairing and | Rs.1,98,593 | ₹ 2500.00 | 15days |
| Maintenance of B Type Qtr | | | |
| of Anjani Kumar and Kajal | | | |
| Ghosh situated at Koyla | | | |
| Nagar under Bastacolla | | | |
| Area | | | |

Note: There will be 100% exemption of EMD deposit for the Co-operative Societies constituted of local land losers/Project affected Persons (PAPs). PAPs who have not been given any employment will only be eligible for being a member of the co-operative society. The co-operative society will be formed of the PAPs only. The co-operative should be registered under relevant act and to comply with rules and regulations made there under. A certificate that such co-operatives formed consists of only PAPs who have not been provided any employment by BCCL has to be obtained from the Estate Dept. of BCCL, HQ.

2. Quotation documents can be obtained from the website of Bharat Coking Coal Limited i.e. https://www.bcclweb.in.

Note:

- 1. In case of Partnership firm, the undertaking must be signed by all the partners of the Partnership Firm.
- 2. In case of Project Affected Person(s) (PAPs) firms, this document is to be signed by all the partners of the PAPs who have formed Partnership firm and if the PAPs have formed cooperative society, this document is to be signed by any legally acceptable authorized signatory of the co-operative society, approved through the Resolution of the co-operative society.

The quotation documents will be available in the website of Bharat Coking Coal Limited under Tenders and Notices icon/option and can be downloaded from the "Tenders" window form 14.08.2024 to 20.08.2024 Quotations will be received up to 12:30 PM on 21.08.2024 in the Tender Box, Office of the GM, Bastacolla Area, BCL.

3. The Envelope containing Bid document i.e. Confirmatory documents, Earnest money deposit as well as price bid of the quotation, will be opened on 21.08.2024 at 1:00 PM in the presence of the attending bidders or their authorized representatives whosoever chooses to be present in the office of the undersigned only. In case of holiday on opening date, it will be opened on the next working day at the same time and same place.

4. Earnest Money Deposit (EMD):

Earnest money can be deposited in the form of Bank Draft/Banker's certificate cheque or Banker's Pay Order drawn in favour of "Bharat Coking Coal Limited, (Dhanbad or respective Area of BCCL as applicable)" on any Nationalized Bank Payable at "Dhanbad (or respective Area of BCCL as applicable). The Purchaser's name should not appear on the Banker's Cheque or Banker's Pay Order.

Quotation without earnest money shall be rejected.

No EMD is required to be submitted by the Co-operative Societies formed by PAPs as mentioned in the Note at Clause no. 1.

- 5. The interested bidders must submit the following documents and credentials in sealed envelope:
 - i. Copy of Permanent Account Number (PAN) issued by Income Tax department, Govt. of India
 - ii. Undertaking by Bidder/s on his/her/their Letter Head regarding genuineness of the copy of documents submitted by him in support of his eligibility as per the format given in the bid document at Annexure-I.
- iii. The following documents depending upon the status w.r.to GST as declared by Bidder in the

BOO sheet:

a) Status: GST Registered Bidder under regular scheme

Document: GST Registration Certificate (i.e. GST identification Number) issued by appropriate authority of India.

OR

b) Status: GST Registered Bidder under composition scheme

Document: GST Registration Certificate (i.e. GST identification Number) issued by appropriate authority of India.

OR

c) Status: GST unregistered bidder:

Document: A Certificate from a practicing Chartered Accountant having membership number with Institute of Chartered Accountants of India certifying that the bidder is GST unregistered bidder in compliance with the relevant GST rules of. India.

Note:

If turnover of bidder exceeds exemption/threshold limit, the bidder must have GST registration as per GST Act and rules.

- 6. The rate (excluding GST) is to be quoted in both figures and words. Conditional quotations will not be accepted unless specified.
- 7. All pages of the documents and credentials to be submitted by the bidder must be **self-authenticated** by the bidder /constituted attorney of the bidder with his signature and seal. Completed and sealed Envelope of quotation documents should contain following:
 - i. The statutory documents & all other documents as stated in this QUOTATION NOTICE and elsewhere in the quotation document.
 - ii. The Bill of quantity and the abstract sheet after duly filling the quoted rates i.e. the "Price-Bid".
- iii. Earnest Money Deposit in any of the form as defined at clause no.4.
- *The documents, EMD & BOQ should be submitted in a sealed envelope with appropriate superscription.
- 8. Quotations shall be rejected outright without any reference if the documents submitted by the bidder along with their quotation fail to prove eligibility in terms of criteria as per Clause no. 5 of this tender notice. Documents submitted along with the quotations shall be final and no supplementary document shall be accepted unless asked by the Company.
- 9. The General Terms and conditions of latest Civil Engineering Manual of CIL (with Amendments, if any) shall be applicable for this tender which can be accessed from Coal India web site www.coalindia.in

1. Taxes and Duties:

All duties, taxes (excluding Goods and Services Tax (GST) & GST Compensation Cess (if applicable) only) and other levies, royalty, building and construction workers cess (as applicable in States) payable by the bidder/Contractor under the Contract, or for any other cause as applicable on the last date of submission of Bid, shall be included in the rates, prices and the total Bid Price submitted by the Bidder. Applicable GST, if any, either payable by bidder or by company under reverse change mechanism shall be calculated on the basis of applicable GST rate mentioned in the BOQ.

All investments, operating expenses, incidentals, overheads, leads, lifts, carriages, tools and plants etc. as may be attendant upon execution and completion of works shall also be included in the rates, prices and total Bid price submitted by the bidder.

However, such duties, taxes, levies etc. which is notified after the last date of submission of Bid and/or any increase over the rate existing on the last date of submission of Bid shall be reimbursed by the company on production of documentary evidence in support of payment actually made to the concerned authorities.

Similarly, if there is any decrease in such duties, taxes and levies the same shall become recoverable from the contractor. The details of such duties, taxes and other levies along with rates shall be declared by the bidder.

The item wise rate quoted by bidder shall be inclusive of all taxes, duties & levies but excluding GST & GST Compensation Cess, if applicable. The payment of GST and GST Compensation Cess by service availer (i.e. BCCL) to bidder/contractor (if GST payable by bidder/contractor) would be made only on the latter submitting a Bill/invoice in accordance with the provision of relevant GST Act and the rules made there under and after online filing of valid return on GST portal. Payment of GST & GST Compensation Cess is responsibility of the service provider/contractor.

Further, any GST credit note required to be issued by the bidder / contractor under the GST provisions should be issued within the time limit prescribed under the GST law. However, in case bidder/contractor is GST unregistered bidder/dealer or GST registered under composition scheme in compliance with GST rules, the bidder/dealer shall not charge any GST and/or GST Compensation Cess on the bill/invoice. In case of unregistered dealer/bidder, GST, if applicable will be deposited by BCCL directly to concerned authorities in terms with GST provisions.

Input tax credit is to be availed by BCCL as per rule. If BCCL fails to claim Input Tax Credit(ITC) on eligible Inputs, input services and Capital Goods or the ITC claimed is disallowed due to failure on the part of supplier/vendor of goods and services in incorporating the tax invoice issued to BCCL in its relevant returns under GST, payment of CGST & SGST or IGST, GST (Compensation to State) Cess shown in tax invoice to the tax authorities, issue of proper tax invoice or any other reason whatsoever, the applicable taxes & cess paid based on such Tax invoice shall be recovered from the current bills or any other dues of the supplier/vendor along with interest and penalty, if any.

The rates and prices quoted by the Bidder shall be fixed for the duration of the contract and shall not be subject to variations on any account except to the extent variations allowed as per the conditions of the contract of the bidding document. The company reserves the right to deduct/ withhold any amount towards taxes, levies, etc. and to deal with such amount in terms of the provisions of the Statute or in terms of the direction of any statutory authority and the company shall only provide with certificate towards such deduction and shall not be responsible for any reason whatsoever.

In case of collection of minor minerals in area (both virgin and non-virgin), acquired by the Company under the Coal Act, the contractor will have to produce a royalty clearance certificate from the District Authorities before full and final payment. Further, where any damages or compensation becomes payable by either the Company or the bidder / contractor pursuant to any provision of this Agreement, appropriate GST wherever applicable as per the GST provisions in force shall also apply in addition to such damages or compensation.

2. System for decision of L1 bidder

The L1 bidder will be decided based on Overall Quoted Value (i.e. cost to the Company). The system for decision of L1 bidder will be as per following 02 (two) cases:-

Case – 1: Supply for which INPUT TAX CREDIT (ITC) is not available to the Company.

For calculation of Overall Bid Value, the GST [CGST, SGST/UTGST, IGST and GST (compensation to state tax)] to be paid by the bidder or by BCCL will be added to decide the L1 i.e. the ranking of the Bidders will be decided based on rates quoted by the bidders plus GST. This value of the bidder will be "the Cost to Company".

Then share of GST to be deposited by BCCL, if any will be deducted from overall bid value to arrive at the Contract value. The Price-bids of the bidders shall have no condition. The Price Bid which is incomplete and not submitted as per instruction given above is liable for rejection.

Case – 2: Supply for which INPUT TAX CREDIT (ITC) is available to the Company.

For calculation of Overall Bid Value, the GST [CGST, SGST/UTGST, IGST and GST (compensation to state tax)] to be paid by the Bidder or by BCCL will be ignored to decide the L1 i.e. the ranking of the Bidders will be decided based on rates quoted by the bidders excluding GST. This value of the bidder will be "the cost to Company".

Then share of GST to be paid by bidder shall be added with overall bid value to arrive at the Contract value. The Price-bids of the bidders shall have no condition. The Price Bid which is incomplete and not submitted as per instruction given above is liable for rejection.

Note: The bidder should mention their GST category in the BOQ as per clause 5. iii of this Tender Notice.

3. Price variation will not be applicable for this work.

4. Bid Validity:

The validity period of the quotations shall be **120** (One Hundred Twenty) days from the end date of bid submission.

5. Prohibition of Child Labour engagement:

The contractor/contractual Agencies must not engage any Child Labour during the course of execution of the contract work within the meaning and scope of the Child Labour Prohibition & Regulation Act-1986 and its relevant Act and Rules amended from time to time by the Govt. of India.

6. Implementation of CMPF:

The bidder shall have to ensure implementation of CMPF, if applicable, in respect of the workers deployed by him.

7. Settlement of Disputes:

Matters relating to any dispute or difference arising out of this quotation and subsequent contract Awarded based on this quotation, shall be subject to the jurisdiction of District Court of Dhanbad.

8. BCCL reserves its right to accept or reject any or all the quotations without assigning any reason whatsoever or to distribute the work amongst the bidders.

Sd/-Quotation Inviting Authority

PROFORMA FOR UNDERTAKING & BID SECURITY DECLARATION (To be furnished by the Bidder on his Letter Head during submission of bid)

| I / We, | , Proprietor/Partner/Legal Attorney/Director/ |
|-------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| | , solemnly declare that: |
| 1. I/We am/are submitting Bid for the | ne workagainst Quotation Notice |
| _ | and I/we offer to execute the work in accordance with all the |
| terms, conditions and provisions of the | |
| | |
| 2. Myself/Our Partners/Directors don | 't has/have any relative as employee of Bharat Coking Coal Limited. OR |
| The details of relatives of Myself/C | Our Partners/Directors working as employee of Bharat Coking Coal |
| Limited is as follows: | |
| a) Name of the employee | |
| b) Place of posting | |
| c) Department | |
| d) Designation | |
| e) Type of relation – Wife/Husband/ l | Father/ Step-Father/Mother / Step-Mother/ Son/Step-son/ |
| Son's wife / Daughter / Daughter's H | Iusband / Brother/ Step-Brother/ Sister / Step-Sister. |
| 3. All information furnished by us in of this Bid is complete, correct and to | respect of fulfilment of eligibility criteria and qualification information rue. |
| 4. All copy of documents, credential true and valid. | is and documents submitted along with this Bid are genuine, authentic, |
| 5. I/ We hereby authorize department | to seek references / clarifications from our Bankers. |
| 6. We hereby undertake that we sha contract labour (Regulation & Abolit | all register and obtain license from the competent authority under the tion Act) as relevant, if applicable. |
| 7. *I/We hereby confirm that we have as required under law. | registration with CMPF Authorities. We shall make necessary payments |
| | Or |
| • | nall take appropriate steps for registration as relevant under CMPF ake necessary payments as required under law. e. |
| 8. ** I/We have not been banned or d | lelisted by any Govt., or Quasi Govt. Agencies or PSUs. Or |
| **I / Wehave been | banned by the organization named "" for a period |
| | from to |
| | any other participating bidders, directly or through common third parties, ess to information about or influence on the bid of another Bidder. |

10. I/We or any of my/our affiliate has/have not participated as consultant in the preparation of the design or

technical specification of the contract that is the subject of the bid.

11. If any information and document submitted is found to be false/ incorrect at any time, department may cancel my/our Bid and action as deemed fit may be taken against me/us, including termination of the contract, forfeiture of all dues including Earnest Money and banning of our firm and all partners of the firm etc as per the tender document.

Note:

- 1. If the bidder is a partnership firm, this document must be signed by all the partners.
- 2. In case of Project Affected Person(s) (PAPs) firms, this document is to be signed by all the partners of the PAPs who have formed Partnership firm and if the PAPs have formed cooperative society, this document is to be signed by any legally acceptable authorized signatory of the co-operative society, approved through the Resolution of the co-operative society.

Bill of Quantity for the Work of "Repairing and Maintenance of B Type Qtr of Anjani Kumar and Kajal Ghosh situated at Koyla Nagar under Bastacolla Area"

Repairing and Maintenance of B Type Qtr of Anjani Kumar and Kajal Ghosh situated at Koyla Nagar under Bastacolla Area

| 1 13.90.1 2 13.99.1 3 13.91 4 14.1.2 5 13.16.1 | Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch | 79.48 | M2 M2 | Rate 46.25 | Amount 18261.35 5428.484 |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|------------|----------------------------|
| 3 13.91 4 14.1.2 5 13.16.1 | mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade: Old work (one or more coats) Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. Repairs to plaster of thickness 12 mm to 20 mm in patches | 79.48 | M2 | | 5428.484 |
| 3 13.91 4 14.1.2 5 13.16.1 | Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. Repairs to plaster of thickness 12 mm to 20 mm in patches | | | 68.3 | |
| 13.91 4 14.1.2 5 13.16.1 | cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete. Repairs to plaster of thickness 12 mm to 20 mm in patches | | M2 | | 3090 |
| 5 13.16.1 | | 200 | | 15.45 | |
| | in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1 cement : 4 Coarse sand) | 8.06 | M2 | 365.15 | 2943.11 |
| (15.50 | 6 mm cement plaster of mix: 1:3 (1 cement: 3 fine sand) | 15.76 | M2 | 198.2 | 3123.632 |
| | Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. | 15.70 | M3 | 32.85 | 492.75 |
| | Finishing 12 mm cement plaster of mix: 1:6 (1 cement: 6 fine sand) | 49.51 | M2 | 222 | 10991.22 |
| 8 13.80 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. | 350 | M2 | 102.2 | 35770 |
| | Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer | 350 | M2 | 53.3 | 18655 |
| 10 9.1.3 | Providing wood work in frames of doors, windows, | 0.087 | M3 | 63235.00 | 5501.445 |

| | | of required dia & length (hold fast lugs or dash fastener shall be paid for separately). | | | | |
|----|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------|---------|-----------|
| 11 | 15.13.1 | Kiln seasoned and chemically treated hollock wood Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead :Of area 3 sq. metres and below | 3.0 | each | 92.75 | 278.25 |
| 12 | 14.2.1 | Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.Door chowkhats | 1 | No | 1199.25 | 1199.25 |
| 13 | AR | Providing and Fixing 19mm thick Plywood (Greenply or equivalent water proof) for partition and other | 8.5 | M2 | 1638.33 | 13925.805 |
| 14 | 9.127.2 | Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS: 2046 Type S, including cost of adhesive of approved quality. 1:4 (1 cement: 4 fine sand) 1.0 mm thick | 6.98 | M2 | 626.15 | 4370.527 |
| 15 | 9.21.2 | Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws | 3.66 | M2 | 1585.90 | 5804.394 |
| 16 | 9.57.3 | Providing and fixing ISI marked oxidised M.S. pressed butt hinges with necessary screws etc. complete.75x47x1.70 mm | 12.00 | each | 28.40 | 340.8 |
| 17 | 9.66.2 | Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete: 100 mm | 8.00 | each | 24.50 | 196 |
| 18 | 9.63.3 | Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete: 150x10 mm | 4.00 | each | 46.00 | 184 |
| 19 | 9.62.2 | Providing and fixing ISI marked oxidised M.S. sliding door bolts with nuts and screws etc. complete: 250x16 mm | 2.00 | each | 148.6 | 297.2 |
| 20 | 15.13.1 | Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead :Of area 3 sq. metres and below | 3.00 | M2 | 92.75 | 278.25 |
| 21 | 15.23.1 | Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm | 10.00 | M2 | 48.05 | 480.5 |
| 22 | 11.41.2 | Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., | 13.45 | M2 | 923.4 | 12419.73 |

| | | complete.Size of Tile 600x600 mm | | | | |
|----|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-------|---------|-----------|
| 23 | 8.31 | Providing edge moulding to 18 mm thick marble stone counters, Vanities etc., including machine polishing to edge to give high gloss finish etc. complete as per design approved by Engineer-in-Charge.Marble work | 2.40 | M | 897.4 | 2153.76 |
| 24 | 15.52 | Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. | 2.00 | each | 582.35 | 1164.7 |
| 25 | 17.2.2 | Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: W.C. pan with ISI marked black solid plastic seat and lid | 2.00 | each | 4653.6 | 9307.2 |
| 26 | 18.49.1 | Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931:15 mm nominal bore | 4.00 | each | 363.7 | 1454.8 |
| 27 | 12.41.2 | Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.110 mm diameter | 9.00 | M | 265.05 | 2385.45 |
| 28 | AR | Providing and Fixing hand shover | 2.00 | each | 1098.72 | 2197.44 |
| 29 | 1.8.1 | Wiring for light point/fan point/ exhaust fan point/ call bell point with 105 sq.mm FR PVC insulated copper conductor single core cable in surface/ recessed medium class PVC conduit, with piano type switch, phenolic lamonated sheet, suitable size M.S box | 10.00 | each | 380.62 | 3806.2 |
| 30 | 1.14.2 | Wiring of Circuit/submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/recessed medium class PVC conduit as require 2 X 2.5 sq.mm + 1 X 2.25 sq.mm. earth wire | 15.00 | M | 119.86 | 1797.9 |
| | | | | Total | Amount | 168299.15 |
| | | | | Add | 18% GST | 30293.85 |
| | | | | Tot | al Cost | 198593.00 |

Note: ITC is available for this work.

| GST Status of bidder | (GST registered/Unregistered) | | |
|----------------------------------------------------------|---------------------------------------|--|--|
| Synopsis: - | | | |
| I/ We Quote %() Above/ Below/ At Pa | | | |
| Quoted Amount is Rs(Rupees in words | | | |
|). + GS | T @18% in Rs | | |
| (Not to be included in case of GST Registered Bidder und | er composition scheme or unregistered | | |
| bidder). | | | |

Signature of Contractor Seal & Date